


TYPICAL RECTANGULAR DUCT LAYOUT



TYPE	DESCRIPTION	PAGE	TYPE	DESCRIPTION	PAGE
P13	90° Angle Boot	783	113	Trunk Reducer	790
P17R	Right Hand Boot	784	50	Trunk Offset Collar	789
P17C	Center Boot	784	45	Trunk Starting Collar	789
1	Round Pipe	772	P17L	Left Hand Boot	784
200	Wall Stack	790	S5	Adj Pivot Takeoff	779
S75	Drawband Connector	794	T15	Top Takeoff	779
T10	Top Takeoff	779	212	Trunk End Cap	790
13	Stack Boot	791	T25	Start Collar	776
26	Register Head	792	16	Joist Panning	799
99U	Plenum	795	444	Fresh Air Intake	798
100	Trunk Duct	797	71	Return Air Drop	797



HART
COOLEY

Honeywell Home

FloAire

Lau
Industries, Inc.

Browning

Aprilair
Trusted Solutions for a Healthy Home™

	Page		Page
• Registers and Diffusers, Floor.....	744-745	• Fan Blades, Wheels.....	808-813
• Baseboard, Sidewall and Ceiling	745-755	• Blower Assemblies, Sheaves, Bearings	813-822
• Ceiling	755-757	• Fan Belts.....	822-830
• Commercial.....	757-761		
• T-Bar	762-765	• Condenser Pads.....	830-832
• “B” Vent.....	766-769	• Air Cleaners, Electronic, Media.....	832-835
• Polypropylene Venting System.....	770-771		
		• Air Scrubber.....	834
• Sheet Metal Pipe and Fittings.....	772-800		
		• UV Lights.....	836-837
• Flexible Ducting.....	800-803	• AC/Heat Duct Air Purification System.....	837-840
• Duct Board, Duct Wrap.....	803-805	• Humidifiers, Dehumidifiers	841-843
• Duct Sealers, Connectors.....	805	• Air Filters	843-854
		• Bulk Filter Media, Pads	855-856
• Exhaust Fans.....	806-808	• Aluminum Filters.....	857
		• Evaporative Cooler Pads.....	857

FLOOR AND BASEBOARD

FLOOR RETURN AIR GRILL



210GS6X10

- All-steel construction
- Extremely rigid
- Free area averages over 75%
- Toe-operated valve control
- Golden Sand enamel finish

HART COOLEY

Part No.	Width (In.)	Length (In.)	Box Qty	Price
210GS4X8	4	8	10	\$52.69
210GS4X10	4	10	10	\$55.73
210GS4X12	4	12	10	\$61.89
210GS6X8	6	8	10	\$56.74
210GS6X10	6	10	10	\$56.02
210GS6X12	6	12	10	\$65.52
210GS8X8	8	8	10	\$63.37
210GS8X10	8	10	10	\$64.44
210GS8X12	8	12	10	\$72.23
210GS8X14	8	14	10	\$86.55
210GS9X12	9	12	10	\$80.53
210GS10X10	10	10	5	\$77.22
210GS10X12	10	12	5	\$80.86
210GS14X6	6	14	10	\$71.66
210GS14X12	12	14	5	\$99.94

FLOOR RETURN AIR GRILL (CONT'D.)

HART COOLEY

Part No.	Width (In.)	Length (In.)	Box Qty	Price
265GS8X30	8	30	6	\$93.47
265GS8X36	8	36	1	\$93.47
265GS10X10	10	10	6	\$48.78
265GS10X12	10	12	6	\$48.61
265GS10X14	10	14	6	\$59.28
265GS10X20	10	20	6	\$83.28
265GS10X24	10	24	6	\$92.44
265GS10X30	10	30	6	\$100.46
265GS10X36	10	36	1	\$100.46
265GS12X12	12	12	6	\$58.19
265GS12X14	12	14	6	\$65.16
265GS12X20	12	20	6	\$83.68
265GS12X24	12	24	6	\$92.61
265GS12X30	12	30	6	\$113.98
265GS14X14	14	14	6	\$81.81
265GS14X16	14	16	6	\$90.40
265GS14X20	14	20	6	\$91.75
265GS14X24	14	24	6	\$107.05
265GS14X30	14	30	6	\$123.85
265GS16X20	16	20	4	\$121.75
265GS16X24	16	24	4	\$130.82
265GS20X20	20	20	1	\$157.24
265GS20X24	20	24	1	\$172.40
265GS20X30	20	30	1	\$195.16

FLOOR RETURN AIR GRILL



265GS14X20

- All-steel construction
- Extremely rigid
- Free area averages over 75%
- Golden Sand enamel finish

HART COOLEY

Part No.	Width (In.)	Length (In.)	Box Qty	Price
265GS4X10	4	10	6	\$34.15
265GS4X12	4	12	6	\$34.72
265GS4X14	4	14	6	\$38.27
265GS6X10	6	10	6	\$34.61
265GS6X12	6	12	6	\$36.99
265GS6X14	6	14	6	\$38.76
265GS6X16	6	16	6	\$55.35
265GS6X20	6	20	6	\$68.55
265GS6X24	6	24	6	\$66.76
265GS6X30	6	30	6	\$85.05
265GS8X10	8	10	6	\$39.62
265GS8X12	8	12	6	\$40.13
265GS8X14	8	14	6	\$46.97
265GS8X16	8	16	6	\$61.14
265GS8X20	8	20	6	\$75.71
265GS8X24	8	24	6	\$76.32

Continued...

FLOOR DIFFUSER



421GS4X10

GOLDEN SAND

- All-steel construction
- Multi-angle fin setting
- Foot-operated dial control
- Golden Sand enamel finish
- Overall dimension: listed size + 1 1/2"

HART COOLEY

Part No.	Width (In.)	Length (In.)	Box Qty	Price
421GS2X10	2 1/4	10	30	\$13.12
421GS2X12	2 1/4	12	30	\$13.56
421GS2X14	2 1/4	14	30	\$15.62
421GS4X8	4	8	20	\$11.45
421GS4X10	4	10	20	\$11.60
421GS4X12	4	12	20	\$15.83
421GS4X14	4	14	20	\$18.99
421GS6X10	6	10	10	\$22.13
421GS6X12	6	12	10	\$24.76
421GS6X14	6	14	10	\$26.23

Note: Box quantity for ordering convenience only

REZZIN™

- Engineered polymer construction, Rezzin™
- Solid ABS construction for floor us
- Multi-angled fins for fan pattern of air distributio
- Foot-operated, opposed-blade damper
- Bright White finis

HART COOLEY

Part No.	Width (In.)	Length (In.)	Price
RZ421W4X10	4	10	\$19.18
RZ421W2X12	2	12	\$17.98
RZ421W4X12	4	12	\$23.37



421W2X10

BRIGHT WHITE

- All-steel construction
- Multi-angle fin settin
- Foot-operated dial control
- Bright White enamel finis
- Overall dimension: listed size + 1 1/2"

HART COOLEY

Part No.	Width (In.)	Length (In.)	Box Qty	Price
421W2X10	2 1/4	10	30	\$13.12
421W2X12	2 1/4	12	30	\$13.56
421W2X14	2 1/4	14	30	\$16.40
421W4X10	4	10	20	\$11.60
421W4X12	4	12	20	\$15.83
421W4X14	4	14	20	\$19.94
421W6X10	6	10	10	\$23.24
421W6X12	6	12	10	\$26.02
421W6X14	6	14	10	\$27.54



411GS2X12

DELUXE

- All-steel construction
- Multi-angle fin settin
- Foot-operated dial control
- Golden Sand enamel finis
- Overall dimension: listed size + 1 1/4" (6"W), 1 1/8" (2 1/4", 4"W)

HART COOLEY

Part No.	Width (In.)	Length (In.)	Box Qty	Price
411GS2X10	2 1/4	10	20	\$34.86
411GS2X12	2 1/4	12	20	\$38.34
411GS2X14	2 1/4	14	20	\$43.45
411GS4X10	4	10	10	\$38.42
411GS4X12	4	12	10	\$42.44
411GS4X14	4	14	10	\$50.34
411GS6X10	6	10	10	\$60.88
411W6X10	6	10	10	\$60.88
411GS6X12	6	12	10	\$60.46
411GS6X14	6	14	10	\$66.25



531A6X12

ALUMINUM FACE


- Extruded aluminum margins
- Heavy cross bracing at strategic intervals
- Dual multi-shutter valves for adjustable air pattern
- Nylon slide valve operators
- Satin anodized finis

- Overall dimension: listed size + 1 1/2"

HART COOLEY

Part No.	Width (In.)	Length (In.)	Box Qty	Price
531A2X12	2 1/4	12	10	\$86.63
531A4X10	4	10	10	\$87.24
531A4X12	4	12	10	\$100.84
531A6X12	6	12	10	\$115.24

BASEBOARD TOE-SPACE GRILL



420GS12X2

GOLDEN SAND

- All-steel construction
- Multi-angle fin settin
- Golden Sand enamel finis
- Overall dimension: listed size + 1 1/8" (2 1/4" W), 1 1/2" (4" W)

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
420GS10X2	2 1/4	10	15	\$9.66
420GS12X2	2 1/4	12	15	\$10.59
420GS2X14	2 1/4	14	15	\$11.62
420GS4X10	4	10	10	\$11.75
420GS4X12	4	12	10	\$13.81
420GS4X14	4	14	10	\$15.62



420W12X2

BRIGHT WHITE

- All-steel construction
- Multi-angle fin settin
- Bright White enamel finis
- Overall dimension: listed size + 1 1/8" (2 1/4" W), 1 1/2" (4" W)

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
420W10X2	2 1/4	10	15	\$9.66
420W12X2	2 1/4	12	15	\$10.59
420W12X4	4	12	15	\$13.81
420W14X2	2 1/4	14	15	\$11.62

Note: Box quantity for ordering convenience only

FLOOR AND BASEBOARD

BASEBOARD DIFFUSER



406W15

400 SERIES

- All-steel construction
- 15"W: 32 square inches of free areas
- 18"W: 38 square inches of free areas

HART COOLEY

Dimensions (In.)			
Part No.	L	Box Qty	Price
406W15	15	12	\$24.61
406W18	18	12	\$24.61
406GS18	18	12	\$24.61



462W24

460 SERIES

- All-steel construction
- Airfoil valves reduce resistance
- Equal air distribution over the length of the diffuser

HART COOLEY

Dimensions (In.)			
Part No.	L	Box Qty	Price
462W24	24	12	\$48.25
464W48	48	4	\$92.74

BASEBOARD RETURN AIR GRILL



407W18

400 SERIES

- All-steel construction
- 38 square inches of free area
- Matches 406 Series

HART COOLEY

Dimensions (In.)			
Part No.	L	Box Qty	Price
407GS18 ¹	18	12	\$23.96
407W18	18	12	\$23.96

¹Golden Sand enamel



657W14X6

VERTICAL

- One-piece steel construction
- 1/3" spaced fins set at 20
- 7/8" margin turnback
- Bright White enamel finis
- Overall dimension: listed size + 1 3/4"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
657W10X6	10	6	10	\$18.11
657W12X6	12	6	10	\$17.52
657W14X6	14	6	20	\$14.72
657W14X8	14	8	20	\$19.31
657W20X10	20	10	1	\$39.31
657W24X6	24	6	10	\$23.98
657W24X8	24	8	10	\$32.82
657W24X10	24	10	10	\$39.62
657W24X12	24	12	10	\$44.91
657W30X6	30	6	10	\$25.83
657W30X8	30	8	10	\$35.81
657W30X10	30	10	10	\$42.91
657W30X12	30	12	10	\$45.89



658W30X6

BASE PROJECTION

- All-steel construction
- Horizontal face fins set 20° dow
- Bright White enamel finis
- 3 3/4" base projection
- Overall dimension: width-listed size + 1 3/4"; height-listed size + 1 1/4"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
658W10X6	10	6	8	\$26.86
658W12X6	12	6	8	\$28.32
658W14X6	14	6	8	\$29.03
658W24X6	24	6	8	\$40.59
658W30X6	30	6	8	\$43.54
658W30X8	30	8	8	\$63.73

Note: Box quantity for ordering convenience only

BASEBOARD REGISTER



654W10X6

VERTICAL

- One-piece steel construction
- 1/3" spaced fins set at 20
- 7/8" margin turnback
- Positive volume control damper
- Bright White enamel finis
- Overall dimension: listed size + 1 1/4"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
654W10X6	10	6	20	\$33.43
654W12X6	12	6	20	\$36.88
654W14X6	14	6	10	\$40.59



655W10X6

BASE PROJECTION

- All-steel construction
- Horizontal face fins set 20° dow
- Positive volume control damper
- Bright White enamel finis
- 3 3/4" base projection
- Overall dimension: width-listed size + 1 3/4"; height-listed size + 1 1/4"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
655W10X6	10	6	8	\$47.20
655W12X6	12	6	8	\$48.74
655W14X6	14	6	8	\$51.31



664W10X6

NO DAMPER

- All-steel construction
- 1/3" spaced fins set at 20
- Multi-shutter valve
- Bright White enamel finis
- 7/8" margin turnback
- 1 5/8" depth when fully opened
- Overall dimension: listed size + 1 1/4"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
664W8X6	8	6	10	\$28.46
664W10X6	10	6	20	\$30.95
664W12X6	12	6	20	\$33.64
664W14X6	14	6	20	\$36.48

BASEBOARD SUPPLY REGISTER



651W10X6

- 1/3" spaced fins set at 20
- All-steel construction
- Bright White enamel finis
- Positive volume control damper
- Overall dimension: listed size + 1 1/4"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
651W10X6	10	6	20	\$33.64
651W12X6	12	6	20	\$35.03
651W14X6	14	6	10	\$37.94

CURVED BLADE SUPPLY REGISTER



301W10X6

ONE-WAY DEFLECTION, STEEL

- All-steel one-piece stamped face curved blade construction
- Multi-shutter valve
- Equipped with gasket
- For sidewall or ceiling application
- Bright White enamel finis
- One-way air pattern

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
301W8X4	8	4	10	\$20.19
301W8X6	8	6	10	\$22.84
301W10X6	10	6	20	\$22.29
301W10X8	10	8	10	\$28.88
301W12X6	12	6	20	\$25.58
301W12X8	12	8	10	\$30.91
301W14X6	14	6	20	\$27.20
301W14X8	14	8	10	\$31.81

Note: Box quantity for ordering convenience only

SIDEWALL AND CEILING

CURVED BLADE SUPPLY REGISTER



303W12X6

THREE-WAY DEFLECTION, STEEL

- All-steel one-piece stamped face curved blade construction
- Multi-shutter valve
- Equipped with gasket
- For sidewall or ceiling application
- Bright White enamel finish
- Three-way air pattern



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
303W8X4	8	4	10	\$20.19
303W8X6	8	6	10	\$22.84
303W8X8	8	8	10	\$26.08
303W10X6	10	6	20	\$23.39
303W12X6	12	6	20	\$25.58
303W12X8	12	8	10	\$30.91
303W14X6	14	6	20	\$27.20
303W14X8	14	8	10	\$31.81



304W8X8

FOUR-WAY DEFLECTION, STEEL

- All-steel one-piece stamped face curved blade construction
- Multi-shutter valve
- Equipped with gasket
- For sidewall or ceiling application
- Bright White enamel finish
- Four-way air pattern



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
304W6X6	6	6	10	\$21.24
304W8X8	8	8	10	\$26.08
304W10X10	10	10	10	\$40.29
304W12X12	12	12	10	\$50.17
304W14X14	14	14	10	\$70.65



A611MSW12X6

ONE-WAY DEFLECTION

- Aluminum construction
- Equipped with gasket
- Adjustable curved blades
- Bright White enamel finish
- Multi-shutter valve
- Overall dimension: listed size + 1 3/4"

- Stamped face margins eliminate mitered corners and rough edges
- One-way air pattern



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
A611MSW6X6	6	6	12	\$54.11
A611MSW8X4	8	4	12	\$38.21
A611MSW8X6	8	6	12	\$47.77
A611MSW8X8	8	8	12	\$63.71
A611MSW10X4	10	4	24	\$54.02
A611MSW10X6	10	6	24	\$48.82
A611MSW10X8	10	8	12	\$67.35
A611MSW10X10	10	10	12	\$72.08
A611MSW12X4	12	4	24	\$57.12
A611MSW12X6	12	6	24	\$54.02
A611MSW12X8	12	8	12	\$67.35
A611MSW12X12	12	12	12	\$89.16
A611MSW14X6	14	6	24	\$61.96
A611MSW14X8	14	8	12	\$79.01



A612MSW8X8

TWO-WAY DEFLECTION

- Aluminum construction
- Equipped with gasket
- Adjustable curved blades
- Bright White enamel finish
- Multi-shutter valve
- Overall dimension: listed size + 1 3/4"

- Stamped face margins eliminate mitered corners and rough edges
- Two-way air pattern



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
A612MSW6X6	6	6	—	\$54.06
A612MSW8X8	8	8	12	\$63.85
A612MSW10X6	10	6	24	\$47.47
A612MSW10X10	10	10	12	\$75.68
A612MSW12X6	12	6	24	\$54.02
A612MSW12X8	12	8	12	\$67.35
A612MSW12X12	12	12	12	\$93.62

Note: Box quantity for ordering convenience only



A613MSW8X8

THREE-WAY DEFLECTION

- Aluminum construction
- Equipped with gasket
- Adjustable curved blades
- Bright White enamel finis
- Multi-shutter valve
- Overall dimension: listed size + 1 3/4"

- Stamped face margins eliminate mitered corners and rough edges
- Three-way air pattern



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
A613MSW6X6	6	6	12	\$62.95
A613MSW8X4	8	4	12	\$45.43
A613MSW8X8	8	8	12	\$74.19
A613MSW10X4	10	4	24	\$66.00
A613MSW10X6	10	6	24	\$55.35
A613MSW10X10	10	10	12	\$88.19
A613MSW12X6	12	6	24	\$62.88
A613MSW12X8	12	8	24	\$93.01
A613MSW12X12	12	12	12	\$109.12
A613MSW14X6	14	6	24	\$75.73
A613MSW14X8	14	8	12	\$96.67



A614MSW6X6

FOUR-WAY DEFLECTION

- Aluminum construction
- Equipped with gasket
- Adjustable curved blades
- Bright White enamel finis
- Multi-shutter valve
- Overall dimension: listed size + 1 3/4"

- Stamped face margins eliminate mitered corners and rough edges
- Four-way air pattern



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
A614MSW6X6	6	6	12	\$66.76
A614MSW8X8	8	8	12	\$75.87
A614MSW10X10	10	10	12	\$87.62
A614MSW12X12	12	12	12	\$106.25
A614MSW14X14	14	14	12	\$138.65

RETURN AIR GRILL



650H8X6

HORIZONTAL, 1/3" FIN SPACING

- 1/3"-spaced fins set at 20
- All-steel construction
- 5/16" margin turnback
- Bright White enamel finis
- Overall dimension: listed size + 1 3/4"



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
650H8X4	8	4	10	\$9.37
650H8X6	8	6	10	\$9.43
650H8X8	8	8	10	\$10.42
650W8X14	8	14	10	\$12.91
650H10X4	10	4	10	\$9.43
650H10X6	10	6	10	\$9.94
650H10X8	10	8	10	\$12.27
650H10X10	10	10	10	\$16.72
650H12X4	12	4	10	\$10.11
650H12X6	12	6	10	\$9.43
650H12X8	12	8	10	\$12.27
650H12X10	12	10	10	\$18.86
650H12X12	12	12	10	\$18.36
650H12X24	12	24	10	\$35.68
650H14X4	14	4	10	\$11.01
650H14X6	14	6	10	\$10.06
650H14X8	14	8	10	\$12.17
650H14X10	14	10	10	\$20.23
650H14X12	14	12	10	\$21.77
650H14X14	14	14	5	\$23.18
650H16X6	16	6	10	\$14.99
650H16X8	16	8	10	\$15.87
650H16X10	16	10	10	\$24.65
650H16X12	16	12	10	\$27.20
650H16X14	16	14	5	\$31.89
650H16X16	16	16	5	\$30.61
650H18X6	18	6	10	\$15.52
650H18X8	18	8	10	\$17.22
650H18X10	18	10	10	\$26.15
650H18X12	18	12	10	\$28.61
650H18X14	18	14	5	\$36.02
650H18X16	18	16	5	\$39.41
650H18X18	18	18	5	\$42.74
650H20X6	20	6	10	\$15.94
650H20X8	20	8	10	\$16.86
650H20X10	20	10	10	\$25.60
650H20X12	20	12	10	\$31.03
650H20X14	20	14	5	\$37.37
650H20X16	20	16	5	\$38.84
650H20X18	20	18	5	\$48.23
650H20X20	20	20	5	\$47.41
650H24X6	24	6	10	\$15.87
650H24X8	24	8	10	\$17.31
650H24X10	24	10	10	\$31.79

Continued...

Note: Box quantity for ordering convenience only

SIDEWALL AND CEILING

RETURN AIR GRILL

HORIZONTAL, 1/3" FIN SPACING (CONT'D.)

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
650H24X12	24	12	10	\$34.00
650H24X14	24	14	5	\$42.76
650H24X16	24	16	5	\$48.17
650H24X18	24	18	5	\$58.97
650H24X20	24	20	5	\$63.37
650H24X24	24	24	5	\$77.14
650H30X6	30	6	10	\$17.49
650H30X8	30	8	10	\$22.78
650H30X10	30	10	10	\$34.74
650H30X12	30	12	5	\$38.48
650H30X14	30	14	5	\$56.59
650H30X16	30	16	5	\$63.37
650H30X18	30	18	5	\$97.81
650H30X20	30	20	5	\$79.56
650H30X30	30	30	5	\$116.23
650H36X10	36	10	5	\$59.98

HART COOLEY



672W14X6

STEEL

- 1/2" spaced fins set at 40
- 5/16" margin turnback
- Bright White enamel finish
- Overall dimension: listed size + 1 3/4"

HART COOLEY

VERTICAL, 1/3" FIN SPACING

- 1/3" spaced fins set at 20
- All-steel construction
- 5/16" margin turnback
- Bright White enamel finish
- Overall dimension: listed size + 1 3/4"

HART COOLEY



650V14X20

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
650V10X14	10	14	1	\$24.65
650V14X20	14	20	1	\$35.60
650V14X24	14	24	1	\$44.93
650V14X30	14	30	1	\$56.55
650V16X20	16	20	1	\$40.80
650V16X24	16	24	1	\$50.57
650V20X24	20	24	1	\$63.37
650V20X25	20	25	1	\$71.22

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
672W8X8	8	8	10	\$10.42
672W10X4	10	4	10	\$9.43
672W10X6	10	6	10	\$9.94
672W10X8	10	8	10	\$11.60
672W10X10	10	10	10	\$16.72
672W10X20	10	20	10	\$26.88
672W12X4	12	4	10	\$10.06
672W12X6	12	6	10	\$9.43
672W12X8	12	8	10	\$12.27
672H12X10	12	10	10	\$18.86
672W12X12	12	12	10	\$18.36
672W12X24	12	24	10	\$34.00
672W14X6	14	6	10	\$10.06
672W14X8	14	8	10	\$12.17
672W14X10	14	10	10	\$20.23
672W14X12	14	12	10	\$22.84
672W14X14	14	14	5	\$23.18
672W14X20	14	20	5	\$35.60
672W14X30	14	30	5	\$56.59
672W14X36	14	36	5	\$92.80
672W16X6	16	6	10	\$14.99
672W16X8	16	8	10	\$15.87
672W16X10	16	10	10	\$23.45
672W16X12	16	12	10	\$27.20
672W16X16	16	16	5	\$30.61
672W16X20	16	20	5	\$38.84
672W18X6	18	6	10	\$25.96
672W18X8	18	8	10	\$17.12
672W18X12	18	12	10	\$28.61
672W18X14	18	14	5	\$36.02
672W18X18	18	18	5	\$40.40
672W20X6	20	6	10	\$15.94
672W20X8	20	8	10	\$15.96
672W20X10	20	10	10	\$25.60
672W20X12	20	12	10	\$29.54
672W20X14	20	14	5	\$35.60
672W20X16	20	16	5	\$38.84
672W20X18	20	18	5	\$48.23
672W20X20	20	20	5	\$47.41
672W20X24	20	24	5	\$63.37
672W20X25	20	25	5	\$67.39
672W24X6	24	6	10	\$15.87
672W24X8	24	8	10	\$17.31
672W24X10	24	10	10	\$30.27
672W24X12	24	12	10	\$34.00
672W24X14	24	14	5	\$42.76


Continued...

Note: Box quantity for ordering convenience only

STEEL (CONT'D.)



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
672W24X16	24	16	5	\$48.17
672W24X18	24	18	5	\$56.19
672W24X20	24	20	5	\$63.37
672W24X24	24	24	5	\$77.14
672W30X6	30	6	10	\$17.49
672W30X8	30	8	10	\$22.78
672W30X10	30	10	10	\$34.74
672W30X12	30	12	5	\$38.48
672W30X14	30	14	5	\$53.89
672W30X16	30	16	5	\$62.99
672W30X18	30	18	5	\$73.75
672W30X20	30	20	5	\$75.31
672W30X24	30	24	5	\$98.21
672W36X10	36	10	5	\$66.61
672W36X12	36	12	5	\$67.81
672W36X14	36	14	5	\$92.80
672W36X16	36	16	5	\$95.87



659H10X10

HORIZONTAL, 1/3" FIN SPACING

- 1/3" spaced fins set at 20
- Use standard 1" thick filters (not included)
- Removable face for easy installation and cleaning
- Equipped with filter adjustable retainers

- Bright White enamel finish
- Overall dimension: listed size + 2 21/32"



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
659H10X10	10	10	5	\$51.83
659H12X12	12	12	5	\$50.15
659H14X14	14	14	5	\$54.84
659H16X16	16	16	5	\$70.48
659H18X18	18	18	5	\$83.54
659H20X10	20	10	5	\$68.27
659H20X12	20	12	5	\$67.83
659H20X14	20	14	3	\$70.48
659H20X16	20	16	3	\$72.82
659H20X20	20	20	3	\$78.42
659H24X12	24	12	5	\$69.77
659H24X14	24	14	5	\$76.27
659H24X20	24	20	3	\$111.83
659H24X24	24	24	3	\$120.59
659H25X14	25	14	5	\$80.23
659H25X16	25	16	3	\$101.16
659H25X20	25	20	3	\$97.52
659H25X25	25	25	3	\$133.39
659H30X10	30	10	3	\$86.36
659H30X14	30	14	3	\$101.98
659H30X20	30	20	3	\$126.40
659H30X24	30	24	3	\$156.08
659H30X30	30	30	1	\$211.79

RETURN AIR FILTER GRILL



659V14X20

VERTICAL, 1/3" FIN SPACING

- 1/3" spaced fins set at 20
- Use standard 1" thick filters (not included)
- Removable face for easy installation and cleaning
- Equipped with filter adjustable retainers

- Bright White enamel finish
- Overall dimension: listed size + 2 21/32"



Part No.	Dimensions (In.)		Price
	W	H	
659V10X20	10	20	\$68.27
659V12X24	12	24	\$72.38
659V14X20	14	20	\$67.12
659V14X24	14	24	\$77.31
659V14X25	14	25	\$80.23
659V14X30	14	30	\$101.98
659V16X20	16	20	\$72.82
659V16X25	16	25	\$101.16
659V20X25	20	25	\$96.48
659V20X30	20	30	\$126.40

Note: Box quantity for ordering convenience only

SIDEWALL AND CEILING

RETURN AIR FILTER GRILL



673W20X20

HORIZONTAL, 1/2" FIN SPACING

- 1/2" spaced fins set at 40
- Use standard 1" thick filters (not included)
- Removable face for easy installation and cleaning
- Equipped with filter adjustable retainers



- Bright White enamel finish
- Overall dimension: listed size + 2 21/32"

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
673W10X6	10	6	5	\$51.26
673W10X10	10	10	5	\$49.35
673W10X20	10	20	5	\$68.27
673W12X12	12	12	5	\$51.62
673W12X20	12	20	5	\$67.83
673W12X24	12	24	5	\$68.46
673W12X36	12	36	1	\$119.43
673W14X14	14	14	5	\$54.84
673W14X20	14	20	3	\$67.12
673W14X24	14	24	5	\$73.66
673W14X25	14	25	5	\$76.40
673W14X30	14	30	3	\$97.12
673W16X16	16	16	5	\$67.12
673W16X20	16	20	3	\$72.82
673W16X25	16	25	3	\$96.29
673W16X30	16	30	3	\$132.02
673W18X18	18	18	5	\$79.56
673W18X24	18	24	5	\$97.89
673W18X36	18	36	1	\$143.87
673W20X10	20	10	5	\$68.27
673W20X12	20	12	5	\$64.57
673W20X14	20	14	3	\$67.12
673W20X16	20	16	3	\$72.82
673W20X20	20	20	3	\$78.42
673W20X24	20	24	3	\$111.83
673W20X25	20	25	3	\$91.87
673W20X30	20	30	3	\$120.38
673W20X36	20	36	1	\$189.31
673W24X10	24	10	3	\$81.14
673W24X12	24	12	5	\$66.02
673W24X14	24	14	5	\$73.14
673W24X16	24	16	3	\$89.87
673W24X18	24	18	5	\$93.24
673W24X20	24	20	3	\$106.55
673W24X24	24	24	3	\$114.08
673W24X30	24	30	3	\$148.67
673W24X36	24	36	1	\$198.63
673W25X14	25	14	5	\$76.40
673W25X16	25	16	3	\$96.29
673W25X20	25	20	3	\$91.87
673W30X10	30	10	3	\$86.36


Continued...

HORIZONTAL, 1/2" FIN SPACING (CONT'D.)

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
673W30X12	30	12	3	\$85.20
673W30X14	30	14	3	\$97.12
673W30X16	30	16	3	\$132.02
673W30X18	30	18	3	\$143.87
673W30X20	30	20	3	\$119.58
673W30X24	30	24	3	\$148.67
673W36X24	36	24	1	\$198.88



SUPPLY REGISTER



661W6X6

TWO-WAY DEFLECTION, FLUSH

- 1/3" spaced fins set at 20
- All-steel construction
- Multi-shutter valve
- 1 5/8" depth when fully opened
- Interlocking valve louvers for positive shutoff
- Equipped with gasket

- Bright White enamel finish
- Overall dimension: listed size + 1 1/4"



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
661W6X6	6	6	10	\$19.45
661W8X4	8	4	10	\$17.12
661W8X6	8	6	10	\$19.12
661W8X8	8	8	10	\$26.21
661W10X4	10	4	20	\$18.02
661W10X6	10	6	20	\$19.28
661W10X8	10	8	10	\$27.41
661W10X10	10	10	10	\$39.31
661W12X4	12	4	20	\$19.20
661W12X6	12	6	20	\$21.71
661W12X8	12	8	10	\$28.88
661W14X4	14	4	10	\$22.29
661W14X6	14	6	20	\$24.72
661W14X8	14	8	10	\$32.15
661W16X6	16	6	10	\$37.09
661W16X8	16	8	10	\$44.44
661W24X6	24	6	6	\$98.97
661W30X6	30	6	6	\$122.17

Note: Box quantity for ordering convenience only



631W8X4

THREE-WAY DEFLECTION, FLUSH

- 1/3" spaced fins set at 20
- All-steel construction
- Multi-shutter valve
- 1 5/8" depth when fully opened
- Interlocking valve louvers for positive shutoff

- Equipped with gasket
- Bright White enamel finish
- Overall dimension: listed size + 1 1/4"



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
631W8X4	8	4	10	\$19.05
631W8X6	8	6	10	\$20.42
631W10X4	10	4	20	\$19.12
631W10X6	10	6	20	\$20.46
631W12X6	12	6	20	\$22.78



682W10X4

TWO-WAY DEFLECTION

- 1/2" spaced fins set at 40
- 1 5/8" depth when fully opened
- All-steel construction
- Equipped with gasket
- Multi-shutter valve
- Bright White enamel finish
- Interlocking valve louvers for positive shut-off

- Overall dimension: listed size + 1 3/4"



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
682W8X4	8	4	10	\$17.12
682W10X4	10	4	20	\$18.02
682W10X6	10	6	20	\$19.28
682W10X8	10	8	10	\$28.78
682W12X4	12	4	20	\$19.20
682W12X6	12	6	20	\$21.71
682W12X8	12	8	10	\$28.88
682W12X12	12	12	N/A	\$50.99
682W14X4	14	4	10	\$22.29
682W14X6	14	6	20	\$24.72
682W14X8	14	8	10	\$33.73
682W16X6	16	6	10	\$37.09



RZ682W10X4


TWO-WAY DEFLECTION, REZZIN™

- Engineered polymer construction
- Made from flame-retardant ABS that meets UL 94 V-0 and UL 94-5VA standards for flammability
- Traditional styling
- Integral multi-shutter damper with easy-to-use damper handle

- For heating or cooling applications
- Bright White finish



Part No.	Dimensions (In.)		Price
	W	H	
RZ682W10X4	10	4	\$21.09



683W8X4

THREE-WAY DEFLECTION

- 1/2" spaced fins set at 40
- 1 5/8" depth when full opened
- All-steel construction
- Equipped with gasket
- Multi-shutter valve
- Bright White enamel finish
- Interlocking valve louvers for positive shut-off

- Overall dimension: listed size + 1 3/4"



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
683W6X6	6	6	10	\$20.99
683W8X4	8	4	10	\$18.67
683W8X6	8	6	10	\$20.42
683W10X4	10	4	20	\$19.12
683W10X6	10	6	20	\$20.46
683W10X8	10	8	10	\$27.94
683W12X6	12	6	20	\$22.78
683W12X8	12	8	10	\$30.95
683W14X4	14	4	10	\$24.11
683W14X6	14	6	20	\$25.31
683W14X8	14	8	10	\$34.55
683W16X6	16	6	10	\$37.89

FOUR-WAY DEFLECTION

- 1/2" spaced fins set at 40
- 1 5/8" depth when fully opened
- Equipped with gasket
- Multi-shutter valve
- Bright White enamel finish
- Interlocking valve louvers for positive shut-off
- Overall dimension: listed size + 1 3/4"

STEEL



684M10X10



Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
684M6X6	6	6	10	\$20.63
684M8X8	8	8	10	\$27.26
684M10X10	10	10	10	\$38.88
684M12X12	12	12	10	\$51.14
684M14X14	14	14	6	\$72.97

Note: Box quantity for ordering convenience only

SIDEWALL AND CEILING

SUPPLY REGISTER



684W8X8

ALUMINUM

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
A684W6X6	6	6	10	\$33.05
A684W12X12	12	12	10	\$59.77

STRAIGHT BLADE SUPPLY REGISTER



A618MSW12X6

- Aluminum construction
- Adjustable straight fins provides individual deflection contro
- Multi-shutter valve
- Equipped with gasket
- Bright White enamel finis
- Overall dimension: listed size + 1 3/4"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
A618MSW8X4	8	4	12	\$35.39
A618MSW8X6	8	6	12	\$36.80
A618MSW8X8	8	8	12	\$40.63
A618MSW10X4	10	4	24	\$38.46
A618MSW10X6	10	6	24	\$43.94
A618MSW10X8	10	8	12	\$45.85
A618MSW10X10	10	10	12	\$47.94
A618MSW12X4	12	4	24	\$42.13
A618MSW12X6	12	6	24	\$45.49
A618MSW12X8	12	8	12	\$48.11
A618MSW12X12	12	12	12	\$55.71
A618MSW14X4	14	4	12	\$45.85
A618MSW14X6	14	6	24	\$50.93
A618MSW14X8	14	8	12	\$54.27
A618MSW14X14	14	14	12	\$92.99

ROUND CEILING DIFFUSER



MV360

DAMPER

Ceiling diffuser outlet and damper in one piece. Plastic with stepped collar (6", 7", 8"). 8" air opening, 9 1/4" hole, 12 1/2" overall diameter, Mounting clips rotate into position eliminating need to drill holes. Damper mechanism will not strip or break when overtightened.

RECTORSEAL

Part No.	Dia. (In.)	Box Qty	Price
MV360	9 1/4	4	\$51.34



16W8

- All-steel construction
- Step down diffuser rings deflect air stream 360°
- Equipped with gasket
- Bright White enamel finis
- Overall dimension: listed size + 3 15/16"

HART COOLEY

Part No.	Dia. (In.)	Box Qty	Price
16W6	6	20	\$19.49
16W8	8	20	\$22.13
16W10	10	10	\$27.83
16W12	12	10	\$36.82
16W14	14	10	\$50.65



11GS6

DUCT RING

- All-steel construction
- For installation of diffuser when not using a damper
- Golden Sand enamel finis

HART COOLEY

Part No.	Dia. (In.)	Box Qty	Price
11GS6	6	10	\$12.48
11GS8	8	10	\$14.25
11GS10	10	10	\$18.02
11GS12	12	10	\$22.78
11GS14	14	10	\$25.71



BUTTERFLY DAMPER

- All-steel construction
- Controls air volume evenly over entire diffuser
- Removable knob operator for adjustment from closed to fully open
- Golden Sand enamel finish

HART COOLEY

Part No.	Dia. (In.)	Box Qty	Price
12GS6	6	20	\$30.82
12GS8	8	20	\$31.28
12GS10	10	10	\$38.51
12GS12	12	10	\$53.09
12GS14	14	10	\$64.04



TWO-WAY DEFLECTION

- Opposed blade damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A502OB6X6	6	6	10	\$78.53
A502OB8X8	8	8	10	\$89.54
A502OB10X10	10	10	5	\$111.58
A502OB12X12	12	12	5	\$148.59

SQUARE CEILING DIFFUSER

"A500" SERIES

- All-aluminum face construction
- Face mount for easy installation
- Overall dimension: listed size + 3"
- Inconspicuous fingertip lever for air volume control
- Equipped with gasket
- Bright White enamel finish



ONE-WAY DEFLECTION

- Opposed blade damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A501OB6X6	6	6	10	\$78.53
A501OB8X8	8	8	10	\$89.54
A501OB10X10	10	10	5	\$111.58
A501OB12X12	12	12	5	\$148.59



THREE-WAY DEFLECTION

- Opposed blade damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A503OB6X6	6	6	10	\$78.53
A503OB8X8	8	8	10	\$89.54
A503OB10X10	10	10	5	\$111.58
A503OB12X12	12	12	5	\$148.59



ONE-WAY DEFLECTION

- Multi-shutter damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A501MS6X6W	6	6	10	\$63.47
A501MS8X8W	8	8	10	\$73.33
A501MS10X10W	10	10	5	\$94.88
A501MS12X12W	12	12	5	\$117.83
A501MS14X14W	14	14	5	\$150.78



THREE-WAY DEFLECTION

- Multi-shutter damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A503MS6X6	6	6	10	\$60.44
A503MS8X8	8	8	10	\$69.81
A503MS10X10	10	10	5	\$90.36
A503MS12X12	12	12	5	\$117.83
A503MS14X14	14	14	5	\$150.78

Note: Box quantity for ordering convenience only

CEILING

SQUARE CEILING DIFFUSER



A504OB6X6

FOUR-WAY DEFLECTION

- Opposed blade damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A504OB6X6	6	6	10	\$78.53
A504OB8X8	8	8	10	\$89.54
A504OB10X10	10	10	5	\$111.58
A504OB12X12	12	12	5	\$148.59



A504MS12X12

FOUR-WAY DEFLECTION

- Multi-shutter damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A504MS6X6	6	6	10	\$60.44
A504MS8X8	8	8	10	\$69.81
A504MS10X10	10	10	5	\$90.36
A504MS12X12	12	12	5	\$112.19
A504MS14X14	14	14	5	\$150.78



A505OB10X10

TWO-WAY CORNER DEFLECTION

- Opposed blade damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A505OB6X6	6	6	10	\$91.60
A505OB8X8	8	8	10	\$105.54
A505OB10X10	10	10	5	\$130.02
A505OB12X12	12	12	5	\$162.27



A505MS6X6

TWO-WAY CORNER DEFLECTION

- Multi-shutter damper, face mount

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
A505MS6X6	6	6	10	\$81.37
A505MS10X10	10	10	5	\$115.60



RZ503

REZZIN™

- White finis
- Interlocking collars (6, 7, 8" sizes)
- Quick, easy attachment to multiple sizes of flexible duct
- Ratcheting mounting clamp
- Can be installed or removed without the use of screws on ceiling material up to 3/4"

- Removable diffuser face or core facilitates cleaning and/or servicing
- Can also be interchanged with other faces
- Integral damper enables airflow adjustments, improving system balancing and room comfort. Provides tight seal when fully closed
- Large bead on collars provides secure attachment to flexible duc

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	L	
RZ503W12X12	12	12	\$100.02
RZ504W12X12	12	12	\$100.02
RZ505W12X12	12	12	\$100.02



24W8X8

SQUARE

- All-steel construction
- Step down face deflects air stream 360°
- Equipped with gasket
- Bright White enamel finis
- Overall dimension: listed size + 5 1/2"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
24W6X6	6	6	10	\$47.01
24W8X8	8	8	10	\$56.80
24W10X10	10	10	10	\$68.97
24W12X12	12	12	5	\$80.13
24W14X14	14	14	5	\$101.07
24W16X16	16	16	2	\$129.77
24W20X20	20	20	1	\$178.15
24W24X24	24	24	1	\$429.07

Note: Box quantity for ordering convenience only



22GS8X8

BUTTERFLY DAMPER

- All-steel construction
- Knob control for quick adjustment (removable)
- Installation flange include
- Golden Sand enamel finis

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
22GS6X6	6	6	20	\$38.51
22GS8X8	8	8	20	\$39.26
22GS10X10	10	10	10	\$44.91
22GS12X12	12	12	10	\$53.60
22GS14X14	14	14	10	\$65.33



MV4

CEILING DIFFUSER/DAMPER

Ceiling diffuser outlet and damper in one piece. Plastic with stepped collar (6", 7", 8"). Mounting clips rotate into position eliminating need to drill holes. Damper mechanism will not strip or break when overtightened.

RECTORSEAL

Part No.	Deflection	Price
MV2	2-Way	\$51.34
MV3	3-Way	\$51.34
MV4	4-Way	\$51.34

CURVED BLADE REGISTER



CHD110X6

ONE-WAY DEFLECTION

- Extruded aluminum
- Individually adjustable pivoted curved face bars, horizontal
- Opposed blade damper
- Equipped with gasket
- Satin Anodized finis
- Maximum depth: 2 1/4"

- Overall dimension: listed size + 1 3/4"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
CHD16X4	6	4	\$81.05
CHD16X6	6	6	\$81.05
CHD18X4	8	4	\$92.32
CHD18X6	8	6	\$92.32
CHD18X8	8	8	\$101.20
CHD110X6	10	6	\$93.01
CHD110X8	10	8	\$109.64
CHD110X10	10	10	\$125.47
CHD112X6	12	6	\$94.11
CHD112X8	12	8	\$112.84
CHD112X12	12	12	\$148.19
CHD114X6	14	6	\$102.29
CHD114X8	14	8	\$129.09
CHD114X10	14	10	\$144.11
CHD116X6	16	6	\$117.62



CHD28X8

TWO-WAY DEFLECTION

- Extruded aluminum
- Individually adjustable pivoted curved face bars
- Opposed blade damper
- Equipped with gasket
- Satin Anodized finis
- Overall dimension: listed size + 1 3/4"
- Maximum depth: 2 1/4"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
CHD26X6	6	6	\$81.05
CHD28X8	8	8	\$101.20
CHD210X10	10	10	\$125.47
CHD212X12	12	12	\$148.19

THE ONLINE
RESOURCE CENTER

uri.com

Visit
Now



- REFRIGERANT REFERENCE GUIDE
- EPA CERTIFICATION FORMS
- CREDIT APPLICATIONS
- ONLINE USER GUIDE
- SDS SHEETS
- & MUCH MORE...

Note: Box quantity for ordering convenience only

CEILING AND COMMERCIAL

CURVED BLADE REGISTER

"CD" SERIES

- Extruded aluminum
- Opposed blade damper
- Individually adjustable pivoted curved face bars
- Overall dimension: listed size + 1 3/4"
- Equipped with gasket
- Maximum depth: 2 7/16"



CD38X8

THREE-WAY DEFLECTION

- Satin Anodized finis

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
CD38X8	8	8	\$121.45
CD310X10	10	10	\$149.54
CD312X12	12	12	\$176.67



CD4

FOUR-WAY DEFLECTION

- Satin Anodized finis

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
CD48X8	8	8	\$121.45
CD410X10	10	10	\$149.54
CD412X12	12	12	\$176.67
CD414X14	14	14	\$208.27



CD4W6X6

FOUR-WAY DEFLECTION

- Bright White enamel finis

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
CD4W6X6	6	6	\$100.32
CD4W8X8	8	8	\$102.67
CD4W10X10	10	10	\$149.54
CD4W12X12	12	12	\$176.67

TRANSFER GRILL



TG14X6

- Extruded aluminum construction
- Inverted Y type grill bar for best vision proof quality and air flo
- Satin Anodized finis
- Overall dimension: listed size + 1 1/2"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
TG12X8	12	8	\$63.98
TG12X12	12	12	\$89.20
TG14X6	14	6	\$70.84
TG14X14	14	14	\$111.96
TG16X16	16	16	\$134.55
TG20X6	20	6	\$93.52
TG20X20	20	20	\$198.34

SUPPLY REGISTER



VD10X6

VERTICAL FRONT BARS

- Extruded aluminum
- Single row of individually adjustable face bars
- Pivoted bars for easy positive setting
- Opposed blade damper
- Equipped with gasket

- Satin Anodized finis
- Overall dimension: listed size + 1 3/4"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
VD6X4	6	4	\$73.05
VD8X4	8	4	\$83.18
VD8X6	8	6	\$91.18
VD10X6	10	6	\$99.45
VD10X8	10	8	\$108.13
VD10X10	10	10	\$116.21
VD12X6	12	6	\$107.56
VD12X8	12	8	\$120.80
VD14X6	14	6	\$120.80
VD14X8	14	8	\$128.55
VD14X10	14	10	\$99.58
VD16X6	16	6	\$128.55
VD16X8	16	8	\$140.11
VD16X10	16	10	\$153.92



92VHV8X8

VERTICAL FRONT BARS, HORIZONTAL SECOND BARS

- All-steel construction
- Adjustable face bars may be set to any desired deflection
- Opposed blade damper
- Equipped with gasket
- Bright White enamel finish

- Overall dimension: listed size + 2"

HART COOLEY

Dimensions (In.)			
Part No.	W	H	Price
92VHV6X6	6	6	\$58.63
92VHV8X8	8	8	\$70.13



VH

VERTICAL FRONT BARS, HORIZONTAL SECOND BARS

- Extruded aluminum
- Two rows of individually adjusted face bars for horizontal and vertical deflection
- Pivoted bars for easy positive setting

- Overall dimension: listed size + 1 3/4"

HART COOLEY

Dimensions (In.)			
Part No.	W	H	Price
VH24X16W	24	16	\$256.02



VHD

VERTICAL FRONT BARS, HORIZONTAL SECOND BARS, WITH DAMPER

- Extruded aluminum
- Two rows of individually adjusted face bars for horizontal and vertical deflection

- Pivoted bars for easy positive setting
- Opposed blade damper
- Bright white enamel finish
- Overall dimension: listed size + 1 3/4"

HART COOLEY

Dimensions (In.)			
Part No.	W	H	Price
VHD8X4W	8	4	\$112.84
VHD8X6W	8	6	\$124.21
VHD10X6W	10	6	\$135.09
VHD10X8W	10	8	\$146.06
VHD12X6W	12	6	\$139.33
VHD12X8W	12	8	\$163.54
VHD12X10W	12	10	\$173.62
VHD14X6W	14	6	\$162.74
VHD14X8W	14	8	\$173.62
VHD14X10W	14	10	\$190.93
VHD16X6W	16	6	\$173.49
VHD16X8W	16	8	\$190.93
VHD18X6W	18	6	\$185.75

Continued...

VERTICAL FRONT BARS, HORIZONTAL SECOND BARS, WITH DAMPER (CONT'D.)

HART COOLEY

Dimensions (In.)			
Part No.	W	H	Price
VHD20X6W	20	6	\$197.26
VHD20X8W	20	8	\$213.94
VHD20X10W	20	10	\$241.68
VHD24X6W	24	6	\$230.57
VHD24X8W	24	8	\$253.01
VHD24X10W	24	10	\$275.09



821W12X6

VERTICAL FACE BARS, HORIZONTAL VALVE BLADES

- All-steel construction
- Adjustable face bars
- Adjustable multi-shutter valve
- Equipped with gasket
- Bright White enamel finish

- Overall dimension: listed size + 2"

HART COOLEY

Dimensions (In.)				
Part No.	W	H	Box Qty	Price
821W8X4	8	4	10	\$42.17
821W8X6	8	6	10	\$45.96
821W10X4	10	4	10	\$43.77
821W10X6	10	6	10	\$48.17
821W10X8	10	8	10	\$52.72
821W10X10	10	10	5	\$56.46
821W12X4	12	4	10	\$48.17
821W12X6	12	6	10	\$52.15
821W12X8	12	8	10	\$58.13
821W12X10	12	10	5	\$68.99
821W14X4	14	4	10	\$54.76
821W14X6	14	6	10	\$58.13
821W14X8	14	8	10	\$62.11
821W14X14	14	14	5	\$94.95
821W16X6	16	6	10	\$65.92
821W16X8	16	8	5	\$71.31
821W16X10	16	10	5	\$78.04
821W16X16	16	16	5	\$109.41
821W18X6	18	6	10	\$69.62
821W20X4	20	4	5	\$74.25
821W18X8	18	8	10	\$76.15
821W18X18	18	18	N/A	\$134.23
821W20X6	20	6	5	\$84.17
821W20X8	20	8	5	\$79.85
821W20X10	20	10	5	\$90.53
821W20X20	20	20	1	\$164.34
821W24X4	24	4	5	\$78.04
821W24X6	24	6	5	\$86.44
821W24X8	24	8	5	\$94.95
821W24X10	24	10	5	\$103.28
821W24X12	24	12	3	\$113.92
821W30X6	30	6	5	\$145.89
821W30X8	30	8	5	\$121.87
821W30X12	30	12	3	\$147.31

Note: Box quantity for ordering convenience only

CEILING AND COMMERCIAL

RETURN GRILL



MCD

ADJUSTABLE

- Extruded aluminum construction
- Four modular cores provide variable pattern adjustments of four-way, three-way, two-way, or one-way horizontal air patterns
- Flat (extended) margin
- Fixed fin
- Bright White finis

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
MCD6X6W	6	6	\$65.31
MCD8X8W	8	8	\$80.55
MCD10X10W	10	10	\$95.35
MCD12X12W	12	12	\$113.49
MCD14X14W	14	14	\$141.39



MCDD

ADJUSTABLE, WITH DAMPER

- Extruded aluminum construction
- Opposed-blade damper
- Four modular cores provide variable pattern adjustments of four-way, three-way, two-way, or one-way horizontal air patterns
- Removable modules provide easy access to damper

HART COOLEY

- Flat (extended) margin
- Fixed fin
- Bright white finis

Part No.	Dimensions (In.)		Price
	W	H	
MCDD6X6	6	6	\$88.80
MCDD10X10W	10	10	\$137.01

HORIZONTAL BARS AT 45°, WITH DAMPER



RHD45

- Extruded aluminum
- Opposed blade damper
- Face bars permanently fixed into heavy aluminum frames at 45° angle
- Overall dimension: listed size + 1 3/4"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
RHD458X8W	8	8	\$98.76
RHD4510X10W	10	10	\$116.21
RHD4512X12W	12	12	\$140.04



94A12X6

- All-steel construction
- Face bars permanently fixed into a heavy steel frame at 40° angle
- Bright White enamel finis
- Overall dimension: listed size + 2"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
94A12X6	12	6	\$32.13
94A14X14	14	14	\$51.77
94A16X16	16	16	\$65.28
94A18X18	18	18	\$82.80
94A20X20	20	20	\$100.46
94A24X12	24	12	\$69.47
94A24X16	24	16	\$93.07
94A26X20	26	20	\$125.24
94A30X6	30	6	\$67.62
94A30X8	30	8	\$74.67
94A30X12	30	12	\$90.34
94A30X20	30	20	\$144.65

RETURN GRILL



RH4520X20

HORIZONTAL BARS AT 45°

- Extruded aluminum
- Face bars permanently fixed into heavy aluminum frames at 45° angle
- Overall dimension: listed size + 1 3/4"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
RH45W6X6	6	6	\$49.68
RH45W8X8	8	8	\$54.29
RH45W10X10	10	10	\$62.80
RH45W12X12	12	12	\$63.92
RH45W14X14	14	14	\$94.06
RH45W16X16	16	16	\$112.78
RH45W20X20	20	20	\$182.44
RH4524X24 ¹	24	24	\$257.92

¹Satin Anodized

FILTER GRILL

HART COOLEY



RH45

HORIZONTAL BARS AT 45°

- Extruded aluminum
- Hinged on the bottom edge
- Accommodates standard 1" thick filter
- Equipped with thumb slide fasteners
- Satin Anodized finish
- Overall dimension: listed size + 2 1/2"

HART COOLEY

Part No.	Dimensions (In.)		Price
	W	H	
RHF4510X10	10	10	\$80.86
RHF4512X12	12	12	\$98.38
RHF4512X24	12	24	\$164.72
RHF4514X20	14	20	\$167.68
RHF4514X25	14	25	\$202.17
RHF45W16X16	16	16	\$131.71
RHF45W16X20	16	20	\$189.92
RHF4518X18	18	18	\$185.79
RHF4518X24	18	24	\$246.32
RHF4518X30	18	30	\$307.45
RHF4520X16	20	16	\$189.98
RHF4520X20	20	20	\$220.95
RHF45W24X20	20	24	\$273.24
RHF4520X25	20	25	\$257.71
RHF4524X12	24	12	\$164.72
RHF4524X18	24	18	\$234.59
RHF4524X24	24	24	\$280.91
RHF4524X30	24	30	\$368.53
RHF4525X20	25	20	\$257.71
RHF4530X24	30	24	\$368.53
RHF4536X24	36	24	\$438.72



96afbW20X14

- Steel construction
- Flush, removable face with concealed latches and hinges
- Uses nominal 1" thick disposable filters (not included)
- Equipped with adjustable filter retainers

- 2/3" spaced fins set at 50
- Bright White finish
- Overall dimension: listed size + 2 5/8"

HART COOLEY

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
96AFBW20X12	20	12	—	\$76.19
96AFBW20X14	20	14	3	\$96.48
96AFBW20X16	20	16	3	\$103.12
96AFBW20X20	20	20	3	\$107.43
96AFBW24X12	24	12	—	\$94.69
96AFBW24X14	24	14	—	\$105.94
96AFBW24X16	24	16	—	\$121.03

Continued...

STEEL FILTER GRILL (CONT'D.)

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
96AFBW25X14	25	14	—	\$109.83
96AFBW25X20	25	20	3	\$132.15
96AFBW30X14	30	14	—	\$132.97
96AFBW30X20	30	20	3	\$164.86

TOUCH-UP PAINT




14526

HART COOLEY

Part No.	Description	Box Qty	Price
14526	Bright White	12	\$22.78
14522	Golden Sand	12	\$22.78

SURFAIRE® DIFFUSER




441W

SURFAIRE®

- Patented deflector apertures (U.S. Pat. No. 3,948,155)
- Formed galvanized steel back panel
- Fiberglass insulation blanket with aluminum foil vapor barriers to minimize condensation

- Insulation prescored to accommodate collar size desired
- Accepts unique snap-in collar (5400 Series)
- Utilizes butterfly damper (3800 Series) inserted in collar
- Bright White enamel finish
- Four seismic connections (2 on 2 sides)



One-Way Throw 441

Two-Way Throw 442

Two-Way Corner Throw 445

Three-Way Throw 443

Four-Way Throw 444


HART COOLEY

Part No.	Collar Size (In.)	Box Qty	Price
441W	6 - 12	4	\$124.97
442W	6 - 12	4	\$124.97
443W	6 - 12	4	\$124.97
444W	6 - 12	4	\$124.97
445W	6 - 12	4	\$124.97

Note: Box quantity for ordering convenience only

T-BAR DIFFUSERS

PERFORATED SUPPLY DIFFUSER



PDS


STANDARD

- Perforated steel face
- Face adjustable deflector
- Insulation prescored to accommodate collar size desired
- Accepts unique snap-in collar (5400 Series)

- Utilizes Butterfly damper (3800 Series) inserted in collar
- Damper adjusted thru diffuser face to allow proper air balancing
- Formed steel precoated back panel
- Fiberglass insulation blanket with foil vapor barrier to minimize condensation
- Bright white finish
- 14" fixed collar (PDS(D)14)



Part No.	Description	Collar Size (In.)	Price
PDS	Adjustable Deflector	6 - 12	\$113.94
PDS14	Adjustable Deflector	14	\$150.59
PDS	Fixed Deflector	6 - 12	\$102.88
PDS14	Fixed Deflector	14	\$138.36



RENPS

RENOVATOR

- Renovator model
- One inch molded fiberglass back panel
- Self-insulated to absorb sound
- Bonded foil vapor barrier minimizes condensation

- Deep back cavity provides excellent performance characteristics
- Prescored back-accepts 1" spin in or tab collar allowing neck size and location to be determined at time of installation
- Bright White enamel finish
- RENPSR6 for installations where R6 insulation is required



Part No.	Description	Box Qty	Price
RENPS	Perforated Face	4	\$53.20
RENPS	Perforated Face w/Deflector	4	\$53.20
RENPSR6	Perforated Face w/Deflector, R6 Insulation	—	\$57.03



CBPS

CURVED BLADE

- Steel construction
- Removable hinged face allows for easy access to air pattern control core
- Face can be removed for cleaning
- Deep draw back reduces static pressure drop
- Individually adjustable pattern deflectors factory set at 4-way deflection. Can be field adjusted for 1-, 2-, 3-way air pattern
- Unique 2" high collar permits easy flex connection
- Accepts 3800 Series butterfly damper inserted in collar



Part No.	Collar Size (In.)	Box Qty	Price
CBPS6	6	2	\$131.94
CBPS8	8	2	\$125.64
CBPS10	10	2	\$125.64
CBPS12	12	2	\$127.79
CBPS14	14	2	\$136.27



PD

PERFORATED FACE



Part No.	Description	Length (In.)	Width (In.)	Price
PD	Perforated Face Only, 24" x 24"	24	24	\$47.01



2X4CRATE

EGG CRATE

- Decorative panel for t bar lay in applications



Part No.	Description	Price
2X4CRATE	2' x 4', 3/8" White Egg Crate	\$23.05

PERFORATED RETURN DIFFUSER



CBPR10


- Steel construction
- Removable hinged face allows for easy access to air pattern control core
- Face can be removed for cleaning
- Deep draw back reduces static pressure drop

- Unique 2" high collar permits easy flex connection
- Accepts 3800 Series butterfly damper inserted in collar



Part No.	Collar Size (In.)	Box Qty	Price
CBPR6	6	2	\$109.47
CBPR8	8	2	\$104.25
CBPR10	10	2	\$104.25
CBPR12	12	2	\$109.47

FILTER GRILL



659T20X20

LANCED FACE, STEEL

- Uses standard 1" filters (not included)
- Bright White finish
- Lanced face design
- Accepts 20" x 20" x 1" filter
- Overall dimension: listed size + 3 3/4"



Part No.	Length (In.)	Width (In.)	Box Qty	Price
659T20X20 ¹	20	20	3	\$112.95
659T120X20	20	20	2	\$128.63

¹Open frame back



PFT

PERFORATED FACE, STEEL

- Steel construction
- Removable hinged face
- Uses standard 1" filters (not included)
- Bright White finish
- Perforated face design
- Accepts 20" x 20" x 1" filter

- PFTIR6 for installations where R6 insulation is required



Part No.	Backing	Box Qty	Price
PFT	Open Frame	3	\$118.61
PFTI	Molded Fiberglass	2	\$128.63
PFTIR6	Molded Fiberglass, R6 Insulation	2	\$139.05



RHF45T20X20

LANCED FACE, ALUMINUM

- All-aluminum construction
- Hinged to filter frame
- Equipped with spring slide fasteners
- Used standard 1" filter (not furnished)
- Accepts 20" x 20" x 1" filter



Part No.	Box Qty	Price
RHF45T20X20	5	\$263.87



96AFBTI

LANCED FACE, STEEL

Steel fixed bar -bar filter grille with fiberglass back

- All steel construction
- Bar style face design
- Flush, removable face with concealed latches and hinges, can be installed in any direction

- Molded fiberglass back
- Accepts standard spin-in collar (5400 series)
- Frame includes four seismic safety connections
- Uses standard 1" disposable filters (not furnished)
- Bright White finish



Part No.	Description	Box Qty	Price
96AFBTI	Steel Fixed Bar Filter Grill	2	\$136.93

FIXED PATTERN DIFFUSER



RZMCDST

REZZIN™, T-BAR MODULAR

- Engineered polymer construction
- Made from flame-retardant ABS that meets UL 94 V-0 and UL 94-5VA standards for flammability
- Modular cores provide 1-, 2-, 3- or 4- way horizontal air patterns

- Removeable modules provide easy access to accessories
- Available with RZBP back panel, ordered separately
- Bright white finish



Part No.	Description	Price
RZMCDST	T-Bar Modular Diffuser	\$277.09
RZBP	Back Panel	\$46.61

Note: Box quantity for ordering convenience only
Overall Dimension All T-Bar Products: 23 3/4" x 23 3/4"

T-BAR DIFFUSERS

FIXED PATTERN DIFFUSER



RZSRT24X24

REZZIN™

Whether your preference is for a lightweight plastic composite register or your application demands a heavy-weight diffuser to withstand the harshest environment, the Hart & Cooley Rezzin™ line of products is for you. Rezzin™ registers and diffusers are

constructed of lightweight polymer materials that maintain the same high quality strength and rigidity. Looks that go beyond the surface. Other than the material, there is no significant difference between the Rezzin™ registers and diffusers and other Hart & Cooley steel or aluminum models. They will deliver the consistently high performance and confidence you expect from Hart & Cooley products

- Engineered polymer construction
- Made from flame-retardant ABS that meets UL 94 -0 and UL 94-5VA standards for flammability
- 4-way deflection
- Available with RZSR square-to-round transition, ordered separately
- Bright White finish
- Will accept 3800 series and round dampers



Part No.	Description	Size (In.)	Price
RZSRT24X24	REZZIN™ Lay In Diffuser	24 x 24	\$277.09
RZSR6	Round Transition	6" Diameter	\$21.68
RZSR8	Round Transition	8" Diameter	\$21.68
RZSR10	Round Transition	10" Diameter	\$21.68
RZSR12	Round Transition	12" Diameter	\$21.68
RZSR14	Round Transition	14" Diameter	\$21.68



FPD08

HIGH VOLUME, STEEL

- Provides high air volume delivery
- 360° air diffusion
- Formed steel back panel, construction
- Multi cone fixed collar
- Fixed collar

- Utilizes butterfly damper (3800 Series) inserted in collar
- Damper adjustable through face
- Bright White enamel finish
- R6 models come with R6 insulation



Part No.	Nb. of Cones	Collar Size (In.)	Box Qty	Price
FPD06	2	6	2	\$94.23
FPD306	3	6	2	\$94.23
FPD3R606W ¹	3	6	2	\$122.04
FPD08	2	8	2	\$94.23
FPD308	3	8	2	\$94.23
FPD3R608W ¹	3	8	2	\$122.04
FPD10	2	10	2	\$94.23
FPD310	3	10	2	\$94.23
FPD3R610W ¹	3	10	2	\$122.04
FPD12	2	12	2	\$94.23
FPD312	3	12	2	\$94.23
FPD3R612W ¹	3	12	2	\$122.04
FPD14	2	14	2	\$94.23
FPD314	3	14	2	\$94.23

¹R6 Insulation



AFPD

HIGH VOLUME, ALUMINUM

- 2 cone fixed collar
- Bright White enamel finish



Part No.	Collar Size (In.)	Box Qty	Price
AFPD8W	8	2	\$173.35
AFPD10W	10	2	\$173.35
AFPD12W	12	2	\$173.35

Part No.	Description	Price
14909	AFPD Backing	\$7.60

UNLOCK THE POWER OF

uri.com

- CONTRACTOR PRICING
- PURCHASE ONLINE
- CHECK STOCK
- VIEW INVOICES
- & MUCH MORE...

Register Today

Note: Box quantity for ordering convenience only
Overall Dimension All T-Bar Products: 23 3/4" x 23 3/4"

HIGH VOLUME SUPPLY DIFFUSER



HVSR6

- Provides high air volume delivery
- 360° air diffusion
- Formed steel back panel
- Fiberglass insulation blanket with foil vapor barrier to minimize condensation
- Insulation prescored to accommodate collar size desired

- Accepts unique snap-in collar (5400 Series)
- Utilizes butterfly damper (3800 Series) inserted in collar
- Bright White enamel finish
- 14" fixed collar HVS1
- HVSR6 features 1" of foil backed molded fiberglass insulation



Part No.	Collar Size (In.)	Box Qty	Price
HVSR6	6 - 12	2	\$181.41
HVS14	14	2	\$187.52

RETURN GRILL



REFTI

MOLDED FIBERGLASS BACK

- Aluminum construction
- 1" molded fiberglass back
- Fiberglass back covers entire T-Bar opening
- Prescored back allows neck size to be determined at time of installation

- Self insulating to absorb sound
- Accepts unique snap-in collar (5400 Series)



Part No.	Collar Size (In.)	Box Qty	Price
REFTI	6 - 12	4	\$162.15

FACE ONLY



RE5T22X22

- Aluminum construction
- Grid core face 1/2" x 1/2" x 1/2"
- Satin Anodized finish
- Overall dimension: listed size plus 1 3/4"



Part No.	Length (In.)	Width (In.)	Box Qty	Price
RE5T22X22	22	22	5	\$143.03
RE5T46X22	22	46	1	\$354.06

ACCESSORIES



3808GS

DAMPER

- Adjustable butterfly damper with removable handle
- Fits 5400 Series collar



Part No.	Dia. (In.)	Box Qty	Price
3806GS	6	12	\$22.46
3807GS	7	12	\$23.60
3808GS	8	12	\$22.46
3809GS	9	12	\$25.66
3810GS	10	10	\$24.46
3812GS	12	10	\$27.24
3814GS	14	8	\$32.76



5408

COLLAR

- Unique snap-in design for easy installation
- 2" high collar permits easy flex connections
- For molded back Hart and Cooley T-bar diffusers



Part No.	Dia. (In.)	Box Qty	Price
5406	6	12	\$11.75
5407	7	12	\$12.36
5408	8	12	\$11.75
5409	9	12	\$12.36
5410	10	10	\$11.75
5412	12	10	\$11.96
5414	14	A/O	\$36.74



SMF1212

T-BAR SHEETROCK FRAME

- Aluminum construction
- Permits installation of standard T-Bar diffusers in a plaster ceiling
- Accepts standard T-Bar diffusers
- Bright White finish
- Overall dimension: Listed size plus 2 1/2"



Part No.	Length (In.)	Width (In.)	Price
SMF1212	12	12	\$54.25
SMF2412	24	12	\$60.63
SMF2424	24	24	\$64.15
SMF2448	48	24	\$87.71

Note: Box quantity for ordering convenience only
Overall Dimension All T-Bar Products: 23 3/4" x 23 3/4"

AIR DISTRIBUTION

FLEXIBLE GAS VENT

Features single-wall or double-wall (air-insulated) flexible construction. Single wall includes an integral appliance draft hood connector for fast installation.

Both require only 1" clearance to combustibles.

Both single and double are UL Listed for use as a connection from an appliance to Type B gas vent.

Double wall also listed as segment of Type B gas vent and can be used in unconditioned spaces (ie attics and crawl spaces).

Available in 3"-5" diameters and to 5' lengths.



SINGLE WALL

Part No.	Diameter (In.)	Length (In.)	Price
3SFC12	3	12	\$29.22
3SFC24	3	24	\$31.81
3SFC3	3	36	\$36.25
3SFC4	3	48	\$39.87
3SFC5	3	60	\$46.91
4SFC12	4	12	\$30.80
4SFC24	4	24	\$34.25
4SFC3	4	36	\$40.80
4SFC4	4	48	\$44.82
4SFC5	4	60	\$54.40
5SFC12	5	12	\$30.80
5SFC24	5	24	\$36.76
5SFC3	5	36	\$43.87
5SFC4	5	48	\$49.89
5SFC5	5	60	\$57.49



DOUBLE WALL

Part No.	Diameter (In.)	Length (In.)	Price
3DFC24	3	24	\$79.33
3DFC3	3	36	\$81.16
3DFC4	3	48	\$91.16
3DFC5	3	60	\$101.85
4DFC24	4	24	\$79.18
4DFC3	4	36	\$92.25
4DFC4	4	48	\$104.78
4DFC5	4	60	\$117.47
5DFC24	5	24	\$88.69
5DFC3	5	36	\$108.36
5DFC4	5	48	\$118.46
5DFC5	5	60	\$134.99

B VENT



FIXED LENGTH PIPE

For negative pressure gas heating flue installations requiring double wall, air insulated vent piping and with flue gas temperatures <550°F. Do not use for incinerators, oil, or multi-fuel appliances. A high temperature insulated product is available for these applications.

Low temperature oval pipe and fittings are also available.



Part No.	Diameter (In.)	Length (In.)	Price
3RP6	3	6	\$17.92
3RP12	3	12	\$17.92
3RP18	3	18	\$21.54
3RP24	3	24	\$28.25
3RP3	3	36	\$37.96
3RP4	3	48	\$47.81
3RP5	3	60	\$58.84
4RP6	4	6	\$17.66
4RP12	4	12	\$21.52
4RP18	4	18	\$25.92
4RP24	4	24	\$33.75
4RP3	4	36	\$45.75
4RP4	4	48	\$58.84
4RP5	4	60	\$70.88
5RP6	5	6	\$21.52
5RP12	5	12	\$25.98
5RP18	5	18	\$30.34
5RP24	5	24	\$41.22
5RP3	5	36	\$52.25
5RP4	5	48	\$68.00
5RP5	5	60	\$81.85
6RP6	6	6	\$24.34
6RP12	6	12	\$29.28
6RP18	6	18	\$35.31
6RP24	6	24	\$48.27
6RP3	6	36	\$63.35
6RP4	6	48	\$80.80
6RP5	6	60	\$94.21
7RP12	7	12	\$45.35
7RP18	7	18	\$59.09
7RP24	7	24	\$75.41
7RP3	7	36	\$98.59
7RP4	7	48	\$125.35
7RP5	7	60	\$145.66
8RP12	8	12	\$84.19
8RP18	8	18	\$95.81
8RP24	8	24	\$105.83
8RP3	8	36	\$109.96
8RP4	8	48	\$150.27
8RP5	8	60	\$173.45
10RP18	10	18	\$142.65

Continued...

FIXED LENGTH PIPE (CONT'D.)

HART COOLEY

Part No.	Diameter (In.)	Length (In.)	Price
10RP24	10	24	\$171.87
10RP3	10	36	\$214.63
12RP18	12	18	\$212.80
12RP24	12	24	\$250.63
12RP3	12	36	\$309.45



5RPA

ADJUSTABLE LENGTH PIPE

- Overlap = length minus 2"

HART COOLEY

Part No.	Diameter (In.)	Length (In.)	Price
3RPA	3	12	\$21.54
4RPA	4	12	\$25.39
5RPA	5	12	\$28.13
6RPA	6	12	\$32.86
7RPA	7	18	\$66.95
8RPA	8	18	\$66.29
10RPA	9	18	\$157.01



5REA45

45° ELBOW, ADJUSTABLE

HART COOLEY

Part No.	Diameter (In.)	Price
7REA45	7	\$75.41
8REA45	8	\$80.13



5REA60

60° ELBOW, ADJUSTABLE

HART COOLEY

Part No.	Diameter (In.)	Price
3REA60	3	\$30.32
4REA60	4	\$35.33
5REA60	5	\$41.18



4REA90

90° ELBOW, ADJUSTABLE

HART COOLEY

Part No.	Diameter (In.)	Price
3REA90	3	\$47.58
4REA90	4	\$57.03
5REA90	5	\$69.07
6REA90	6	\$80.48
7REA90	7	\$133.81
8REA90	8	\$139.01



3RN4

INCREASER

HART COOLEY

Part No.	Diameter (In.)		Price
	A	B	
3RN4	3	4	\$37.73
3RN5	3	5	\$45.28
3RN6	3	6	\$48.02
4RN5	4	5	\$41.73
4RN6	4	6	\$43.92
4RN7	4	7	\$109.18
5RN6	5	6	\$45.28
6RN8	6	8	\$105.94



5RDH

DRAFT HOOD CONNECTOR

HART COOLEY

Part No.	Diameter (In.)	Price
3RDH	3	\$14.57
4RDH	4	\$18.59
5RDH	5	\$20.08
6RDH	6	\$20.78
7RDH	7	\$33.35
8RDH	8	\$32.04
10RDH	10	\$47.07
12RDH	12	\$76.78

AIR DISTRIBUTION

B VENT



3RT3

TEE

HART COOLEY

Part No.	Diameter (In.)		Price
	Run 1	Branch	
3RT3	3	3	\$59.47
4RT4	4	4	\$67.56
5RT3	5	3	\$80.34
5RT4	5	4	\$80.34
5RT5	5	5	\$80.34
6RT3	6	3	\$90.65
6RT4	6	4	\$90.65
6RT6	6	6	\$90.65
7RT7	7	7	\$121.81
10RT10	10	10	\$354.78



5RYF43

WYE

HART COOLEY

Part No.	Diameter (In.)			Price
	Run 1	Run 2	Branch	
4RYF33	4	3	3	\$119.01
4RYF43	4	4	3	\$119.01
4RYF44	4	4	4	\$119.01
5RYF43	5	4	3	\$103.03
5RYF44	5	4	4	\$103.03
5RYF53	5	5	3	\$119.01
5RYF54	5	5	4	\$119.01
6RYF43	6	4	3	\$122.61
6RYF44	6	4	4	\$122.61
6RYF53	6	5	3	\$122.61
6RYF54	6	5	4	\$122.61
6RYF64	6	6	4	\$96.84



5RTC

TEE CAP

HART COOLEY

Part No.	Diameter (In.)	Price
3RTC	3	\$5.73
4RTC	4	\$5.73
5RTC	5	\$7.43
6RTC	6	\$7.79
7RTC	7	\$15.31



4RHW

VENT CAP, HIGH WIND

HART COOLEY

Part No.	Diameter (In.)	Price
3RHW	3	\$29.12
4RHW	4	\$29.92
5RHW	5	\$40.51
6RHW	6	\$50.78



5RF

ROOF FLASHING, ADJUSTABLE <6/12

- 0/12 to 6/12 pitch

HART COOLEY

Part No.	Diameter (In.)	Price
3RF	3	\$18.78
4RF	4	\$21.03
5RF	5	\$31.24
6RF	6	\$47.22
7RF	7	\$62.59
8RF	8	\$68.63
10RF	10	\$85.94
12RF	12	\$102.76



ROOF FLASHING, ADJUSTABLE >6/12

- 6/12 to 12/12 pitch

5RFA

HART COOLEY

Part No.	Diameter (In.)	Price
3RFA	3	\$55.75
4RFA	4	\$58.63
5RFA	5	\$59.54
6RFA	6	\$76.23



PIPE COLLAR

5RPC

HART COOLEY

Part No.	Diameter (In.)	Price
3RPC	3	\$7.43
4RPC	4	\$7.43
5RPC	5	\$8.74
6RPC	6	\$9.81



ROOF FLASHING, TALL

5RTF

HART COOLEY

Part No.	Diameter (In.)	Price
3RTF	3	\$40.61
4RTF	4	\$42.40
5RTF	5	\$54.61
6RTF	6	\$67.89
7RTF	7	\$80.55
8RTF	8	\$89.54
10RTF	10	\$109.96



WALL BRACKET

The diameter indicates the size of the pipe to be used with the bracket.

5RWB

HART COOLEY

Part No.	Diameter (In.)	Price
4RWB	4	\$16.17
5RWB	5	\$16.13
6RWB	6	\$16.17



STORM COLLAR

5RS

HART COOLEY

Part No.	Diameter (In.)	Price
3RS	3	\$5.16
4RS	4	\$5.16
5RS	5	\$11.58
6RS	6	\$12.34
7RS	7	\$14.13
8RS	8	\$15.31
10RS	10	\$20.40



WALL THIMBLE

3RWT

HART COOLEY

Part No.	Diameter (In.)	Price
3RWT	3	\$25.98
4RWT	4	\$27.68
5RWT	5	\$29.83
6RWT	6	\$38.97

POLYPROPYLENE VENTING SYSTEM

InnoFlue® is a safe, reliable and environmentally sustainable vent system. It reduces installation time by up to 75%. Most importantly, InnoFlue® was designed as a vent system, not a DWV (drain/waste vent) product.

InnoFlue® is manufactured from environmentally friendly polypropylene. Their polypropylene technology is warranted for sustained flue gases up to 248° , providing enhanced performance properties when compared to PVC and CPVC technology.

InnoFlue® offers an entire catalog of intuitive venting components such as test ports, condensate drains, siphons, flexible tubing (for vertical venting/using the chimney as a chase) and concentric vent systems.

- ULC-S636 listed to Type BH, Class II A, B & C
- A single, comprehensive product line replaces both PVC and CPVC for all Category II & IV furnace, water heater and boiler installations
- Integrated gasket system allows for immediate use of appliance upon installation and post-installation adjustments
- Side wall direct vent system installs in as little as 15-30 minutes
- Flexible option allows for continuous vertical installations up to 150'
- Gasketed polypropylene allows for faster, cleaner, V.O.C.-free installation with no fit up or primers needed
- Listed at zero clearance to combustibles
- Enhanced corrosion resistance allows for use with oil, propane, and gas fired appliance
- Manufacturer-supported and guaranteed with an unprecedented 10-year warranty

	InnoFlue®	PVC	CPVC
Chemical Resistance			
Aromatic Hydrocarbons	✓	✗	✗
Sulfuric Acid	✓	✗	✗
Hydrochloric Acid	✓	✗	✗
Working Temperature	32°F - 248°F	50°F - 149°F	50°F - 194°F
Softening Temperature	302°F	176°F	200°F
Safe & Healthy Production	✓	✗	✗
Leaching of chlorides	✗	✓	✓
Fully Recyclable	✓	✗	✗
Designed and approved by the manufacturer for use in venting gas heating equipment	✓	✗	✗



ISIA

INNOFLUE® CENTRIC INCREASER

Transitions vent system to a larger diameter. Install in vertical orientation only. Additional configurations available upon request.



Part No.	Nominal Diameter (In.)	Effective Length (In.)	Overall L (In.)	Max. OD (In.)	Price
ISIA0203	2" / 3"	3.5	5.9	3.7	\$31.34
ISIA0405	4" / 5"	4.3	6.8	5.8	\$109.90



ISVL

INNOFLUE® STRAIGHT VENT LENGTH

Gasketed rigid polypropylene vent lengths with dedicated male and female ends. Male ends can be field cut to length



Part No.	Nominal Diameter (In.)	Effective Length (In.)	Overall L (In.)	Max. OD (In.)	Price
ISVL021	2	12.0	14.5	3.0	\$7.64
ISVL022	2	24.0	26.5	3.0	\$11.68
ISVL023	2	36.0	38.5	3.0	\$14.68
ISVL026	2	72.0	74.5	3.0	\$20.94
ISVL031	3	12.0	14.5	3.7	\$11.72
ISVL032	3	24.0	26.5	3.7	\$22.84
ISVL033	3	36.0	38.5	3.7	\$30.66
ISVL036	3	72.0	74.5	3.7	\$45.06
ISVL043	4	36.0	38.5	5.1	\$78.44



ISVL022UV

INNOFLUE® VENT LENGTH PPS-UV

Made from black U.V. stabilized polypropylene. PPS-UV Vent Lengths allow for the exterior extension of the vent system



Part No.	Nominal Diameter (In.)	Effective Length (In.)	Overall L (In.)	Max. OD (In.)	Price
ISVL022UV	2	24.0	26.5	3.0	\$12.84



ISELL45

INNOFLUE® 45° ELBOW, LONG

Longer 45° Elbow allows for greater offsets when changing direction or avoiding obstructions.



Part No.	Nominal Diameter (In.)	Effective Length (In.)	Max. OD (In.)	Price
ISELL0245	2	3.8	3.0	\$10.20
ISELL0345	3	4.6	3.7	\$20.34



ISELL0287

INNOFLUE® 87° ELBOW, LONG

Longer 87° Elbow allows for greater offsets when changing direction or avoiding obstructions.



Part No.	Nominal Diameter (In.)	Effective Length (In.)	Max. OD (In.)	Price
ISELL0287	2	4.8	3.0	\$11.78
ISELL0387	3	5.1	3.7	\$19.62



ISELL0287UV

INNOFLUE® 87° ELBOW, LONG, PPS-UV

Made from black U.V. stabilized polypropylene. For exterior offsets or changes in the direction of the vent system.



Part No.	Nominal Diameter (In.)	Effective Length (In.)	Max. OD (In.)	Price
ISELL0287UV	2	4.8	3.0	\$11.20



ISLPT

INNOFLUE® LOW PROFILE WALL TERMINATION

Low Profile Parallel all Termination incorporates air intake and exhaust into a single aesthetically pleasing termination. Part is paintable to match exterior of structure. Comes with interior wall plate and bird

screen. Exhaust can be extended or re-directed with PPs-UV black elbows or vent lengths. Vent lengths and elbows sold separately.



Part No.	Nominal Diameter (In.)	Overall W (In.)	Overall H (In.)	Price
ISLPT0202	2	13.0	9.1	\$65.94
ISLPT0303	3	13.0	9.1	\$98.90



ISEP

INNOFLUE® END PIPE PPS-UV

Made from black U.V. stabilized polypropylene. Use where termination is exposed to excessive sunlight.



Part No.	Nominal Diameter (In.)	Overall L (In.)	Max. OD (In.)	Price
ISEP02	2	19.7	3.0	\$9.28
ISEP03	3	19.7	3.7	\$11.74
ISEP04	4	19.7	5.0	\$25.64



IASPP

INNOFLUE® BIRD SCREEN PPS-UV

Fits inside InnoFlue® SW and Flex end-pipes at terminations.



Part No.	Nominal Diameter (In.)	Price
IASPP02	2	\$12.78
IASPP03	3	\$18.54



IASC02

INNOFLUE® SUPPORT CLAMP

Used as vertical or horizontal support. Space 78" in vertical and 39" in horizontal installations. Overall length can be field shortened



Part No.	Nominal Diameter (In.)	Overall L (In.)	Base Width (In.)	Price
IASC02	2	5.2	3.2	\$16.22
IASC03	3	8.8	3.2	\$17.44
IASC04	4	10.0	3.2	\$14.66



IAWP

INNOFLUE® WALL PLATE ROUND

Used to improve aesthetics and reduce drafts at chimney openings or wall penetrations.



Part No.	Nominal Diameter (In.)	Price
IAWP02B	2	\$6.04
IAWP03B	3	\$8.82
IAWP04B	4	\$11.34



IAN5

INNOFLUE® CONNECTOR RING

Provides reinforcement at joints to support loads of up to 99 lbs. 6" through 12" connector rings are available but not required per UL-1738 and ULC-S636.



Part No.	Nominal Diameter (In.)	OD (In.)	Price
IAN502	2	3.2	\$3.22
IAN503	3	4.1	\$5.54
IAN504	4	5.3	\$6.44



IACE

INNOFLUE® CENTROCERIN

A water based lubricant used to ease the assembly of InnoFlue® SW & Flex. Applied to both the gasket and male end.



Part No.	Container Size	Price
IACE50	50 ml	\$7.64

AIR DISTRIBUTION

SNAP LOCK PIPE



24" LONG, 30 GAUGE

- Acme Bartonville = 202
- Acme Philadelphia Medina = 4
- Alco = 101

Part No.	Diameter (In.)	Box Qty	Price
1-03020	3	25	☎
1-04020	4	25	☎
1-05020	5	25	☎
1-06020	6	25	☎
1-07020	7	25	☎
1-08020	8	25	☎
1-09020	9	25	☎
1-10020	10	25	☎
1-12020	12	25	☎
1-14020	14	25	☎

24" LONG, 26 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-03026	3	10	☎
1-04026	4	10	☎
1-05026	5	10	☎
1-06026	6	10	☎
1-07026	7	10	☎
1-08026	8	10	☎
1-09026	9	10	☎
1-10026	10	10	☎
1-12026	12	10	☎
1-14026	14	10	☎
1-16026	16	10	☎
1-18026	18	10	☎

24" LONG, 24 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-05024	5	10	☎
1-06024	6	10	☎
1-07024	7	10	☎
1-08024	8	10	☎
1-09024	9	10	☎
1-10024	10	10	☎
1-12024	12	10	☎
1-14024	14	10	☎
1-16024	16	10	☎

36" LONG, 30 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-03030	3	10	☎
1-05030	5	10	☎

36" LONG, 26 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-16036	16	10	☎
1-18036	18	10	☎
1-20036	20	10	☎

36" LONG, 24 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-20034	20	10	☎

60" LONG, 30 GAUGE

- Acme Bartonville = 205
- Acme Philadelphia/Medina = 51
- Alco = 101

Part No.	Diameter (In.)	Box Qty	Price
1-03050	3	10	☎
1-04050	4	10	☎
1-05050	5	10	☎
1-06050	6	10	☎
1-07050	7	10	☎
1-08050	8	10	☎
1-09050	9	10	☎
1-10050	10	10	☎
1-12050	12	10	☎
1-14050	14	10	☎

60" LONG, 26 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-04056	4	10	☎
1-05056	5	10	☎
1-06056	6	10	☎
1-07056	7	10	☎
1-08056	8	10	☎
1-09056	9	10	☎
1-10056	10	10	☎
1-12056	12	10	☎
1-14056	14	10	☎

60" LONG, 24 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-06054	6	10	☎

120" LONG, 30 GAUGE

- Acme Bartonville = 210
- Acme Philadelphia/Medina = 53
- Alco = 101

Part No.	Diameter (In.)	Box Qty	Price
1-04100	4	5	☎
1-05100	5	5	☎
1-06100	6	5	☎
1-07100	7	5	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

BUTTON LOCK PIPE

36" LONG, 30 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-03030BL	3	10	
1-04030BL	4	10	
1-05030BL	5	10	
1-06030BL	6	10	
1-07030BL	7	10	
1-08030BL	8	10	
1-14030BL	14	10	

36" LONG, 26 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
1-08036BL	8	10	
1-09036BL	9	10	
1-10036BL	10	10	
1-12036BL	12	10	

90 ELBOW



Acme Bartonville = 390
Acme Philadelphia/Medina = 81
Alco = 111
Southwark Indianapolis = 1005
wM&M = 125

30 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
3-030	3	12	
3-040	4	12	
3-050	5	12	
3-060	6	12	
3-070	7	12	
3-080	8	12	
3-090	9	12	
3-100	10	12	
3-120	12	4	
3-140	14	4	
3-160	16	4	

28 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
3-038	3	12	
3-128	12	4	
3-148	14	4	

26 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
3-036	3	12	
3-046	4	12	
3-056	5	12	
3-066	6	12	
3-076	7	12	
3-086	8	12	
3-096	9	12	
3-106	10	12	
3-126	12	4	
3-146	14	4	
3-166	16	4	
3-186	18	4	
3-206	20	4	

24 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
3-054	5	12	
3-064	6	12	
3-074	7	12	
3-084	8	12	
3-094	9	12	
3-104	10	12	
3-144	14	4	
3-184	18	4	
3-204	20	4	

TEE



WATER HEATER, 90°

Part No.	Diameter (In.)			Box Qty	Price
	Run 1	Run 2	Branch		
420-5439	5	4	3	12	

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

TEE



421-6434

WYE, WATER HEATER, 45°

- Acme Philadelphia/Medina = 162
- Alco = 277

Part No.	Diameter (In.)			Box Qty	Price
	Run 1	Run 2	Branch		
421-4334	4	3	3	12	☎
421-4434	4	4	3	12	☎
421-5334	5	3	3	12	☎
421-5434	5	4	3	12	☎
421-5444	5	4	4	12	☎
421-5544	5	5	4	12	☎
421-6434	6	4	3	12	☎
421-6444	6	4	4	12	☎
421-6534	6	5	3	12	☎
421-6544	6	5	4	12	☎



422-04

FULL FLOW

Part No.	Diameter (In.)	Box Qty	Price
422-04	4	6	☎
422-05	5	6	☎
422-06	6	6	☎
422-07	7	6	☎
422-08	8	6	☎
422-10	10	3	☎
422-12	12	3	☎
422-14	14	3	☎



6-030

30 GAUGE

- Acme Bartonville = 121
- Acme Philadelphia/Medina = 121
- Alco = 271
- Southwark Philadelphia = 53
- Southwark Indianapolis = 1059
- Metalcraft MS = 54

Part No.	Diameter (In.)	Box Qty	Price
6-030	3	6	☎
6-040	4	6	☎
6-050	5	6	☎
6-060	6	6	☎

26 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
6-036	3	6	☎
6-046	4	6	☎
6-056	5	6	☎
6-066	6	6	☎
6-076	7	6	☎
6-086	8	6	☎
6-096	9	6	☎
6-106	10	3	☎
6-126	12	3	☎
6-146	14	3	☎
6-166	16	3	☎
6-186	18	3	☎
6-206	20	3	☎

24 GAUGE

Part No.	Diameter (In.)	Box Qty	Price
6-054	5	6	☎
6-064	6	6	☎
6-074	7	6	☎
6-084	8	6	☎



ST-643

SWIVEL

Part No.	Diameter (In.)			Price
	Run 1	Run 2	Branch	
ST-543	5	4	3	☎
ST-643	6	4	3	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

WYE

SPLITTER



715-121010

Part No.	Diameter (In.)			Price
	Run 1	Run 2	Branch	
715-644	6	4	4	☎
715-655	6	5	5	☎
715-755	7	5	5	☎
715-866	8	6	6	☎
715-888	8	8	8	☎
715-977	9	7	7	☎
715-1076	10	7	6	☎
715-1077	10	7	7	☎
715-1085	10	8	5	☎
715-10106	10	10	6	☎
715-10108	10	10	8	☎
715-1287	12	8	7	☎
715-121010	12	10	10	☎
715-161414	16	14	14	☎
715-181414	18	14	14	☎
715-181616	18	16	16	☎

BRANCH



720-655

- Acme Bartonville = 163
- Alco = 272
- Southwark Philadelphia = 78
- Southwark Indianapolis = 1061
- Metalcraft MS = Y15
- Metalcraft SC = Y15

Part No.	Diameter (In.)			Box Qty	Price
	Run 1	Run 2	Branch		
720-644	6	4	4	6	☎
720-755	7	5	5	6	☎
720-866	8	6	6	6	☎
720-888	8	8	8	6	☎
720-977	9	7	7	6	☎
720-1088	10	8	8	6	☎
720-121010	12	10	10	3	☎
720-141212	14	12	12	1	☎



717-644

STUB, 30 GAUGE

Part No.	Diameter (In.)			Price
	Run 1	Run 2	Branch	
717-644	6	4	4	☎
717-866	8	6	6	☎
717-1088	10	8	8	☎
717-121010	12	10	10	☎
717-141212	14	12	12	☎



719-644

AIRFLOW TEE

- Acme Bartonville = 162
- Acme Philadelphia/Medina = 158
- Alco = 277
- Southwark Philadelphia = 52
- Southwark Indianapolis = 1058
- Metalcraft MS = 203
- Metalcraft SC = 203

Part No.	Diameter (In.)			Box Qty	Price
	Run 1	Run 2	Branch		
719-644	6	4	4	12	☎
719-654	6	5	4	12	☎
719-755	7	5	5	6	☎
719-765	7	6	5	6	☎
719-866	8	6	6	6	☎
719-977	9	7	7	6	☎
719-121010	12	10	10	6	☎

FLAT REDUCER



61-43

NO CRIMP

- Acme Bartonville = 63
- Alco = 264
- Southwark Philadelphia = 58-2
- Southwark Indianapolis = 1063
- Metalcraft MS = 66-2

Part No.	Diameter A (In.)	Diameter B (In.)	Box Qty	Price
61-43	4	3	12	☎
61-53	5	3	12	☎
61-54	5	4	12	☎
61-63	6	3	12	☎
61-65	6	5	12	☎
61-75	7	5	12	☎
61-76	7	6	12	☎
61-87	8	7	12	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

FLAT REDUCER



63-54

SMALL END CRIMP

- Acme Bartonville = 61

Part No.	Diameter A (In.)	Diameter B (In.)	Box Qty	Price
63-54	5	4	12	

TAPER REDUCER PATTERN



66-43

NO CRIMP, 26 GAUGE

- Acme Bartonville = 64
- Acme Philadelphia/Medina = 65NC
- Alco = 265
- Southwark Philadelphia = 58
- Southwark Indianapolis = 1062
- Metalcraft MS = 66NC
- Metalcraft SC = 66NC
- M&M = 400

Part No.	Diameter A (In.)	Diameter B (In.)	Box Qty	Price
66-43	4	3	12	
66-53	5	3	12	
66-54	5	4	12	
66-63	6	3	12	
66-64	6	4	12	
66-65	6	5	12	
66-73	7	3	12	
66-74	7	4	12	
66-75	7	5	12	
66-76	7	6	12	
66-84	8	4	12	
66-85	8	5	12	
66-86	8	6	12	
66-87	8	7	12	
66-96	9	6	12	
66-97	9	7	12	
66-98	9	8	12	
66-106	10	6	12	
66-107	10	7	12	
66-108	10	8	12	
66-109	10	9	12	
66-126	12	6	12	
66-128	12	8	12	
66-129	12	9	12	
66-1210	12	10	12	
66-148	14	8	6	
66-1410	14	10	12	
66-1412	14	12	12	
66-1612	16	12	6	
66-1614	16	14	12	
66-1814	18	14	6	
66-1816	18	16	6	
66-2018	20	18	6	

END CAP

NO CRIMP

- Acme Bartonville = 65
- Acme Philadelphia/Medina = 118NC
- Alco = 273
- Southwark Philadelphia = 55
- Southwark Indianapolis = 1064NC
- Metalcraft MS = 129NC
- Metalcraft SC = 129NC



64-03

LESS HANDLE, NO CRIMP

Part No.	Diameter (In.)	Box Qty	Price
64-03	3	12	
64-04	4	12	
64-05	5	12	
64-06	6	12	
64-07	7	12	
64-08	8	12	
64-09	9	12	
64-10	10	12	
64-12	12	12	
64-14	14	12	
64-16	16	12	



64H-08

WITH HANDLE, NO CRIMP

Part No.	Diameter (In.)	Box Qty	Price
64H-05	5	12	
64H-06	6	12	
64H-07	7	12	
64H-08	8	12	
64H-09	9	12	
64H-10	10	12	
64H-12	12	12	

Note: Box quantity for ordering convenience only



65-03

LESS HANDLE, WITH CRIMP

- Acme Philadelphia/Medina = 118
- Southwark Indianapolis = 1064
- Metalcraft MS = 129
- Metalcraft SC = 129

Part No.	Diameter (In.)	Box Qty	Price
65-03	3	12	
65-04	4	12	
65-05	5	12	



T275-6

CRIMP, WITH 1/2" FLANGE, LONG

Part No.	Diameter (In.)	Box Qty	Price
T275-6	6	12	
T275-7	7	12	
T275-8	8	12	
T275-10	10	12	
T275-12	12	12	
T275-14	14	12	
T275-16	16	12	



t19-5

- Acme Bartonville = EP1, EP5
- Acme Philadelphia/Medina = 52
- Alco = 309S
- Southwark Philadelphia = 63
- Southwark Indianapolis = 63
- Metalcraft MS = 71
- Metalcraft SC = 71

Part No.	Diameter (In.)	Box Qty	Price
T19-5	5	12	
T19-6	6	12	
T19-7	7	12	
T19-8	8	12	



t255

CRIMP, WITH 1/2" FLANGE, SHORT

Part No.	Diameter (In.)	Box Qty	Price
T255-6	6	12	
T255-7	7	12	
T255-8	8	12	
T255-10	10	12	
T255-12	12	12	
T255-14	14	12	
T255-16	16	12	

TAB COLLAR



T24-3

CRIMP

- 3" crimped

Part No.	Diameter (In.)	Box Qty	Price
T24-7	7	12	



T25-14

CRIMP

- Acme Bartonville = 70
- Acme Philadelphia/Medina = 125
- Alco = 261
- Southwark Philadelphia = 97
- Southwark Indianapolis = 1051
- Metalcraft MS = 120
- Metalcraft SC = 120
- M&M = 500

Part No.	Diameter (In.)	Box Qty	Price
T25-3	3	12	
T25-4	4	12	
T25-5	5	12	
T25-6	6	12	
T25-7	7	12	
T25-8	8	12	
T25-9	9	12	
T25-10	10	12	
T25-12	12	12	
T25-14	14	12	
T25-16	16	12	
T25-18	18	12	
T25-20	20	12	

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

TAB COLLAR



T26-3

NO CRIMP

- Acme Philadelphia/Medina = 125NC
- Southwark Indianapolis = 1050

Part No.	Diameter (In.)	Box Qty	Price
T26-3	3	12	☎
T26-4	4	12	☎
T26-5	5	12	☎
T26-6	6	12	☎
T26-7	7	12	☎
T26-8	8	12	☎
T26-9	9	12	☎
T26-10	10	12	☎
T26-12	12	12	☎
T26-14	14	12	☎
T26-16	16	12	☎



T27-12

LONG

- Acme Bartonville = 70L
- Acme Philadelphia/Medina = 125L
- Alco = 261, 261S
- Southwark Philadelphia = 97LS
- Southwark Indianapolis = 1050
- Metalcraft = 120L

Part No.	Diameter (In.)	Box Qty	Price
T27-4	4	12	☎
T27-5	5	12	☎
T27-6	6	12	☎
T27-7	7	12	☎
T27-8	8	12	☎
T27-9	9	12	☎
T27-10	10	12	☎
T27-12	12	12	☎
T27-14	14	12	☎
T27-16	16	12	☎
T27-18	18	12	☎
T27-20	20	12	☎



T27-4KD

KNOCKDOWN, LONG

Part No.	Diameter (In.)	Box Qty	Price
T27-4KD	4	12	☎
T27-5KD	5	12	☎
T27-6KD	6	12	☎
T27-7KD	7	12	☎
T27-8KD	8	12	☎
T27-9KD	9	12	☎
T27-10KD	10	12	☎
T27-12KD	12	12	☎
T27-14KD	14	12	☎
T27-16KD	16	12	☎
T27-18KD	18	12	☎
T27-20KD	20	12	☎



T27-7D

DAMPER, LONG

Part No.	Diameter (In.)	Box Qty	Price
T27-5D	5	12	☎
T27-6D	6	12	☎
T27-7D	7	12	☎
T27-8D	8	12	☎
T27-9D	9	12	☎
T27-10D	10	12	☎
T27-12D	12	12	☎
T27-14D	14	12	☎
T27-16D	16	6	☎

SPIN COLLAR



94-07

PLAIN

- Acme Bartonville = 156
- Acme Philadelphia/Medina = 156
- Alco = 700

Part No.	Diameter (In.)	Box Qty	Price
94-07	7	12	☎
94-10	10	12	☎
94-12	12	12	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only



97-06

SCOOP & DAMPER

- Acme Bartonville = 156DS
- Acme Philadelphia/Medina = 164
- Alco = 703

Part No.	Diameter (In.)	Box Qty	Price
97-06	6	12	
97-08	8	12	
97-10	10	12	



t5-6

HALF TAB, ELBOW

Part No.	Diameter (In.)	Box Qty	Price
T5-6	6	12	
T5-7	7	12	

TOP TAKEOFF



T10-5

RECTANGULAR, ROUND

- Acme Bartonville = EP137
- Acme Philadelphia/Medina = 34
- Alco = 306

Part No.	Diameter (In.)	Box Qty	Price
T10-5	5	12	
T10-6	6	12	
T10-7	7	12	
T10-8	8	12	
T10-10	10	12	

ZERO RISE

- Acme Bartonville = EP8
- Acme Philadelphia/Medina = 39
- Alco = 308S

Part No.	Diameter (In.)	Box Qty	Price
T15-6	6	12	



T16-5

1 1/4" RISE

- Acme Bartonville = EP300
- Acme Philadelphia/Medina = 39CT
- Alco = 308

Part No.	Diameter (In.)	Box Qty	Price
T16-5	5	12	
T16-6	6	12	
T16-7	7	12	
T16-8	8	12	



T7-5

FULL TAB, ELBOW

- Acme Bartonville = EP75
- Acme Philadelphia/Medina = 100
- Southwark Philadelphia = 65
- Southwark Indianapolis = EP15
- Metalcraft MS = 100
- Metalcraft SC = 100

Part No.	Diameter (In.)	Box Qty	Price
T7-5	5	12	
T7-6	6	12	
T7-7	7	12	
T7-8	8	12	



S5-6

ADJUSTABLE PIVOT

- Acme Bartonville = S5
- Alco = 30
- Southwark Philadelphia = S-5
- Southwark Indianapolis = S-5

Part No.	Diameter (In.)	Box Qty	Price
S5-6	6	12	
S5-7	7	12	



TE-7

ELBOW

Part No.	Diameter (In.)	Box Qty	Price
TE-7	7	12	

AIR DISTRIBUTION

DUCTBOARD TOP TAKEOFF



TAB

Part No.	Diameter (In.)	Box Qty	Price
320-5	5	12	☎
320-6	6	12	☎
320-7	7	12	☎
320-8	8	12	☎



LONG TAB

- For 1 1/2" ductboard

Part No.	Diameter (In.)	Box Qty	Price
320L-6	6	12	☎



ADJUSTABLE

- Acme Bartonville = 334
- Acme Philadelphia/Medina = 334
- Alco = 306DB
- Southwark Philadelphia = 63AFG
- Southwark Indianapolis = 2013
- Metalcraft MS = 72FG
- Metalcraft SC = 72FG

Part No.	Diameter (In.)	Box Qty	Price
T12-6	6	12	☎
T12-7	7	12	☎

DUCTBOARD SIDE TAKEOFF



TAB COLLAR

- Acme Bartonville = 147
- Acme Philadelphia/Medina = 147
- Alco = 261F
- Southwark Philadelphia = 84ST
- Southwark Indianapolis = 2020
- Metalcraft MS = 122
- Metalcraft SC = 122
- M&M = 507

Part No.	Diameter (In.)	Box Qty	Price
89-04	4	12	☎
89-05	5	12	☎
89-06	6	12	☎
89-07	7	12	☎
89-08	8	12	☎
89-09	9	12	☎
89-10	10	12	☎
89-12	12	12	☎
89-14	14	12	☎
89-16	16	12	☎
89-18	18	12	☎
89-20	20	6	☎



TAB COLLAR, DAMPER

- Acme Bartonville = 146
- Acme Philadelphia/Medina = 146
- Alco = 310F
- Southwark Philadelphia = 84STWD
- Southwark Indianapolis = 2021
- Metalcraft MS = 122D
- Metalcraft SC = 122D
- M&M = 507D

Part No.	Diameter (In.)	Box Qty	Price
89-05D	5	12	☎
89-06D	6	12	☎
89-07D	7	12	☎
89-08D	8	12	☎
89-09D	9	12	☎
89-10D	10	12	☎
89-12D	12	12	☎
89-14D	14	6	☎
89-16D	16	6	☎



90-04

SPIN COLLAR

- Acme Bartonville = 149
- Acme Philadelphia/Medina = 149
- Alco = 600
- Southwark Philadelphia = 97FG
- Southwark Indianapolis = 2019
- Metalcraft MS = 97
- Metalcraft SC = 97

Part No.	Diameter (In.)	Box Qty	Price
90-04	4	12	
90-05	5	12	
90-06	6	12	
90-07	7	12	
90-08	8	12	
90-10	10	3	
90-12	12	3	
90-16	16	3	



91-07

SPIN COLLAR, DAMPER

- Acme Bartonville = 152
- Acme Philadelphia/Medina = 152
- Alco = 602
- Southwark Philadelphia = 97FGWD
- Southwark Indianapolis = 2018
- Metalcraft MS = 97D
- Metalcraft SC = 97D

Part No.	Diameter (In.)	Box Qty	Price
91-07	7	12	
91-08	8	12	
91-09	9	3	
91-10	10	3	
91-12	12	3	



92-06

SPIN COLLAR, SCOOP

- Acme Bartonville = 150
- Acme Philadelphia/Medina = 150
- Alco = 601
- Southwark Philadelphia = 98
- Southwark Indianapolis = 2023
- Metalcraft MS = 98S
- Metalcraft SC = 98S

Part No.	Diameter (In.)	Box Qty	Price
92-06	6	12	
92-07	7	12	
92-08	8	12	
92-10	10	3	
92-14	14	3	



93-07

SPIN COLLAR, SCOOP & DAMPER

- Acme Bartonville = 153
- Acme Philadelphia/Medina = 153
- Alco = 603
- Southwark Philadelphia = 98WD
- Southwark Indianapolis = 2024
- Metalcraft MS = 98SD
- Metalcraft SC = 98SD

Part No.	Diameter (In.)	Box Qty	Price
93-07	7	12	
93-10	10	3	

ADHESIVE TOP TAKEOFF



34AT-5

ADJUSTABLE

- Southwark Philadelphia = AT63A
- Southwark Indianapolis = AT63A

Part No.	Diameter (In.)	Box Qty	Price
34AT-5	5	12	
34AT-6	6	12	
34AT-7	7	12	
34AT-8	8	12	



39AT-5

STANDARD

- Southwark Philadelphia = AT62
- Southwark Indianapolis = AT62

Part No.	Diameter (In.)	Box Qty	Price
39AT-5	5	12	
39AT-6	6	12	
39AT-7	7	12	
39AT-8	8	12	

DAMPER

- Southwark Philadelphia = AT62WD
- Southwark Indianapolis = AT62WD

Part No.	Diameter (In.)	Box Qty	Price
39ATD-5	5	12	
39ATD-6	6	12	
39ATD-7	7	12	
39ATD-8	8	12	

AIR DISTRIBUTION

ADHESIVE SIDE TAKEOFF



167-6

FLAT TO ROUND

- Acme Bartonville = 167
- Acme Philadelphia/Medina = 167
- Alco = 167
- Southwark Philadelphia = ATT
- Southwark Indianapolis = ATT
- Metalcraft MS = ATT
- Metalcraft SC = ATT
- M&M = 503AT

Part No.	Diameter (In.)	Box Qty	Price
167-6	6	12	☎
167-7	7	12	☎
167-8	8	12	☎
167-10	10	12	☎
167-12	12	12	☎
167-14	14	12	☎



168-6

FLAT TO ROUND, DAMPER

- Acme Bartonville = 168
- Acme Philadelphia/Medina = 168
- Alco = 168
- Southwark Philadelphia = ATD
- Southwark Indianapolis = ATD
- Metalcraft MS = ATD
- Metalcraft SC = ATD
- M&M = 503ATD

Part No.	Diameter (In.)	Box Qty	Price
168-5	5	12	☎
168-6	6	12	☎
168-7	7	12	☎
168-8	8	12	☎
168-10	10	12	☎
168-12	12	6	☎
168-14	14	6	☎



170-4

FLAT TO ROUND, SCOOP & DAMPER

- Southwark Philadelphia = ATSD
- Southwark Indianapolis = ATSD
- Metalcraft MS = ATSD
- Metalcraft SC = ATSD
- M&M = 503ATDX

Part No.	Diameter (In.)	Box Qty	Price
170-4	4	12	☎
170-5	5	12	☎
170-6	6	12	☎
170-7	7	12	☎
170-8	8	12	☎
170-9	9	12	☎
170-10	10	12	☎
170-12	12	6	☎
170-14	14	2	☎
170-16	16	2	☎



171-5

ROUND TO ROUND

- Acme Bartonville = 171
- Alco = 171
- Southwark Philadelphia = ATTRP
- Southwark Indianapolis = ATTRP
- Metalcraft MS = ATRP
- Metalcraft SC = ATRP
- M&M = 503SATTO

Part No.	Diameter (In.)	Box Qty	Price
171-4	4	12	☎
171-5	5	12	☎
171-6	6	12	☎
171-7	7	12	☎
171-8	8	12	☎
171-10	10	12	☎
171-12	12	6	☎
171-14	14	6	☎
171-16	16	6	☎



172-6

ROUND TO ROUND, SCOOP

- Metalcraft MS = ATRPS
- Metalcraft SC = ATRPS
- M&M = 503SATTOX

Part No.	Diameter (In.)	Box Qty	Price
172-6	6	12	☎
172-8	8	12	☎



173-5


ROUND TO ROUND, DAMPER

- Acme Bartonville = 173
- Alco = 173
- Metalcraft MS = ATRPWD
- Metalcraft SC = ATRPWD
- M&M = 503SATDOD

Part No.	Diameter (In.)	Box Qty	Price
173-5	5	12	☎
173-6	6	12	☎
173-7	7	12	☎
173-8	8	12	☎
173-10	10	12	☎
173-12	12	6	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only



174-4

ROUND TO ROUND, SCOOP & DAMPER

- Metalcraft MS = ATRPSD
- Metalcraft SC = ATRPSD
- M&M = 503SATODX

Part No.	Diameter (In.)	Box Qty	Price
174-4	4	12	
174-5	5	12	
174-6	6	12	
174-7	7	12	
174-8	8	12	
174-9	9	12	
174-12	12	6	
174-14	14	6	



175-6

SQUARE TO ROUND

- Acme Bartonville = 175
- Alco = 175

Part No.	Diameter (In.)	Box Qty	Price
175-5	5	12	
175-6	6	12	
175-7	7	12	
175-8	8	6	
175-10	10	6	



176-6

SQUARE TO ROUND, DAMPER

Part No.	Diameter (In.)	Box Qty	Price
176-5	5	12	
176-6	6	12	
176-7	7	12	
176-8	8	6	
176-10	10	4	

REGISTER BOOT, 90 DEGREE



P13-306

STANDARD

- Acme Bartonville = P13
- Acme Philadelphia/Medina = 59
- Alco = 243
- Southwark Philadelphia = 24R
- Southwark Indianapolis = PH-4
- Metalcraft MS = RB59
- Metalcraft SC = RB59
- M&M = 203R

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
P13-204	2 1/4	10	4	12	
P13-205	2 1/4	10	5	12	
P13-206	2 1/4	10	6	12	
P13-224	2 1/4	12	4	12	
P13-225	2 1/4	12	5	12	
P13-226	2 1/4	12	6	12	
P13-227	2 1/4	12	7	12	
P13-247	2 1/4	14	7	12	
P13-248	2 1/4	14	8	12	
P13-326	3 1/4	12	6	12	
P13-327	3 1/4	12	7	12	
P13-404	4	10	4	12	
P13-405	4	10	5	12	
P13-406	4	10	6	12	
P13-407	4	10	7	12	
P13-408	4	10	8	12	
P13-425	4	12	5	12	
P13-426	4	12	6	12	
P13-427	4	12	7	12	
P13-428	4	12	8	12	
P13-446	4	14	6	12	
P13-447	4	14	7	12	
P13-448	4	14	8	12	
P13-606	6	10	6	12	
P13-607	6	10	7	12	
P13-608	6	10	8	12	
P13-626	6	12	6	12	
P13-627	6	12	7	12	
P13-628	6	12	8	12	
P13-646	6	14	6	12	
P13-647	6	14	7	12	
P13-648	6	14	8	12	

EXTENSION

Part No.	Width (In.)	Length (In.)	Round (In.)	Extension (In.)	Box Qty	Price
P13-4046	4	10	4	6	12	
P13-6466	6	14	6	6	12	

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

REGISTER BOOT, END, CENTER



P17C-204

STANDARD

- Acme Bartonville = P17C
- Acme Philadelphia/Medina = 60C
- Alco = 244
- Southwark Philadelphia = 28R
- Southwark Indianapolis = PH-3
- Metalcraft MS = RB58
- Metalcraft SC = RB58
- M&M = 202R

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
P17C-204	2 1/4	10	4	12	☎
P17C-205	2 1/4	10	5	12	☎
P17C-206	2 1/4	10	6	12	☎
P17C-225	2 1/4	12	5	12	☎
P17C-226	2 1/4	12	6	12	☎
P17C-227	2 1/4	12	7	12	☎
P17C-247	2 1/4	14	7	12	☎
P17C-248	2 1/4	14	8	12	☎
P17C-306	3 1/4	10	6	12	☎
P17C-326	3 1/4	12	6	12	☎
P17C-404	4	10	4	12	☎
P17C-405	4	10	5	12	☎
P17C-406	4	10	6	12	☎
P17C-407	4	10	7	12	☎
P17C-408	4	10	8	12	☎
P17C-425	4	12	5	12	☎
P17C-426	4	12	6	12	☎
P17C-427	4	12	7	12	☎
P17C-428	4	12	8	12	☎
P17C-446	4	14	6	12	☎
P17C-447	4	14	7	12	☎
P17C-448	4	14	8	12	☎
P17C-606	6	10	6	12	☎
P17C-607	6	10	7	12	☎
P17C-608	6	10	8	12	☎
P17C-626	6	12	6	12	☎
P17C-627	6	12	7	12	☎
P17C-628	6	12	8	12	☎
P17C-646	6	14	6	12	☎
P17C-647	6	14	7	12	☎
P17C-648	6	14	8	12	☎

REGISTER BOOT, END, LEFT



P17L-225

STANDARD

- Acme Bartonville = P17L
- Acme Philadelphia/Medina = 60L
- Alco = 244L
- Southwark Philadelphia = 28RL
- Southwark Indianapolis = PH-3L
- Metalcraft MS = RB58L
- Metalcraft SC = RB58L

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
P17L-224	2 1/4	12	4	12	☎
P17L-225	2 1/4	12	5	12	☎
P17L-226	2 1/4	12	6	12	☎
P17L-227	2 1/4	12	7	12	☎
P17L-246	2 1/4	14	6	12	☎
P17L-406	4	10	6	12	☎
P17L-407	4	10	7	12	☎
P17L-426	4	12	6	12	☎
P17L-427	4	12	7	12	☎

REGISTER BOOT, END, RIGHT



P17R

- Acme Bartonville = P17R
- Acme Philadelphia/Medina = 60R
- Alco = 244R
- Southwark Philadelphia = 28RR
- Southwark Indianapolis = PH-3R
- Metalcraft MS = RB58R
- Metalcraft SC = RB58R

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
P17R-225	2 1/4	12	5	12	☎
P17R-226	2 1/4	12	6	12	☎
P17R-406	4	10	6	12	☎
P17R-426	4	12	6	12	☎
P17R-427	4	12	7	12	☎

REGISTER BOOT, STRAIGHT BACK



STANDARD

- Acme Bartonville = P5
- Acme Philadelphia/Medina = 61
- Alco = 241
- Southwark Philadelphia = 27R
- Southwark Indianapolis = PH-7
- Metalcraft MS = RB50
- Metalcraft SC = RB50
- M&M = 201R

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
P5-204	2 1/4	10	4	12	☎
P5-205	2 1/4	10	5	12	☎
P5-206	2 1/4	10	6	12	☎
P5-224	2 1/4	12	4	12	☎
P5-225	2 1/4	12	5	12	☎
P5-226	2 1/4	12	6	12	☎
P5-227	2 1/4	12	7	12	☎
P5-246	2 1/4	14	6	12	☎
P5-247	2 1/4	14	7	12	☎
P5-306	3 1/4	10	6	12	☎
P5-484	4	8	4	12	☎
P5-486	4	8	6	12	☎
P5-404	4	10	4	12	☎
P5-405	4	10	5	12	☎
P5-406	4	10	6	12	☎
P5-407	4	10	7	12	☎
P5-408	4	10	8	12	☎
P5-425	4	12	5	12	☎
P5-426	4	12	6	12	☎
P5-427	4	12	7	12	☎
P5-428	4	12	8	12	☎
P5-446	4	14	6	12	☎
P5-447	4	14	7	12	☎
P5-448	4	14	8	12	☎
P5-606	6	10	6	12	☎
P5-607	6	10	7	12	☎
P5-608	6	10	8	12	☎
P5-626	6	12	6	12	☎
P5-627	6	12	7	12	☎
P5-628	6	12	8	12	☎
P5-646	6	14	6	12	☎
P5-647	6	14	7	12	☎
P5-648	6	14	8	12	☎
P5-6410	6	14	10	12	☎

REGISTER BOOT, 45 DEGREE



- Acme Bartonville = P7
- Alco = 245
- Southwark Philadelphia = 26R
- Metalcraft MS = RB52
- Metalcraft SC = RB52

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
P7-226	2 1/4	12	6	12	☎
P7-406	4	10	6	12	☎
P7-606	6	10	6	12	☎

FLOOR BOX, BLIND



- Acme Bartonville = 30 (6 or 12")
- Acme Philadelphia/Medina = 64(S), 63(T)
- Alco = 323(Tall)
- Southwark Philadelphia = 90(S), 91(T)
- Southwark Indianapolis = 1068(S), 1069(T)

Part No.	Width (In.)	Height (In.)	Length (In.)	Box Qty	Price
80-060612	6	12	6	12	☎
80-0610	6	12	10	12	☎
80-061206	6	6	12	12	☎
80-0612	6	12	12	12	☎
80-080812	8	12	8	12	☎
80-101012	10	12	10	12	☎
80-1212	12	12	12	12	☎

CALIFORNIA

Part No.	Width (In.)	Length (In.)	Round (In.)	6" Extension	Plaster Round	Price
P5-606PR	6	10	6	No	Yes	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

FUNNEL REGISTER BOX




82-060606

RECTANGULAR

- Acme Bartonville = 50
- Acme Philadelphia/Medina = 115
- Alco = 247
- Southwark Philadelphia = 92
- Metalcraft MS = 67
- Metalcraft SC = 67

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
82-060606	6	6	6	12	☎
82-080806	8	8	6	12	☎
82-080808	8	8	8	12	☎
82-101008	10	10	8	12	☎
82-101010	10	10	10	12	☎
82-121208	12	12	8	12	☎
82-121210	12	12	10	12	☎
82-141216	14	12	16	12	☎
82-141412	14	14	12	12	☎
82-202014	20	20	14	6	☎
82-202016	20	20	16	1	☎

B BOX




82B

RECTANGULAR WITH TABS

- Plaster tab on 2 sides

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
82B-4146	4	14	6	12	☎
82B-6106	6	10	6	12	☎

C BOX



82C

SQUARE WITH PLASTER TAB

- Square with plaster tab

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
82C-065	6	6	5	12	☎

CEILING DIFFUSER BOX

ROUND, STRAIGHT

- Acme Bartonville = 51
- Acme Philadelphia/Medina = 87A
- Alco = 352
- Southwark Philadelphia = 58WF
- Southwark Indianapolis = 1161
- Metalcraft MS = 81
- Metalcraft SC = 81
- M&M = 680



916

ROUND TO ROUND, STRAIGHT

Part No.	Diffuser (In.)	Collar Size (In.)	Box Qty	Price
916-608	8	6	6	☎



1000-6X6X5

SQUARE TO ROUND, STRAIGHT

Part No.	Diffuser (In.)	Collar Size (In.)	Price
1000-6X6X5	6	5	☎
1000-6X6X6	6	6	☎
1000-8X8X6	8	6	☎
1000-8X8X7	8	7	☎
1000-8X8X8	8	8	☎
1000-10X10X8	10	8	☎
1000-10X10X10	10	10	☎
1000-12X12X10	12	10	☎
1000-12X12X12	12	12	☎

90°

- Acme Philadelphia/Medina = 1001
- Acme Bartonville = 53
- Southwark Indianapolis = 59P
- Metalcraft MS=59P
- Metalcraft SC=59P



1001-6X6X6

Part No.	Diffuser (In.)	Collar Size (In.)	Price
1001-6X6X6	6	6	☎
1001-8X8X6	8	6	☎
1001-8X8X8	8	8	☎

SQUARE TO ROUND, 90°



501-845ST

Part No.	Width (In.)	Length (In.)	Round (In.)	Price
501-845ST	8	4	5	☎
501-1267ST	12	6	7	☎

SIDE OPEN



501

BLIND

Part No.	Width (In.)	Length (In.)	Price
501-1010NH	10	10	☎



917-606

ROUND TO ROUND, 90°

Part No.	Diffuser (In.)	Collar Size (In.)	Box Qty	Price
917-606	6	6	6	☎



504-845

• 3 1/2"

Part No.	Width (In.)	Length (In.)	Round (In.)	Price
504-845	8	4	5	☎
504-1066	10	6	6	☎
504-1266	12	6	6	☎
504-1267	12	6	7	☎

INSULATED BOX



501-845

TOP OPEN

Part No.	Width (In.)	Length (In.)	Round (In.)	Price
501-845	8	4	5	☎
501-1066	10	6	6	☎
501-10108	10	10	8	☎
501-1267	12	6	7	☎
501-1268	12	6	8	☎

SLIP & DRIVE TRUNK



100-084

- Acme Bartonville = 100
- Acme Philadelphia/Medina = 1
- Alco = 401
- Southwark Indianapolis = 1108

Part No.	Dimensions (In.)			Box Qty	Price
	W	L	Joint L		
100-084	8	8	48	6	☎
100-085	8	8	60	5	☎
100-104	8	10	48	6	☎
100-105	8	10	60	5	☎
100-124	8	12	48	6	☎
100-125	8	12	60	5	☎

Continued...

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

SLIP & DRIVE TRUNK (CONT'D.)


Part No.	Dimensions (In.)			Box Qty	Price
	W	L	Joint L		
100-144	8	14	48	6	☎
100-145	8	14	60	5	☎
100-164	8	16	48	6	☎
100-165	8	16	60	5	☎
100-184	8	18	48	6	☎
100-185	8	18	60	5	☎
100-204	8	20	48	6	☎
100-205	8	20	60	5	☎
100-224	8	22	48	6	☎
100-225	8	22	60	5	☎
100-244	8	24	48	6	☎
100-245	8	24	60	5	☎
100-2504	10	25	48	A/O	☎
100-263	8	26	36	6	☎
100-264	8	26	48	6	☎
100-265	8	26	60	5	☎
100-283	8	28	36	6	☎
100-284	8	28	48	6	☎
100-285	8	28	60	5	☎
100-303	8	30	36	6	☎
100-304	8	30	48	6	☎
100-3004	10	30	48	A/O	☎
100-305	8	30	60	5	☎



ANGLE, 45°, SHORTWAY

- Acme Bartonville = 106
- Acme Philadelphia/Medina = 17
- Alco = 445
- Southwark Philadelphia = 15
- Southwark Indianapolis = 1140
- Metalcraft MS = 15
- Metalcraft SC = 34V

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
106-08	8	8	6	☎
106-10	10	8	6	☎
106-12	12	8	6	☎
106-14	14	8	6	☎
106-16	16	8	6	☎
106-18	18	8	6	☎
106-20	20	8	6	☎
106-2010	20	10	A/O	☎
106-24	24	8	6	☎
106-2510	25	10	A/O	☎
106-26	26	8	6	☎
106-28	28	8	A/O	☎
106-30	30	8	A/O	☎
106-3010	30	10	A/O	☎



ANGLE, 45°, BROADWAY

- Acme Bartonville = 109
- Acme Philadelphia/Medina = 16
- Alco = 435
- Southwark Philadelphia = 13
- Southwark Indianapolis = 1145
- Metalcraft MS = 13
- Metalcraft SC = 30F

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
109-08	8	8	6	☎
109-10	10	8	6	☎
109-12	12	8	6	☎
109-14	14	8	6	☎
109-16	16	8	6	☎
109-18	18	8	6	☎
109-20	20	8	6	☎
109-2010	20	10	A/O	☎
109-22	22	8	6	☎
109-24	24	8	6	☎
109-2510	25	10	A/O	☎
109-26	26	8	6	☎
109-3010	30	10	A/O	☎



ANGLE, 90°, BROADWAY

- Acme Bartonville = 190
- Acme Philadelphia/Medina = 6
- Alco = 430
- Southwark Philadelphia = 14
- Southwark Indianapolis = 1146
- Metalcraft MS = 14
- Metalcraft SC = 32F

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
190-08	8	8	6	☎
190-10	10	8	6	☎
190-12	12	8	6	☎
190-14	14	8	3	☎
190-16	16	8	3	☎
190-18	18	8	3	☎
190-20	20	8	3	☎
190-2010	20	10	A/O	☎
190-22	22	8	3	☎
190-24	24	8	3	☎
190-2510	25	10	A/O	☎
190-26	26	8	A/O	☎
190-28	28	8	A/O	☎
190-30	30	8	A/O	☎
190-3010	30	10	A/O	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only



116-08

ANGLE, 90°, SHORTWAY

- Acme Bartonville = 116
- Acme Philadelphia/Medina = 8
- Alco = 440
- Southwark Philadelphia = 16
- Southwark Indianapolis = 1141
- Metalcraft MS = 16
- Metalcraft SC = 36V

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
116-08	8	8	6	☎
116-10	10	8	6	☎
116-12	12	8	6	☎
116-14	14	8	6	☎
116-16	16	8	6	☎
116-18	18	8	6	☎
116-20	20	8	6	☎
116-2010	20	10	A/O	☎
116-22	22	8	3	☎
116-24	24	8	3	☎
116-2510	25	10	A/O	☎
116-26	26	8	A/O	☎
116-28	28	8	A/O	☎
116-30	30	8	A/O	☎
116-3010	30	10	A/O	☎



45-12

START COLLAR, STRAIGHT

- Acme Bartonville = 111
- Acme Philadelphia/Medina = 28
- Alco = 406
- Southwark Philadelphia = 20
- Southwark Indianapolis = 1100
- Metalcraft MS = 20
- Metalcraft SC = 31

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
45-08	8	8	6	☎
45-10	8	10	6	☎
45-12	8	12	6	☎
45-14	8	14	6	☎
45-16	8	16	6	☎
45-18	8	18	6	☎
45-20	8	20	6	☎
45-22	8	22	6	☎
45-24	8	24	6	☎
45-2410	10	24	A/O	☎
45-2510	10	25	A/O	☎
45-26	8	26	6	☎
45-28	8	28	6	☎
45-30	8	30	6	☎
45-3010	10	30	A/O	☎



50-08

START COLLAR, OFFSET

- Acme Bartonville = 110
- Acme Philadelphia/Medina = 27
- Alco = 409
- Southwark Philadelphia = 23
- Southwark Indianapolis = 1147
- Metalcraft MS = 23
- Metalcraft SC = 33A

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
50-08	8	8	6	☎
50-10	8	10	6	☎
50-12	8	12	6	☎
50-14	8	14	6	☎
50-16	8	16	6	☎
50-18	8	18	6	☎
50-20	8	20	6	☎
50-22	8	22	6	☎
50-26	8	26	4	☎
50-28	8	28	4	☎
50-30	8	30	4	☎



47C-12

TRANSITION, CENTER 2" RISE

- Acme Bartonville = 115C
- Acme Philadelphia/Medina = 68C
- Alco = 410
- Southwark Philadelphia = 23AT
- Southwark Indianapolis = 1109
- Metalcraft MS = 23AT
- Metalcraft SC = 23AT

Part No.	Dimensions (In.)				Box Qty	Price
	W	W	L	L		
47C-12	8	10	12	12.0	3	☎
47C-14	8	10	14	12.0	3	☎
47C-16	8	10	16	13.0	3	☎
47C-18	8	10	18	15.0	3	☎
47C-20	8	10	20	18.0	3	☎
47C-24	8	10	24	20.0	3	☎
47C-26	8	10	26	22.0	3	☎
47C-28	8	10	28	24.0	1	☎
47C-30	8	12	30	24.0	3	☎



49-02

ADAPTER

- Acme Bartonville = 114
- Acme Philadelphia/Medina = 89
- Alco = 418
- Southwark Indianapolis = 1101
- Metalcraft MS = 35

Part No.	Size (In.)	Box Qty	Price
49-02	2	12	☎
49-04	4	12	☎
49-06	6	12	☎
49-08	8	12	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

SLIP & DRIVE TRUNK

END CAP

- Acme Bartonville = 112S&D
- Acme Philadelphia/Medina = 31
- Alco = 411S&D

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
212-10FSD	8	10	12	☎
212-12FSD	8	12	12	☎
212-14FSD	8	14	12	☎
212-16FSD	8	16	12	☎
212-18FSD	8	18	12	☎
212-20FSD	8	20	12	☎
212-22FSD	8	22	12	☎
212-24FSD	8	24	12	☎



113-10-8

REDUCER

- Acme Bartonville = 113
- Acme Philadelphia/Medina = 5
- Alco = 417
- Southwark Philadelphia = 35
- Southwark Indianapolis = 1101
- Metalcraft = 35

Part No.	Dimensions (In.)		Box Qty	Price
	W	W		
113-10-8	10	8	A/O	☎
113-12-8	12	8	A/O	☎
113-12-10	12	10	A/O	☎
113-14-8	14	8	A/O	☎
113-14-10	14	10	A/O	☎
113-14-12	14	12	A/O	☎
113-16-10	16	10	A/O	☎
113-16-12	16	12	A/O	☎
113-16-14	16	14	A/O	☎
113-18-12	18	12	A/O	☎
113-18-14	18	14	A/O	☎
113-18-16	18	16	A/O	☎
113-20-14	20	14	A/O	☎
113-20-16	20	16	A/O	☎
113-20-18	20	18	A/O	☎
113-22-16	22	16	A/O	☎
113-22-18	22	18	A/O	☎
113-24-14	24	14	A/O	☎
113-24-18	24	18	A/O	☎
113-24-20	24	20	A/O	☎
113-28-24	28	24	A/O	☎

TRUNK

END CAP

- Acme Bartonville = 112
- Acme Philadelphia/Medina = 31
- Alco = 411
- Southwark Philadelphia = 21
- Southwark Indianapolis = 1101
- Metalcraft MS = 21
- Metalcraft SC = 39




212-08

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
212-08	8	8	12	☎
212-10	8	10	12	☎
212-12	8	12	12	☎
212-14	8	14	12	☎
212-16	8	16	12	☎
212-18	8	18	12	☎
212-20	8	20	12	☎
212-22	8	22	12	☎
212-24	8	24	12	☎
212-2410	10	24	A/O	☎
212-2510	10	25	A/O	☎
212-26	8	26	12	☎
212-28	8	28	12	☎
212-30	8	30	12	☎
212-3010	10	30	A/O	☎

WALL STACK

TRUNK

- Acme Bartonville = 200
- Acme Philadelphia/Medina = 15
- Alco = 401



200-202

Part No.	Width (In.)	Length (In.)	Joint Length (In.)	Box Qty	Price
200-202	2 1/4	10	24	15	☎
200-222	2 1/4	12	24	15	☎
200-302	3 1/4	10	24	15	☎
200-305	3 1/4	10	60	10	☎
200-30100	3 1/4	10	100	10	☎
200-322	3 1/4	12	24	15	☎
200-325	3 1/4	12	60	10	☎
200-32100	3 1/4	12	100	10	☎
200-345	3 1/4	14	60	10	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

COLLAR, STRAIGHT



36-32

Part No.	Width (In.)	Length (In.)	Box Qty	Price
36-30	3 1/4	10	12	☎
36-32	3 1/4	12	12	☎

ANGLE, VERTICAL, 45°, SHORT



206-22

- Acme Bartonville = 206
- Acme Philadelphia/Medina = 47
- Alco = 445
- Southwark Philadelphia = 15
- Southwark Indianapolis = 1041
- Metalcraft MS = 25
- Metalcraft SC = 25

Part No.	Width (In.)	Length (In.)	Box Qty	Price
206-22	2 1/4	12	12	☎
206-30	3 1/4	10	12	☎
206-32	3 1/4	12	12	☎

ANGLE, FLAT, 45°, SHORT



209-30

- Acme Bartonville = 209
- Acme Philadelphia/Medina = 49
- Alco = 435
- Southwark Philadelphia = 13
- Southwark Indianapolis = 1045
- Metalcraft MS = 21
- Metalcraft SC = 21

Part No.	Width (In.)	Length (In.)	Box Qty	Price
209-30	3 1/4	10	12	☎

ANGLE, VERTICAL, 90°, SHORT



216-32

- Acme Bartonville = 216
- Acme Philadelphia/Medina = 46
- Alco = 440
- Southwark Philadelphia = 16
- Southwark Indianapolis = 1040
- Metalcraft MS = 29
- Metalcraft SC = 29

Part No.	Width (In.)	Length (In.)	Box Qty	Price
216-22	2 1/4	12	12	☎
216-30	3 1/4	10	12	☎
216-32	3 1/4	12	12	☎



13-226

BOOT, 90°

- Acme Bartonville = 13
- Acme Philadelphia/Medina = 22
- Alco = 233
- Southwark Philadelphia = 24
- Southwark Indianapolis = 1020
- Metalcraft MS = SB49
- Metalcraft SC = SB49
- M&M = 203

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
13-226	2 1/4	12	6	12	☎
13-306	3 1/4	10	6	12	☎
13-307	3 1/4	10	7	12	☎
13-326	3 1/4	12	6	12	☎
13-327	3 1/4	12	7	12	☎
13-328	3 1/4	12	8	12	☎



17-206

BOOT, CENTER END

- Acme Bartonville = 17
- Acme Philadelphia/Medina = 21C
- Alco = 234
- Southwark Philadelphia = 28
- Southwark Indianapolis = 1019
- Metalcraft MS = SB48
- Metalcraft SC = SB48
- M&M = 202

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
17-206	2 1/4	10	6	12	☎
17-226	2 1/4	12	6	12	☎
17-305	3 1/4	10	5	12	☎
17-306	3 1/4	10	6	12	☎
17-307	3 1/4	10	7	12	☎
17-326	3 1/4	12	6	12	☎
17-327	3 1/4	12	7	12	☎
17-328	3 1/4	12	8	12	☎

HEAD, LONG



2L-3060

Part No.	Register (In.)		Duct (In.)		Box Qty	Price
	W	L	W	L		
2L-3060	3 1/4	10	6	10	12	☎
2L-3262	3 1/4	12	6	12	12	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

WALL STACK



ANGLE, FLAT, 90°, SHORT

- Acme Bartonville = 290
- Acme Philadelphia/Medina = 48
- Alco = 430
- Southwark Philadelphia = 14
- Southwark Indianapolis = 1046
- Metalcraft MS = 20
- Metalcraft SC = 20

Part No.	Width (In.)	Length (In.)	Box Qty	Price
290-30	3 1/4	10	12	☎
290-32	3 1/4	12	12	☎



BOOT, STRAIGHT BACK

- Acme Bartonville = 5
- Acme Philadelphia/Medina = 20
- Alco = 231
- Southwark Philadelphia = 27
- Southwark Indianapolis = 1024
- Metalcraft MS = SB40
- Metalcraft SC = SB40
- M&M = 201

Part No.	Width (In.)	Length (In.)	Round (In.)	Box Qty	Price
5-206	2 1/4	10	6	12	☎
5-306	3 1/4	10	6	12	☎
5-307	3 1/4	10	7	12	☎
5-326	3 1/4	12	6	12	☎
5-327	3 1/4	12	7	12	☎
5-328	3 1/4	12	8	12	☎
5-348	3 1/4	14	8	12	☎



REGISTER HEAD, EARS

- Southwark Philadelphia = 10X
- Southwark Indianapolis = 1031LTWE

Part No.	Register (In.)		Duct (In.)		Box Qty	Price
	W	L	W	L		
26-3060	3 1/4	10	6	10	12	☎
26-3262	3 1/4	12	6	12	12	☎



HEAD, SHORT

Part No.	Register (In.)		Duct (In.)		Box Qty	Price
	W	L	W	L		
2S-3040	3 1/4	10	4	10	12	☎
2S-3060	3 1/4	10	6	10	12	☎
2S-3262	3 1/4	12	6	12	12	☎

OVAL PIPE



Acme Bartonville = 75, 78(100")
 Acme Philadelphia/Medina = 75, 78(100")
 Alco = 102

60" LONG

Part No.	Box Qty	Price
OP60-5	10	☎
OP60-6	10	☎
OP60-7	10	☎

100" LONG

Part No.	Diameter (In.)	Box Qty	Price
OP100-5	5	5	☎
OP100-6	6	5	☎
OP100-7	7	5	☎
OP100-8	8	5	☎

OVAL ELBOW



VERTICAL 90°

- Acme Bartonville = 350
- Acme Philadelphia/Medina = 350
- Alco = 350
- Southwark Philadelphia = 116
- Southwark Indianapolis = 116

Part No.	Oval (In.)	Box Qty	Price
6033-5	5	12	☎
6033-6	6	12	☎
6033-7	7	12	☎



6034-5

VERTICAL 45°

- Acme Bartonville = 357
- Acme Philadelphia/Medina = 357
- Alco = 357
- Southwark Philadelphia = 115
- Southwark Indianapolis = 115

Part No.	Oval (In.)	Box Qty	Price
6034-5	5	12	
6034-6	6	12	
6034-7	7	12	



6035-5

FLAT 90°

- Acme Bartonville = 94
- Acme Philadelphia/Medina = 94
- Alco = 94
- Southwark Philadelphia = 114
- Southwark Indianapolis = 114

Part No.	Oval (In.)	Box Qty	Price
6035-5	5	12	
6035-6	6	12	
6035-7	7	12	



6036-6

FLAT 45°

- Acme Bartonville = 98
- Acme Philadelphia/Medina = 98
- Alco = 98
- Southwark Philadelphia = 113
- Southwark Indianapolis = 113

Part No.	Oval (In.)	Box Qty	Price
6036-6	6	12	
6036-7	7	12	

OVAL TO ROUND



6014-5

BOOT, OVAL CRIMP, 90°

- Acme Bartonville = 96
- Acme Philadelphia/Medina = 96
- Alco = 96
- Southwark Philadelphia = 124
- Southwark Indianapolis = 124

Part No.	Diameter (In.)	Oval (In.)	Box Qty	Price
6014-5	5	5	12	
6014-6	6	6	12	
6014-7	7	7	12	



6015-6

END BOOT, 90°

- Acme Bartonville = 107
- Acme Philadelphia/Medina = 106
- Alco = 106
- Southwark Philadelphia = 106
- Southwark Indianapolis = 106

Part No.	Diameter (In.)	Oval (In.)	Box Qty	Price
6015-6	6	6	12	
6015-7	7	7	12	



6012-5

STRAIGHT BOOT

- Acme Bartonville = 102
- Acme Philadelphia/Medina = 102
- Alco = 102
- Southwark Philadelphia = 127
- Southwark Indianapolis = 127

Part No.	Diameter (In.)	Oval (In.)	Box Qty	Price
6012-5	5	5	12	
6012-6	6	6	12	
6012-7	7	7	12	

OVAL TO OVAL



6013-6

REVERSE BOOT, 90°

- Acme Bartonville = 103
- Acme Philadelphia/Medina = 103
- Alco = 103
- Southwark Philadelphia = 128
- Southwark Indianapolis = 128

Part No.	Oval (In.)	Box Qty	Price
6013-6	6	12	
6013-7	7	12	

AIR DISTRIBUTION

THIN WALL OVAL STACK HEAD



6037-662

- Acme Bartonville = 95
- Acme Philadelphia/Medina = 95
- Alco = 95
- Southwark Philadelphia = 110
- Southwark Indianapolis = 110

Part No.	Diameter (In.)	Register (In.)		Box Qty	Price
		W	L		
6037-542	5	4	12	12	☎
6037-560	5	6	10	12	☎
6037-640	6	4	10	12	☎
6037-642	6	4	12	12	☎
6037-660	6	6	10	12	☎
6037-662	6	6	12	12	☎
6037-760	7	6	10	12	☎
6037-762	7	6	12	12	☎

OVAL TOP TAKEOFF



6075

- Acme Philadelphia/Medina = 339
- Alco = 339
- Southwark Philadelphia = 110
- Southwark Indianapolis = 110

Part No.	Oval (In.)	Box Qty	Price
6075-6	6	12	☎

DRAWBAND



S75-4

- Acme Bartonville = 81
- Acme Philadelphia/Medina = 119
- Alco = 268
- Southwark Philadelphia = 96
- Southwark Indianapolis = 1065
- Metalcraft MS = 128
- Metalcraft SC = 128

Part No.	Diameter (In.)	Box Qty	Price
S75-4	4	24	☎
S75-5	5	24	☎
S75-6	6	24	☎
S75-7	7	24	☎
S75-8	8	24	☎
S75-9	9	24	☎
S75-10	10	24	☎

CLEAT



18-60

DRIVE

- Acme Bartonville = 91
- Acme Philadelphia/Medina = 13
- Alco = 1002
- Southwark Philadelphia = 8
- Southwark Indianapolis = 1105
- Metalcraft MS = 131
- Metalcraft SC = 131

Part No.	Length (In.)	Box Qty	Price
18-08	8	100	☎
18-60	60	50	☎
18-96	96	15	☎



20

S

- Acme Bartonville = 97
- Acme Philadelphia/Medina = 26
- Alco = 1001
- Southwark Philadelphia = 6
- Southwark Indianapolis = 1104
- Metalcraft MS = 130
- Metalcraft SC = 130

Part No.	Length (In.)	Box Qty	Price
20-60	60	50	☎
20-96	96	15	☎
20-120	120	10	☎



22-586

S, STANDING

- Acme Bartonville = 93
- Acme Philadelphia/Medina = 25, 32
- Alco = 1006
- Southwark Philadelphia = 37
- Southwark Indianapolis = 1104R
- Metalcraft MS = 135
- Metalcraft SC = 135

Part No.	Length (In.)	Box Qty	Price
22-586	60	50	☎
22-16	120	10	☎

DAMPER



PDS-4

- Acme Philadelphia/Medina = 122
- Alco = 311
- Southwark Philadelphia = 40
- Southwark Indianapolis = 1259
- Metalcraft MS = 40

Part No.	Diameter (In.)	Box Qty	Price
PDS-4	4	12	☎
PDS-5	5	12	☎
PDS-6	6	12	☎
PDS-7	7	12	☎
PDS-8	8	12	☎
PDS-10	10	6	☎
PDS-12	12	6	☎



09-04

WITH HANDLE

- Acme Philadelphia/Medina = 85
- Alco = 274
- Southwark Philadelphia = 44S
- Southwark Indianapolis = 1066
- Metalcraft SC = 44-1

Part No.	Diameter (In.)	Box Qty	Price
09-04	4	100	☎
09-05	5	100	☎
09-06	6	100	☎
09-07	7	100	☎
09-08	8	100	☎
09-09	9	100	☎
09-10	10	100	☎
09-12	12	100	☎
09-14	14	100	☎




07-01

WITH KWIK-WAY

- Acme Bartonville = 84
- Acme Philadelphia/Medina = 43
- Alco = 275
- Southwark Philadelphia = 44
- Southwark Indianapolis = 1067
- Metalcraft MS = 44
- Metalcraft SC = 44
- M&M = 300Q

Part No.	Diameter (In.)	Box Qty	Price
07-04	4	100	☎
07-05	5	100	☎
07-06	6	100	☎
07-07	7	100	☎
07-08	8	100	☎
07-09	9	100	☎
07-10	10	100	☎
07-12	12	100	☎
07-14	14	100	☎
07-16	16	100	☎

PLENUM



99-141836

ASSEMBLY

- Acme Bartonville = 12
- Acme Philadelphia/Medina = 12
- Southwark Philadelphia = 4
- Metalcraft MS = 37
- Metalcraft SC = 37

Part No.	Dimensions (In.)			Price
	W	H	L	
99-141836	14 1/4	36	18 3/4	☎
99-171836	17	36	18	☎

ASSEMBLY, LINED

Part No.	Dimensions (In.)			Price
	W	H	L	
301-121130	12 3/4	30	11 1/4	☎
301-142623	14	23	26	☎
301-162023	16	23	20	☎
301-172623	17	23	26	☎
301-191130	19 1/2	30	11 1/4	☎
301-231130	23	30	11 1/4	☎
301-232023	23	23	20	☎
301-251630	25 1/8	30	16 3/4	☎



99U-1434

SIDE

- Acme Bartonville = 12AS
- Acme Philadelphia/Medina = 12AS
- Alco = 301AS
- Southwark Philadelphia = 1073, 49P
- Southwark Indianapolis = 1073


Part No.	Dimensions (In.)		Price
	W	L	
99U-1434	14	34	☎
99U-1734	17	34	☎
99U-1828S	18	28	☎
99U-1846S	18	46	☎
99U-2028S	20	28	☎
99U-2134	21	34	☎
99U-2328S	23	28	☎
99U-2428S	24	28	☎
99U-2434	24	34	☎
99U-2446S	24	46	☎
99U-2628S	26	28	☎

Note: Box quantity for ordering convenience only

AIR DISTRIBUTION

PLENUM

TOP



99U-20T

Part No.	Dimensions (In.)		Price
	W	H	
99U-18T	18	18	☎
99U-20T	20	20	☎
99U-23T	23	23	☎
99U-24T	24	24	☎
99U-26T	26	26	☎
99U-30T	30	30	☎



TZAHL21

AIR HANDLER PLENUM

TZ prefix: fits Thermal Zone air handle
ICP prefix: fits Arcoaire air handle

Part No.	Dimensions (In.)			Air Handling Unit Size (In.)	Price
	W	H	L		
TZAHL17	16 1/4	23	11	17.0	\$68.58
TZAHL21	19 3/4	23	11	21.0	\$74.28
TZAHL24	23 1/4	23	11	24.0	\$82.86
ICPAHL13	12 1/2	23	11 1/2	13.0	\$61.42
ICPAHL16	15 3/4	23	11 1/2	16.0	\$67.14
ICPAHL20	19 1/4	23	11 1/2	20.0	\$74.28
ICPAHL23	22 3/4	23	11 1/2	23.0	\$82.86
ICPAHLV20	19 1/4	23	11 1/2	20.0	\$314.28
ICPAHLV23	22 3/4	23	11 1/2	23.0	\$348.58

CUSTOM PLENUM

FURNACE PLENUM

TZ prefix: fits Thermal Zone furnace
TZ81/91 and 92
ICP prefix: fits Arcoaire furnac



TZPL

Part No.	Dimensions (In.)			Furnace Size (In.)	Price
	W	H	L		
TZPL13*	12 1/2	29	19	14	☎
TZPL16*	15 3/4	29	19	17	☎
TZPL20*	19 1/4	29	19	21	☎
TZPL23*	22 3/4	29	19	24	☎
ICPPL13	12 1/2	29	19	14	\$101.42
ICPPL16	15 3/4	29	19	17	\$110.00
ICPPL20	19 1/4	29	19	21	\$120.00
ICPPL23	22 3/4	29	19	24	\$125.72



FURNACE PLENUM CONNECTOR

TZ prefix: fits Thermal Zone furnace
TZ81/91 and 92
ICP prefix: fits Arcoaire furnac

Part No.	Dimensions (In.)		Furnace Size (In.)	Price
	W	L		
TZCC13*	12 1/2	19	14	☎
TZCC16*	15 3/4	19	17	☎
TZCC20*	19 3/4	19	21	☎
TZCC23*	22 3/4	19	24	☎
ICPCC13	12 1/2	19	14	\$64.28
ICPCC16	15 3/4	19	17	\$68.58
ICPCC20	19 3/4	19	21	\$71.42
ICPCC23	22 3/4	19	24	\$77.14



TZAHC21

AIR HANDLER PLENUM CONNECTOR

TZ prefix: fits Thermal Zone air handle
ICP prefix: fits Arcoaire air handle

Part No.	Dimensions (In.)		Air Handling Unit Size (In.)	Price
	W	L		
TZAHCC17	16 1/4	11	17.0	\$57.08
TZAHCC21	19 3/4	11	21.0	\$57.14
TZAHCC24	23 1/4	11	24.0	\$60.00
ICPAHCC13	12 1/2	11 1/2	13.0	\$52.86
ICPAHCC16	15 3/4	11 1/2	16.0	\$57.14
ICPAHCC20	19 1/4	11 1/2	20.0	\$62.86
ICPAHCC23	22 3/4	11 1/2	23.0	\$68.58

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

⚠ *WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov



FURNACE PLENUM TOP

TZ prefix: fits Thermal Zone furnace
TZ81/91 and 92
ICP prefix: fits Arcoaire furnac

ICPPT13

Part No.	Dimensions (In.)		Furnace Size (In.)	Price
	W	L		
TZPT13*	12 1/2	19	14	
TZPT16*	15 3/4	19	17	
TZPT20*	19 1/4	19	21	
TZPT23*	22 3/4	19	24	
ICPPT13	12 1/2	19	14	\$32.86
ICPPT16	15 3/4	19	17	\$42.86
ICPPT20	19 1/4	19	21	\$52.86
ICPPT23	22 3/4	19	24	\$57.14



AIR HANDLER PLENUM END CAP

TZ prefix: fits Thermal Zone air handle
ICP prefix: fits Arcoaire air handle

TZAHPTEC17

Part No.	Dimensions (In.)		Air Handling Unit Size (In.)	Price
	W	L		
TZAHPTEC17	16 1/4	11	17.0	\$25.72
TZAHPTEC21	19 3/4	11	21.0	\$30.00
TZAHPTEC24	23 1/4	11	24.0	\$34.28
ICPAHPTEC13	12 1/2	11 1/2	13.0	\$24.28
ICPAHPTEC16	15 3/4	11 1/2	16.0	\$25.72
ICPAHPTEC20	19 1/4	11 1/2	20.0	\$30.00
ICPAHPTEC23	22 3/4	11 1/2	23.0	\$34.28

DROP ASSEMBLY



Drop assembly contains:

- One starting elbow with filter fram
- Two 32" duct sections
- One starting collar
- Slip and drives

70

Part No.	Register (In.)		Duct Size (In.)		Price
	W	L	W	L	
70	16	20	10	20	
70K-1420	14	20	10	20	
71RAD	16	25	10	25	
71-2315 ¹	15	23	10	25	
71K-1425	14	25	10	25	
71-2512	12	25	16	25	
71-251220	12	25	20	25	

¹11" to 5" filter 20" x 25

WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

COMPONENTS

Part No.	Description	Price
70-SCF	10" x 20"D, 16" x 20" F Shoe with Cover and Filter	
71-SCF	10" x 25"D, 16" x 25" F Shoe with Cover and Filter	
7132	10" x 25" Duct, 32"	

RETURN AIR BOX



RC1-1414PR

4", PLASTER RING-CALIFORNIA

- Plaster ring on 4 sides
- 1/4" oversize

Part No.	Width (In.)	Length (In.)	Price
RC1-1414PR	14 1/4	14 1/4	
RC1-1616PR	16 1/4	16 1/4	
RC1-1620PR	16 1/4	20 1/4	
RC1-1625PR	16 1/4	25 1/4	
RC1-2014PR	14 1/4	20 1/4	
RC1-2020PR	20 1/4	20 1/4	
RC1-2414PR	14 1/4	24 1/4	
RC1-2514PR	14 1/4	25 1/4	
RC1-2520PR	20 1/4	25 1/4	
RC1-3014PR	14 1/4	30 1/4	
RC1-3020PR	20 1/4	30 1/4	

SUPPORT BOX



SB30

WITHOUT FILTER

- Compact, fully assembled
- Interior support bracket for maximum strength
- Preformed 1" flange for duct connection

Part No.	Dimensions (In.)				Price
	Size A (In.)	Size B (In.)	Duct W	Duct L	
SB30	30	20	8	24	
SB38	38	26	10	25	

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

AIR DISTRIBUTION

SUPPORT BOX



SBF

WITH FILTER

- Accepts 1", 4", 5" media filter

Part No.	Dimensions (In.)				Price
	Size A (In.)	Size B (In.)	Duct W	Duct L	
SBF36	36	26	10	25	☎

CUSTOM SUPPORT BOX



TZAHBAB17

TZ prefix: fits Thermal Zone air handle
ICP prefix: fits Arcoaire air handle

Part No.	Dimensions (In.)		Air Handling Unit (In.)	Price
	W	L		
TZAHBAB17	18	22	17.0	\$191.42
TZAHBAB21	22	22	21.0	\$208.58
TZAHBAB24	25	22	24.0	\$224.28
ICPAHAB17	18	22	17.0	\$191.42


FILTER RACK



FR-1420

Part No.	Length (In.)	Width (In.)	Box Qty	Price
FR-1420	20	14	12	☎
FR-1425	25	14	12	☎
FR-1620	20	16	12	☎
FR-1625	25	16	12	☎
FR-2020	20	20	12	☎
FR-2025	25	20	12	☎
FR-2525	25	25	12	☎

REGISTER FRAME




24F-106

- Acme Philadelphia/Medina = 45F
- Southwark Philadelphia = 31
- Southwark Indianapolis = 1111

Part No.	Dimensions (In.)		Box Qty	Price
	W	H		
24F-106	10	6	25	☎
24F-126	12	6	25	☎
24F-128	12	8	25	☎
24F-146	14	6	25	☎
24F-148	14	8	25	☎
24F-246	24	6	25	☎
24F-306	30	6	25	☎
24F-308	30	8	25	☎

FRESH AIR INTAKE



444-4

- Acme Bartonville = 104
- Acme Philadelphia/Medina = 104
- Alco = 200
- Southwark Philadelphia = 36
- Metalcraft MS = 36

Part No.	Diameter (In.)	Box Qty	Price
444-4	4	12	☎
444-5	5	12	☎
444-6	6	12	☎
444-8	8	6	☎

CHIMNEY CAP



47-04

- Acme Bartonville = 124
- Acme Philadelphia/Medina = 124
- Alco = 331
- Southwark Philadelphia = 99
- Southwark Indianapolis = 1070
- Metalcraft MS = 99
- Metalcraft SC = 99

Part No.	Diameter (In.)	Box Qty	Price
47-04	4	12	☎
47-05	5	12	☎
47-06	6	12	☎
47-07	7	12	☎
47-08	8	12	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

GALVANIZED PANNING



16-1629

- Acme Bartonville = 90
- Acme Philadelphia/Medina = 7
- Alco = 466
- Southwark Philadelphia = 48
- Southwark Indianapolis = 1054, 1055
- Metalcraft MS = 132
- Metalcraft SC = 132

Part No.	Width (In.)	Length (In.)	Box Qty	Price
16-1629	29	16 1/2	—	☎
16-1630	30	16 1/2	—	☎
16-1636	36	16 1/2	20	☎
16-2933	33	29	—	☎
16-3236	36	32	6	☎

ALUMINUM FLEX DUCT, 8' LENGTH



931-03


- Acme Bartonville = A0800
- Acme Philadelphia/Medina = A0800
- Alco = A0800
- M&M = 1402

Part No.	Dia. (In.)	Box Qty	Price
931-03	3	16 jts	☎
931-04	4	16 jts	☎
931-06	6	16 jts	☎

FLEX DUCT CONNECTOR

Part No.	Diameter (In.)	Box Qty	Price
381-06	6	12	☎
381-07	7	12	☎
381-08	8	12	☎
381-09	9	12	☎
381-10	10	12	☎
381-12	12	12	☎
381-14	14	12	☎

FILTER CHANNEL



67F5

Part No.	Width (In.)	Price
67F5	1	☎

ALUMINUM VENT HOOD



VU3VENT

Aluminum vent hood with positive damper, integral 12" long seamed tail piece, and flange plate

Acme
ACME MANUFACTURING CO.

Part No.	Diameter (In.)	Box Qty	Price
VU3VENT	3	24	☎
VU4VENT	4	24	☎

DUCT TOOL



TY4

TIE TENSIONING TOOL

Part No.	Description	Price
TY4	Tensioner, Manual Cutoff	\$82.44
TY4G	Tensioner, Gripped, Manual Cutoff	\$89.02
TY6	Tensioner, Auto Cutoff	\$116.76

Malco



FDC1

FLEX DUCT CUTTER

The FDC1 flex duct cutter features double edged knife blade that cleanly pierces through the outer skin, insulation and liner of flexible round duct. The duct's exposed wire rib coil is then positioned in the jaws of a built-in wire cutter.

Malco

Part No.	Description	Price
FDC1*	Flex Duct Cutter	\$92.58

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

⚠ ***WARNING:** This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

AIR DISTRIBUTION

DUCT TIE

NYLON



T150LL

HellermannTyton

Part No.	Length (In.)	Pkg Qty	Price
T150LL9	36	1	\$1.14
T150LL9X2	36	1	\$1.14
T150LL	36	25	\$19.14



L48175

- 175 lb. tensile strength

NATIONAL REFRIGERATION PRODUCTS

Part No.	Description	Pkg Qty	Price
L24175	24" UV Black, 7" Duct, 50/pack	50	\$23.08
L30175	36", 9" Duct, 50/pack	50	\$24.70
L48175	48", 14" Duct, 50/pack	50	\$48.78
L36175N	36", 11" Duct, Natural, 50/pack	50	\$28.86

STRAP

STRAPPING HANGER IRON



710A16100

DIVERSITECH

Part No.	Length (Ft.)	Description	Price
710A16100	100.0	Galvanized, 28 ga	\$15.54

POLYPROPYLENE WEBBING STRAP

- 1 3/4" tensile strength: 440 lb. average
- For hanging flex-duct, fiberglass ducts, etc.

DIVERSITECH



710-100

Part No.	Length (Ft.)	Price
710-100	300.0	\$11.48



10190

VINYL DURO STRAP

Lightweight, low-cost fabric of high-strength design for hanging ducts. Designed for hanging:

- Flexible duct
- PVC vent duct
- Duct board systems

DURO DYNE

- Many lighter weight steel duct applications

Part No.	Length (Ft.)	Description	Price
10190	200.0	Vinyl Duro Strap 1.5" x 200'	\$70.00

POLY JACKET/2 PLY POLY CORE

FLEXIBLE DUCT

A double lamination of tough polyester which encapsulates a steel wire helix forms the air-tight inner core. The double-layer core is wrapped in a thick blanket of fiberglass insulation and sheathed in a rugged and durable reinforced polyester jacket. Designed for indoor use as a supply and return air duct in residential and commercial low-to-medium pressure heating and air conditioning systems. UL Listed 181, SBCC, BOCA, NFPA 90A and 90B, HUD. Meets most federal, state and local codes. We recommend that you check with the local code body having jurisdiction in your area to determine applicable codes.

- Rated positive pressure: 10" w.g.
- Recommended operating pressures:
Maximum positive: 6" w.g. (4"-12" dia.); 4" w.g. (14"-20" dia.) [with factory installed metal collars, 2" w.g. (all diameters)]
Maximum negative: 1/2" w.g. (all diameters)
- Maximum velocity: 4,000 FPM
- Maximum operating temperatures:
-20°F to 140°F continuous (maximum pressure)
-20°F to 180°F continuous (2" positive w.g. maximum)
-20°F to 250°F intermittent (1/2" positive w.g. maximum)



706FRD25

BLACK JACKET, R4.2 INSULATION

Priced per foot. 25 feet per box [4 and 7" available in 7 foot boxes]

Part No.	Dia. (In.)	Box Qty	Price
904FRD25	4	25 Ft	\$1.68
904FRD7	4	7 Ft	
905FRD25	5	25 Ft	\$1.96
906FRD25	6	25 Ft	\$2.20
907FRD25	7	25 Ft	\$2.40
908FRD25	8	25 Ft	\$2.62
909FRD25	9	25 Ft	\$2.96
910FRD25	10	25 Ft	\$3.28
912FRD25	12	25 Ft	\$4.06
914FRD25	14	25 Ft	\$4.92
916FRD25	16	25 Ft	\$5.72
918FRD25	18	25 Ft	\$7.00
920FRD25	20	25 Ft	\$7.92

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

BLACK JACKET, R6.0 INSULATION

- Priced per foot. 25 feet per box

Part No.	Dia. (In.)	Box Qty	Price
F1164R6	4	25 Ft	\$3.39
F1165R6	5	25 Ft	\$3.39
F1166R6	6	25 Ft	\$3.87
F1167R6	7	25 Ft	\$4.22
F1168R6	8	25 Ft	\$4.91
F1169R6	9	25 Ft	\$5.04
F11610R6	10	25 Ft	\$5.75
F11612R6	12	25 Ft	\$7.04
F11614R6	14	25 Ft	\$8.65
F11616R6	16	25 Ft	\$10.37
F11618R6	18	25 Ft	\$12.18
F11620R6	20	25 Ft	\$14.84

BLACK JACKET, R8.0 INSULATION

- Priced per foot. 25 feet per box

Part No.	Dia. (In.)	Box Qty	Price
885FRD25	5	25 Ft	\$3.28
886FRD25	6	25 Ft	\$3.46
887FRD25	7	25 Ft	\$3.88
888FRD25	8	25 Ft	\$4.24
889FRD25	9	25 Ft	\$4.64
8810FRD25	10	25 Ft	\$5.04
8812FRD25	12	25 Ft	\$6.26
8814FRD25	14	25 Ft	\$7.40
8816FRD25	16	25 Ft	\$8.90
8818FRD25	18	25 Ft	\$10.48

GREY JACKET, R4.2 INSULATION

Priced per foot. 25 feet per box [6" available in 7 foot boxes]

Part No.	Dia. (In.)	Box Qty	Price
704FRD25	4	25 Ft	\$1.68
705FRD25	5	25 Ft	\$1.96
706FRD25	6	25 Ft	\$2.20
706FRD7	6	7 Ft	☎
707FRD25	7	25 Ft	\$2.40
708FRD25	8	25 Ft	\$2.62
709FRD25	9	25 Ft	\$2.96
710FRD25	10	25 Ft	\$3.28
712FRD25	12	25 Ft	\$4.06
714FRD25	14	25 Ft	\$4.92
716FRD25	16	25 Ft	\$5.72
718FRD25	18	25 Ft	\$6.50
720FRD25	20	25 Ft	\$7.92

GREY JACKET, R8.0 INSULATION

- Priced per foot. 25 feet per box

Part No.	Dia. (In.)	Box Qty	Price
784FRD25R8	4	25 Ft	\$3.04
785FRD25R8	5	25 Ft	\$3.28
786FRD25R8	6	25 Ft	\$3.46
787FRD25R8	7	25 Ft	\$3.88
788FRD25R8	8	25 Ft	\$4.24
789FRD25R8	9	25 Ft	\$4.64
7810FRD25R8	10	25 Ft	\$5.04
7812FRD25R8	12	25 Ft	\$6.26
7814FRD25R8	14	25 Ft	\$7.40
7816FRD25R8	16	25 Ft	\$8.90
7818FRD25R8	18	25 Ft	\$10.48
7820FRD25R8	20	25 Ft	\$12.72



306FRD25

METALLIZED, R4.2 INSULATION

- Reinforced metallized polyester jacket
- Priced per foot.

Part No.	Dia. (In.)	Box Qty	Price
304FRD25*	4	25 Ft	\$1.82
305FRD25*	5	25 Ft	\$2.12
306FRD25*	6	25 Ft	\$2.40
306FRD7	6	7 Ft	☎
307FRD25*	7	25 Ft	\$2.62
308FRD25*	8	25 Ft	\$2.84
308FRD7	8	7 Ft	☎
309FRD25*	9	25 Ft	\$3.20
310FRD25*	10	25 Ft	\$3.56
310FRD7	10	7 Ft	☎
312FRD25*	12	25 Ft	\$4.30
312FRD7*	12	7 Ft	☎
314FRD25*	14	25 Ft	\$5.22
314FRD7*	14	7 Ft	☎
316FRD25*	16	25 Ft	\$6.14
318FRD25*	18	25 Ft	\$7.12
320FRD25*	20	25 Ft	\$8.68

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

⚠ *WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

AIR DISTRIBUTION

POLY JACKET/2 PLY POLY CORE

METALLIZED, R6.0 INSULATION

- Priced per 25 ft

Part No.	Dia. (In.)	Box Qty	Price
F2164	4	25 Ft	\$85.96
F2165	5	25 Ft	\$97.96
F2166	6	25 Ft	\$107.87
F2167	7	25 Ft	\$117.64
F2168	8	25 Ft	\$128.08
F2169	9	25 Ft	\$148.72
F21610	10	25 Ft	\$160.38
F21612	12	25 Ft	\$199.54
F21614	14	25 Ft	\$241.49
F21616	16	25 Ft	\$280.84
F21618	18	25 Ft	\$314.06
F21620	20	25 Ft	\$401.12

METALLIZED, R6.0 INSULATION

- Priced per foot. 25 feet per box

Part No.	Dia. (In.)	Box Qty	Price
304FRD25R6*	4	25 Ft	\$2.18
305FRD25R6*	5	25 Ft	\$2.56
306FRD25R6*	6	25 Ft	\$2.88
307FRD25R6*	7	25 Ft	\$3.16
308FRD25R6*	8	25 Ft	\$3.42
309FRD25R6*	9	25 Ft	\$3.88
310FRD25R6*	10	25 Ft	\$4.28
312FRD25R6*	12	25 Ft	\$5.34
314FRD25R6*	14	25 Ft	\$6.46
316FRD25R6*	16	25 Ft	\$7.42
318FRD25R6*	18	25 Ft	\$8.66
320FRD25R6*	20	25 Ft	\$10.18

METALLIZED, R8.0 INSULATION

- Priced per 25 ft

Part No.	Dia. (In.)	Box Qty	Price
F2184	4	25 Ft	\$132.74
F2185	5	25 Ft	\$140.93
F2186	6	25 Ft	\$144.99
F2187	7	25 Ft	\$161.14
F2188	8	25 Ft	\$177.92
F2189	9	25 Ft	\$190.06
F21810	10	25 Ft	\$219.05
F21812	12	25 Ft	\$260.23
F21814	14	25 Ft	\$319.01
F21816	16	25 Ft	\$380.55
F21818	18	25 Ft	\$451.07

METALLIZED, R8.0 INSULATION

- Priced per foot. 25 feet per box

Part No.	Dia. (In.)	Box Qty	Price
314FRD25R8*	4	25 Ft	\$3.20
315FRD25R8*	5	25 Ft	\$3.46
316FRD25R8*	6	25 Ft	\$3.62
317FRD25R8*	7	25 Ft	\$4.08
318FRD25R8*	8	25 Ft	\$4.46
319FRD25R8*	9	25 Ft	\$4.90
3110FRD25R8*	10	25 Ft	\$5.34
3112FRD25R8*	12	25 Ft	\$6.56
3114FRD25R8*	14	25 Ft	\$7.80
3116FRD25R8*	16	25 Ft	\$9.30
3118FRD25R8*	18	25 Ft	\$11.02

THICK POLY JACKET/2 PLY POLY CORE



BLACK JACKET, R4.2 INSULATION


Manufactured with a black, heavy-duty polyethylene jacket which complies with the HUD requirements for outdoor mobile home or modular home installation. Designed to be used as: a supply and return air duct connecting a self-

contained HVAC system to the main air duct of a mobile or modular home; a complete air duct system and/or branch duct when a horizontal or upflow H AC system is used in a mobile or modular home; and as a crossover air duct to join the main air ducts of a doublewide mobile or modular home.

- For indoor and outdoor applications
- Rated positive pressure: 10" w.g.
- Recommended operating pressures:
Maximum positive: 4" w.g. (8" and 10" dia.); 2" w.g. (12" and 14" dia.)
- Maximum velocity: 5,000 fpm
- Maximum operating temperatures:
-20°F to 140°F continuous (maximum pressure)
-20°F to 180°F continuous (2" pos. w.g. maximum)
-20°F to 250°F intermittent (1/2" pos. w.g. maximum)
- UL Listed
- Priced per foot. 25 feet per box

Part No.	Dia. (In.)	Box Qty	Price
406FRD25	6	25 Ft	\$3.18
408FRD25	8	25 Ft	\$4.02
410FRD25	10	25 Ft	\$4.48
412FRD25	12	25 Ft	\$5.54
414FRD25	14	25 Ft	\$5.88

FLEXIBLE ALUMINUM DUCT



3X8FAD

- Sturdy corrugated aluminum construction
- Boxed
- Class 0
- One end crimped and compressed

Part No.	Dia. (In.)	Length (Ft.)	Price
3X8FAD	3	8.0	\$1.54
4X8FAD	4	8.0	\$2.12
6X8FAD	6	8.0	\$4.16
8X8FAD	8	8.0	\$5.54
10X8FAD	10	8.0	\$6.76

UNINSULATED FLEX



6UIFRD

A galvanized steel wire helix is encapsulated within the single ply aluminum-polyester laminate for high strength and durability.

- Rated pressure per UL Listed 181: 2" W.C. positive, 0.5" W.C. negative

- Recommended maximum operating pressure: 1" W.C. positive on all sizes
- Rated maximum air velocity: 3,000 fpm
- Operating temperature range:
 - 20°F to 140°F continuous maximum positive pressure
 - 20°F to 180°F intermittent 0.5" W.C. positive pressure
- PRICED PER FOOT

Part No.	Dia. (In.)	Length (Ft.)	Price
4UIFRD*	4	25.0	\$1.72
5UIFRD*	5	25.0	\$2.08
6UIFRD*	6	25.0	\$2.30
7UIFRD*	7	25.0	\$2.64
8UIFRD*	8	25.0	\$3.00
10UIFRD*	10	25.0	\$3.80

INSULATION SLEEVE



010R67

R6, R8 INSULATION

Constructed of a thick fiberglass insulation blanket sheathed in a reinforced metalized polyester vapor barrier jacket and supplied in 5' lengths, with an extra 2" of jacket length for overlap.

- Material is .75 lb. density

- Sold in 5 foot lengths; PRICED PER FOOT

Part No.	Thickness (In.)	Diameter (In.)	Insulation Value	Price
010R67*	2	7	R6	\$4.32
010R69*	2	9	R6	\$5.26
010R610*	2	10	R6	\$5.58
010R87*	2 1/2	7	R8	\$4.98
010R89*	2 1/2	9	R8	\$5.98
010R810*	2 1/2	10	R8	\$6.50

DUCT LINER



12X48X100DL

A high-quality acoustical and thermal insulation. It is composed of long textiletype glass fibers firmly bond together with a thermosetting resin into a resilient, tough insulation for lining the interior of HVAC sheet metal ducts. The air stream surface is overlaid with a fire-resistant coating which adds strength to the product during fabrication, installation and system operation. It is used primarily as an acoustical liner in HVAC sheet metal ducts to absorb unwanted crosstalk, equipment and air rush noise. It also improves energy efficiency by reducing heat gain or loss. It performs in most types of heating and cooling duct systems, operating at velocities up to 6,000 fpm and temperatures to 250°F. Available in 100' rolls.

Part No.	Thickness (In.)	Width (In.)	Nominal Density (Lb/Ft³)	Package Length (Ft)	Price
1X35DL	1	35 1/2	1.5	100	
1X48X100DL	1	47 1/2	1.5	100	
12X35DL	1/2	35 1/2	2.0	100	
12X48X100DL	1/2	47 1/2	2.0	100	

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

AIR DISTRIBUTION

FLEX DUCT BRACE



SMART™ FLOW ELBOW

Radius forming brace, also known as a durable elbow support, designed to form flexible duct into highly efficient 90° elbows. It greatly improves air flow resulting in improved system performance and lower energy costs.

- Helps achieve a net zero energy building
- Eliminates flex duct kinks and restriction
- For residential and commercial construction
- Works on all brands of flex duct (Flex duct and diffuser not included)



Part No.	Comments	Price
630500	One Size Fits 4" to 16" Flex Duct	\$9.16


DUCT WRAP



A blanket-type insulation composed of glass fibers bonded together with a thermosetting resin. Available with either a FSK or vinyl-film vapor retarder facing. FSK is a glass-scrim reinforced laminate of aluminum foil and kraft paper bonded together with a flame-retardant adhesive. The vinyl

film is available in two colors: white or gray. It is used to insulate rectangular and round heating, ventilating, and air conditioning ductwork that supplies conditioned air at temperatures from 35°F to 250°F for faced duct wrap and from 35°F to 350°F for unfaced duct wrap. Helps control heat loss or gain and condensation during system operation.

Part No.	Thickness (In.)	W. (In.)	Nominal Density (Lb/Ft³)	Facing	Package Length (Ft)	Price
IIDR	1 1/2	48	0.75	FSK	100	☎
112X100VDW	1 1/2	48	0.75	FSK	100	☎
2X75VDW	2	48	0.75	FSK	75	☎
218X48X75DW	2 1/8	48	0.75	FSK	75	☎
2.2X48X75DW	2 1/5	48	0.75	-	75	☎
3X48X50DW	3	48	0.75	-	50	☎



BUBBLE, R-6.0

Reflectix® duct insulation consists of two layers of highly reflective film (96% reflectivity) that are bonded to two tough layers of polyethylene. Two inner layers of insulating bubbles resist conductive heat flow while a center layer of polyethylene gives Reflectix® high reliability and strength.

- Fire Rating: Class A/Class 1
- Resists growth of fungi, mold and mildew
- No need for protective garments or respirators when installing
- Not affected by moisture/humidity
- Reflects 96% radiant heat
- ISO 9001:2000 certified manufacturing location
- Temperature Range: -60 to 180°F
- Nominal Thickness: 5/16 inch
- Flame Spread Index (ASTM E 84): Less than 25
- Smoke Developed Index (ASTM E 84): Less than 50
- Linear Shrinkage: None
- Water Vapor Transmission (ASTM E 96): 0.02
- Puncture Resistance: 60 lb./in.
- Emittance: 0.04
- Tensile Strength: 3.7 N/mm



Part No.	Length (Ft.)	Width (In.)	Price
HVBP48050	50.0	48	☎
HVBP48125	125.0	48	☎
HVBP60050	50.0	60	☎
HVBP60125	125.0	60	☎



BIG BUBBLE, R-8.0

The Reflectix® R-8.0 Duct Insulation is a nominal 1" thick and consists of an outer reflective surface, two layers of big bubbles in the center, and a second outer reflective surface.

- Requires less space than fiberglass to achieve R-8 (with 3/4" air space)
- Inhibits condensation
- Class A/Class 1 Fire Rated
- Resists growth of fungi, mold and mildew
- No need for protective garments or respirators when installing
- Not affected by moisture/humidity
- Reflects 96% radiant heat
- ISO 9001:2000 certified manufacturing location
- Temperature range: 250° Operational
- Flame spread index (ASTM E 84): Less than 25
- Smoke developed index (ASTM E 84): Less than 50
- Fire rating: Class A/Class 1
- Water vapor transmission (ASTM E 96): 0.02
- Puncture resistance: 60 lb./in.
- Emittance: 0.04
- Tensile strength: 3.7 N/mm



Part No.	Length (Ft.)	Width (In.)	Price
HVBB48075	75.0	48	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

DUCT BOARD



E1475

A rigid board composed of resin-bonded glass fibers and a reinforce foil laminate air barrier/vapor retarder facing applied to the outside surface. It can be fabricated into rectangular or multi-sided duct sections for use in both residential and commercial heating, ventilating, and air conditioning duct

systems. The boards come standard with factory-molded male and female shiplap edges to ensure tight and strong fabricated transverse joints. The outside reinforced foil-laminate air barrier extends over the full width of the male shiplap to serve as a stapling flap for strength and ease of installation. Available in EI ratings (Flexural Rigidity) of 475 and 800. E1475TG is the same material with a facing applied to the inner surface to isolate the glass fibers from the airstream, allowing higher air velocity (up to 5,000 fpm) and easier cleaning, and more resistance to installation damage.

- NFPA 90A/90B
- Meets building codes CABO, BOCA, ICBO, SBCCI

Part No.	Width (In.)	Length (In.)	Thickness (In.)	Carton Qty	Pallet Qty	Price
E1475	48	120	1	6	45	☎
E1475TG	48	120	1	6	45	☎
E14758	48	96	1	8	45	☎
E1800	48	120	1 1/2	6	30	☎



6014

HARDCAST

- Water based
- All duct classes
- 6014 Indoor only-UL classifie
- VG181 Indoor/Outdoor- UL 181A-M/181 B-M Listed
- 1 gallon container



Part No.	Container Size	Description	Price
6014	1 Gal.	Indoor Duct Sealant, Iron Grip	\$65.32
VG181	1 Gal.	All Purpose Duct Sealant, Versa Grip	\$33.94
CCW11814	1 Gal.	w/Polyester Reinforcement	\$27.44



AB151

FIBERGLASS SCRIM TAPE

All purpose self-adhering fiberglass ductwork scrim primarily used for temporary fixation of ductwork prior to sealant application. For use with UL 181 Listed applications.



Part No.	Description	Price
AB151	3" x 150' roll	\$15.88



AFG14023


FOIL-GRIP™ 1402

Pressure sensitive, 40-year cycle, duct joint and general purpose rolled sealant. It provides an instant water resistant grip to most surfaces including sheet metal, duct board, flex duct, PVC coated duct, and duct wrap vapor barriers.



Part No.	Description	Price
AFG14023	3" x 100' Roll, Non-Printed	\$63.32
AFG1402P2	2" x 100' Roll, Printed	\$40.36

DUCT SEALANT



Water based, premium quality, UL Listed, high pressure/high velocity duct sealant for commercial and residential supply and return air duct use. Qualifies for Leed™ Credit EQ 4.1



Part No.	Container Size	Description	Price
DP1010	1 Gallon Pail	Grey, Smooth	\$32.70
DP1020	1 Gallon Pail	Grey, Fiber Reinforced	\$32.70



POA111

- LEED EQ Credit 4.1
- High solids formula
- Formulated indoor and outdoor use
- Seals high pressure HVAC duct systems
- Has excellent mold and mildew resistance



Part No.	Container Size	Description	Price
POA111	1 Gal.	AirSeal® 11, Premium, Water Based Duct Sealant	\$39.94
POA331	1 Gal.	AirSeal® 13, Fiber Reinforced, Water Based Duct Sealant Mastic	\$32.08



FOIL-GRIP™ 1404

Foil-Grip 1404 has superior tack for instant grab strength to galvanized metal, flex duct, PVC coated pipe, and PVC coated ductwork for an immediate airtight bond. The foil facer/butyl adhesive composite provides excellent UV resistance coupled with outstanding

water resistance. The easy tear provides a fast installation for airtight seals on above and below grade ductwork applications.

- Improved tack provides enhanced grip and adhesion
- Excellent UV resistance
- Ideal for above- and below-grade ductwork
- Superior performance in cold weather application




Part No.	Description	Price
AFG1404-2BFX	2" x 100' Roll	\$44.44

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

BELT DRIVE EXHAUST FAN



BDCR



CENTRIFUGAL DOWNBLAST


- Wide variety of motors available to meet many application needs
- Heavy duty construction
- Standard emergency disconnect switch
- Wall mount application available up to BDCR244
- All models are licensed to bear the AMCA seal
- BDCR models are listed under UL705 File No. E66873



Part No.	Sones	RPM	Static Pressure (in WG)					Curb	Dimensions (In.)			Wgt (Lbs.)	Price
			0 CFM	0.25 CFM	0.50 CFM	0.75 CFM	1 CFM		W	H	Roof Opening		
BDCR131	1/3	1328	2152	1980	1,807	1,607	1,300	CRB19.5	29 1/2	27	16	105.0	
BDCR132	1/2	1531	2481	2332	2,182	2,031	1,850	CRB19.5	29 1/2	27	16	105.0	
BDCR151	1/3	1066	2769	2523	2,219	1,795	—	CRB23	35	31	20	120.0	
BDCR152	1/2	1230	3195	2982	2,735	2,452	2,069	CRB23	35	31	20	120.0	
BDCR202	1/2	761	4366	3981	3,435	2,541	—	CRB26.5	38	32	24	155.0	
BDCR203	3/4	869	4986	4649	4,234	3,691	2,751	CRB26.5	38	32	24	165.0	
BDCR242	1/2	575	5439	4740	3,635	—	—	CRB31.5	42	32	28	175.0	
BDCR243	3/4	658	6224	5660	4,839	3,537	—	CRB31.5	—	32	28	185.0	
BDCR244	1	727	6876	6367	5,709	4,814	3,156	CRB31.5	—	32	28	185.0	
BDCR303	3/4	455	7456	6604	5,380	—	—	CRB38.5	52	40	36	315.0	
BDCR304	1	504	8259	7503	6,548	5,082	—	CRB38.5	52	40	36	315.0	
BDCR3053	1 1/2	575	9423	8770	8,032	7,039	5,647	CRB38.5	52	40	36	335.0	
BDCR364	1	377	10900	9487	7,285	—	—	CRB42.5	62	43	40	355.0	



BDU111



CENTRIFUGAL UPBLAST

- Isolated, completely enclosed drive compartment protects motor from airborne contaminants
- Positive, forced-air motor cooling system prolongs fan life and saves on costly servicing and replacement
- A wide variety of motor hp ratings provide a large range of air movement capacities
- Rubber vibration isolators ensure quiet operation
- Wall mount application available up to BDU-244
- All models are UL listed for the removal of smoke and grease laden air (YZHW, 762)
- All models are licensed to bear the AMCA seal




Part No.	Sones	RPM	Static Pressure (in WG)				Curb	Dimensions (In.)			Wgt (Lbs.)	Price
			0.25 CFM	0.50 CFM	0.75 CFM	1 CFM		W	H	Roof Opening		
BDU111	1/3	1710	1515	1,372	1,228	1,072	CRB19.5	25 1/2	24 3/4	17	105.0	
BDU131	1/3	1331	1940	1,773	1,580	1,267	CRB19.5	28 7/8	26 3/4	17	120.0	
BDU151	1/3	1069	2445	2,154	1,758	—	CRB23	31 7/8	30 1/2	21	130.0	
BDU152	1/2	1225	2866	2,632	2,349	1,989	CRB23	31 7/8	30 1/2	21	130.0	
BDU182	1/2	913	3196	2,876	2,527	—	CRB26.5	38	33 3/4	24	150.0	
BDU183	3/4	1044	3733	3,462	3,174	2,866	CRB26.5	38	33 3/4	24	160.0	
BDU203	3/4	875	4527	4,143	3,615	2,889	CRB26.5	37 1/4	33 3/8	24	165.0	
BDU204	1	968	5067	4,762	4,359	3,821	CRB21.5	37 1/4	33 3/8	24	165.0	
BDU243	3/4	659	5445	4,716	3,646	—	CRB31.5	41 3/4	37	29	200.0	
BDU244	1	730	6157	5,537	4,782	—	CRB31.5	41 3/4	37	29	200.0	
BDU303	3/4	458	6445	5,388	—	—	CRB38.5	51 1/4	40	36	340.0	
BDU304	1	507	7305	6,419	5,333	—	CRB38.5	51 1/4	40	36	340.0	
BDU305	1 1/2	577	8494	7,801	6,949	5,945	CRB38.5	51 1/4	40	36	360.0	
BDU306	2	635	9453	8,884	8,147	7,335	CRB38.5	51 1/4	40	36	370.0	

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

DIRECT DRIVE EXHAUST FAN



DDAR10



AXIAL RADIAL

Axial direct drive fans are the perfect low-cost exhaust choice in the areas that have little or no ductwork, and thus, relatively low to moderate resistance.


- Models DDAR10 thru DDAR20 are licensed to bear the AMCA seal and are listed under UL705 (Electrical) File 66873



Part No.	Sones	RPM	Static Pressure (in WG)					Curb	Dimensions (In.)			Wgt (Lbs.)	Price
			0 CFM	0.25 CFM	0.50 CFM	0.75 CFM	1 CFM		W	H	Roof Opening		
DDAR10	1/30	1500	469	240	—	—	—	CRB17.5	18	9	13	12.0	\$366.80
DDAR12	1/10	1500	862	510	—	—	—	CRB17.5	21 1/2	11	13	20.0	\$445.68
DDAR14	1/6	1100	1489	1010	580	190	—	CRB19.5	27	14	16	34.0	\$605.38
DDAR18	1/3	1100	2567	2060	1,640	1,060	570	CRB24.5	34	16	20	46.0	\$835.84



DR33




CENTRIFUGAL RADIAL EXHAUST



Part No.	Sones	RPM	Static Pressure (in WG)					Curb	Dimensions (In.)			Wgt (Lbs.)	Price
			0 CFM	0.25 CFM	0.50 CFM	0.75 CFM	1 CFM		W	H	Roof Opening		
DR33	1/3	1725	1840	1680	1,500	1,280	990	CRB20.5	27 5/8	23 1/2	16	40.0	\$852.04
DR50	1/2	1720	2230	2020	1,780	1,510	1,160	CRB20.5	27 5/8	23 1/2	16	45.0	\$882.18
DR75	3/4	1745	2940	2725	2,475	2,225	1,925	CRB19.5	28 1/4	25 1/2	20	70.0	\$1,022.82



CFA100FA



WALL & IN-LINE

The FloAire CFA Series of ceiling, wall and in-line ventilators are designed with performance versatility and ease of maintenance in mind. Aluminum in-line panels are standard on all units.

- Versatile design provides multiple mounting arrangements
- Built in back draft damper



Part No.	Watts	HP	Static Pressure (in WG)			Discharge Diameter (In.)	Wgt (Lbs.)	Price
			0 CFM	0.25 CFM	0.50 CFM			
CFA100FA	88	0.7	138	98	67	6	23.0	\$212.38
CFA150FA	96	1.4	179	149	133	6	23.0	\$225.70
CFA200FA	124	1.6	224	197	179	8	23.0	\$276.68
CFA250FA	160	2.3	269	253	239	8	23.0	\$291.26

AIR DISTRIBUTION

EXHAUST FAN ACCESSORIES



I12

BACK DRAFT DAMPER

All dampers are square frame, 4 3/4" deep and have 7/8" top flange. These all-aluminum, self-acting back draft dampers work on a pneumatic principle opening only when fans are in operation, and automatically closing when fans are turned off. Aluminum, multi-

leaf, interconnected blades with stainless steel sleeve bearings are set into square frames designed to be mounted inside of curb or framed in opening between the exhaust fan and the ductwork. Dampers are not designed for use with up-blast units that exhaust grease-laden vapors.



Part No.	Dimensions (In.)		Price
	L	W	
I13.5	13 1/4	13 1/4	\$60.64
I16	16	16	\$78.20
I21	21	21	\$97.74
I27.5	27 1/2	27 1/2	\$127.12

REPAIR



TCTLTOD

Part No.	Description	Use with	Price
3602	Fan Blade	BR26, BG15	\$22.58
TCTLTOD	Thermostat	All	\$80.00

FAN BLADE

2-WING



22272CCW

Adaptable hub assembled fan blades designed with square pressure blades required in air cooled condensers, package units, residential outdoor units. Use with interchangeable hubs.

- Maximum RPM: 1625—through 16"; 1140—18-24"
- CFM and BHP rating conditions: 1075 RPM and .1" S.P. through 16"; 1140 RPM and .1" S.P. 18-24"



Part No.	Diameter (In.)	Blade Pitch °	CFM	BHP	Max. RPM	Rotation	Price
22272CCW*	22	27	5010	0.4	1140	CCW	\$81.92

3-WING



20333CW

Adaptable hub assembled fan blades designed with square pressure blades required in air cooled condensers, package units, residential outdoor units. Use with interchangeable hubs.

- Maximum RPM: 1625—through 16"; 1140—18-24"
- CFM and BHP rating conditions: 1075 RPM and .1" S.P. through 16"; 1140 RPM and .1" S.P. 18-24"



Part No.	Diameter (In.)	Blade Pitch °	CFM	BHP	Max. RPM	Rotation	Price
10233CCW*	10	23	260	0.02	1625	CCW	\$46.08
10273CCW*	10	27	320	0.02	1625	CCW	\$48.60
10273CW*	10	27	320	0.02	1625	CW	\$48.60
12233CCW*	12	23	550	0.02	1625	CCW	\$49.92
12233CW	12	23	550	0.02	1625	CW	\$49.92
14233CCW*	14	23	890	0.04	1625	CCW	\$56.52
14233CW	14	23	890	0.04	1625	CW	\$56.52
14273CCW*	14	27	1000	0.04	1625	CCW	\$56.52
16193CCW*	16	19	960	0.03	1625	CCW	\$68.12
16193CW*	16	19	960	0.03	1625	CW	\$68.12
16223CCW*	16	23	1160	0.06	1625	CCW	\$68.12
16223CW*	16	23	1160	0.06	1625	CW	\$68.12
18233CW*	18	23	2280	0.13	1140	CW	\$72.72
18333CCW*	18	33	3000	0.24	1140	CCW	\$72.72
18333CW*	18	33	3000	0.24	1140	CW	\$72.72
20333CCW	20	33	4410	0.42	1140	CCW	\$81.08
20333CW	20	33	4410	0.42	1140	CW	\$81.08
22273CCW*	22	27	5010	0.4	1140	CCW	\$98.72
22273CW	22	27	5010	0.4	1140	CW	\$98.72
22333CCW*	22	33	5820	0.55	1140	CCW	\$98.72
22333CW*	22	33	5820	0.55	1140	CW	\$98.72
24273CCW*	24	27	6430	0.64	1140	CCW	\$105.28
24273CW	24	27	6430	0.64	1140	CW	\$105.28
24333CCW*	24	33	7680	0.95	1140	CCW	\$105.28
24333CW*	24	33	7680	0.95	1140	CW	\$105.28

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

Adaptable hub assembled fan blades designed with square pressure blades required in air cooled condensers, package units, residential outdoor units. Use with interchangeable hubs.



4-WING

- CW rotation pictured
- Maximum RPM:
1625—through 16";
1140—18-24"
- CFM and BHP rating conditions:
1075 RPM and .1" S.P. through 16";
1140 RPM and .1" S.P. 18-24"



Part No.	Dia. (In.)	Blade Pitch °	CFM	BHP	Max. RPM	Rotation	Price
10204CW*	10	20	210	0.013	1625	CW	\$47.04
10244CCW*	10	24	250	0.014	1625	CCW	\$47.04
10244CW*	10	24	250	0.014	1625	CW	\$47.04
10274CCW*	10	27	340	0.016	1625	CCW	\$47.04
10274CW*	10	27	340	0.016	1625	CW	\$47.04
10334CCW*	10	33	380	0.02	1625	CCW	\$47.04
10334CW	10	33	380	0.02	1625	CW	\$47.04
12194CCW*	12	19	560	0.02	1625	CCW	\$49.76
12194CW*	12	19	560	0.02	1625	CW	\$49.76
12234CCW	12	23	610	0.03	1625	CCW	\$49.76
12234CW	12	23	610	0.03	1625	CW	\$49.76
12274CCW*	12	27	620	0.03	1625	CCW	\$49.76
12274CW*	12	27	620	0.03	1625	CW	\$49.76
12334CCW	12	33	770	0.03	1625	CCW	\$49.76
12334CW	12	33	770	0.03	1625	CW	\$49.76
14204CW*	14	20	810	0.03	1625	CW	\$58.64
14234CCW	14	23	880	0.04	1625	CCW	\$56.60
14234CW	14	23	880	0.04	1625	CW	\$56.60
14264CCW*	14	26	970	0.05	1625	CCW	\$56.60
14264CW*	14	26	970	0.05	1625	CW	\$56.60
14334CCW*	14	33	1160	0.07	1625	CCW	\$56.60
14334CW	14	33	1160	0.07	1625	CW	\$56.60
16194CW*	16	19	1490	0.08	1625	CW	\$74.92
16234CCW	16	23	1510	0.1	1625	CCW	\$68.00
16234CW	16	23	1510	0.1	1625	CW	\$68.00
16264CCW*	16	26	1690	0.12	1625	CCW	\$68.00
16274CW*	16	26	1690	0.12	1625	CW	\$68.00
16334CCW*	16	33	2020	0.16	1625	CCW	\$68.00
16334CW	16	33	2020	0.16	1625	CW	\$68.00
18234CW	18	24	2360	0.16	1140	CW	\$89.04
18274CCW	18	27	2690	0.18	1140	CCW	\$89.04
18274CW	18	27	2690	0.18	1140	CW	\$89.04
18334CCW*	18	33	3190	0.28	1140	CCW	\$89.04
18334CW	18	33	3190	0.28	1140	CW	\$89.04
20234CCW	20	23	3390	0.35	1140	CCW	\$95.80
20234CW	20	23	3390	0.35	1140	CW	\$95.80
20274CCW*	20	27	3120	0.23	1140	CCW	\$95.80
20274CW	20	27	3120	0.23	1140	CW	\$95.80
20334CCW	20	33	4780	0.54	1140	CCW	\$95.80

Continued...

4-WING (CONT'D.)

Part No.	Dia. (In.)	Blade Pitch °	CFM	BHP	Max. RPM	Rotation	Price
20334CW	20	33	4780	0.54	1140	CW	\$95.80
22234CCW	22	23	4400	0.4	1140	CCW	\$111.40
22234CW	22	23	4400	0.4	1140	CW	\$111.40
22274CCW	22	27	5210	0.44	1140	CCW	\$111.40
22274CW	22	27	5210	0.44	1140	CW	\$111.40
22334CCW*	22	33	6100	0.68	1140	CCW	\$111.40
22334CW	22	33	6100	0.68	1140	CW	\$111.40
24234CCW	24	23	6100	0.45	1140	CCW	\$117.52
24234CW	24	23	6100	0.45	1140	CW	\$117.52
24274CCW	24	27	6970	0.74	1140	CCW	\$117.52
24274CW	24	27	6970	0.74	1140	CW	\$117.52
24334CCW*	24	33	8240	1.1	1140	CCW	\$117.52
24334CW	24	33	8240	1.1	1140	CW	\$117.52
26274CCW	26	27	8570	0.99	1140	CCW	\$129.40
26244CW	26	24	7120	0.86	1140	CW	\$152.56
26274CW	26	27	8570	0.99	1140	CW	\$129.40
26334CCW*	26	33	10100	1.4	1140	CCW	\$129.40
26334CW*	26	33	10100	1.4	1140	CW	\$129.40
18244CCW*	18	24	2360	0.16	1140	CCW	\$89.04



5-WING

- Maximum RPM:
1725—through 18"
1550—20"
1140—22 and 24"
- CFM and BHP rating conditions:
1625 RPM and .1" S.P. through 18";
1075 RPM and .1" S.P. 20-24"
- CW rotation pictured



Part No.	Dia. (In.)	Blade Pitch °	CFM	BHP	Max. RPM	Rotation	Price
16265CCW*	16	26	2750	0.5	1725	CCW	\$82.56
16265CW*	16	26	2750	0.5	1725	CW	\$82.56
16335CCW*	16	33	3350	0.75	1725	CCW	\$82.56
16335CW*	16	33	3350	0.75	1725	CW	\$82.56
18275CCW*	18	27	3900	0.75	1725	CCW	\$101.36
18275CW*	18	27	3900	0.75	1725	CW	\$101.36
18335CCW*	18	33	5000	1.5	1725	CCW	\$101.36
18335CW	18	33	5000	1.5	1725	CW	\$101.36
20275CCW*	20	27	3350	0.5	1550	CCW	\$114.44
20275CW*	20	27	3350	0.5	1550	CW	\$114.44
20335CCW*	20	33	3800	0.75	1550	CCW	\$114.44
20335CW*	20	33	3800	0.75	1550	CW	\$114.44
22285CCW*	22	28	4350	0.75	1140	CCW	\$124.84
22285CW*	22	28	4350	0.75	1140	CW	\$124.84
22335CCW*	22	33	5150	1.0	1140	CCW	\$124.84
24285CCW*	24	28	5750	1.0	1140	CCW	\$132.76
24335CCW*	24	33	7100	1.5	1140	CCW	\$132.76
24335CW*	24	33	7100	1.5	1140	CW	\$132.76

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

AIR DISTRIBUTION

FAN BLADE

FIXED HUB

These blades are assembled complete with 1/2" permanent hub.



18282CCW12

Part No.	Diameter (In.)	Blade Pitch °	Rotation	Price
18282CCW12	18	28	CCW	\$60.76
20282CCW12*	20	28	CCW	\$61.84



UNIVERSAL HUB

Universal hex hubs for use with adaptable fan blades.



12HUB

Part No.	Bore (In.)	Price
14HUB*	1/4	\$15.52
516HUB	5/16	\$15.52
38HUB	3/8	\$15.52
12HUB	1/2	\$15.52
58HUB	5/8	\$16.08
34HUB*	3/4	\$16.08



LARGE DIAMETER BLADE

Designed for use in air circulators, cooling towers, and air cooled condensing units. Designed for heavy duty, large air volume applications. Must use with split taper hub. 4 bladed fans, clockwise rotation.



R30274CW



Part No.	Diameter (In.)	Blade Pitch °	CFM	BHP	Max. RPM	Price
R24274CW*	24	27	5560 @ 1000 RPM	0.45	1350	\$405.38
60833001*	26	27	7470 @ 1000 RPM	0.78	1140	\$417.64
60833101*	28	27	7840 @ 850 RPM	0.7	1000	\$436.44
R30274CW*	30	27	8750 @ 850 RPM	0.85	1000	\$513.26
R36274CW*	36	27	13820 @ 720 RPM	1.44	820	\$626.02
R42274CW*	42	27	17010 @ 600 RPM	1.77	710	\$689.54
R60274CW*	60	27	32330 @ 400 RPM	2.84	500	\$1,595.28

SPLIT TAPER HUB, 54" TO 60" BLADE



02310

Part No.	Shaft Dia. (In.)	Price
02310*	1	\$69.60



SMALL DIAMETER HUBLESS

Typically for use with threaded shaft unit bearing motors

- 5 wing blades
- Maximum RPM: 3600—6 to 9" blades
2500—10" blades



95628



Part No.	Diameter (In.)	Blade Pitch °	CFM	Max. RPM	Rotation	Price
95628*	6	28	—	3600	CW	\$20.20
95629*	6	28	—	3600	CCW	\$20.20
95711*	7	15	—	3600	CW	\$27.30
95721*	7	20	—	3600	CW	\$20.00
95722*	7	20	—	3600	CCW	\$23.90
95723*	7	25	400	3600	CW	\$23.90
95731*	7	30	425	3600	CW	\$23.90
95732*	7	30	425	3600	CCW	\$23.90
95741*	7	40	600	3600	CW	\$23.90
95742*	7	40	600	3600	CCW	\$28.20
95735*	7 3/4	23	—	3600	CW	\$24.78
95737*	7 3/4	31	—	3600	CW	\$22.96
95821*	8	20	500	3600	CW	\$25.32
FB105	8	20	—	—	CCW	\$12.50
95823*	8	25	550	3600	CW	\$25.32
95831*	8	30	650	3600	CW	\$25.32
95832*	8	30	650	3600	CCW	\$25.32
95841*	8	40	850	3600	CW	\$25.32
95842*	8	40	850	3600	CCW	\$25.32
95875*	8 3/4	25	—	3600	CW	\$28.20
95923*	9	25	725	3600	CW	\$25.88
95931*	9	30	800	3600	CW	\$25.88
95932*	9	30	800	3600	CCW	\$25.88
95941*	9	40	850	3600	CW	\$25.80
95021*	10	20	825	2500	CW	\$28.20
95027*	10	28	875	2500	CW	\$28.20
95031*	10	31	925	2500	CW	\$28.04
95032*	10	31	925	2500	CCW	\$28.20



S7594

SMALL DIAMETER HUBBED

5-wing small diameter blades with hub on intake side. Typical applications include evaporators, refrigeration condensing units, ventilators and ice machines.



Part No.	Diameter (In.)	Blade Pitch °	CFM	Max. RPM	Bore (In.)	Rotation	Price
S7451*	5 1/2	19	180	3450	1/4	CW	\$18.30
S7452*	5 1/2	19	180	3450	1/4	CCW	\$18.30
S7551*	5 1/2	27	—	—	5/16	CW	\$18.30
S7471*	7	21	425	3450	1/4	CW	\$26.72
S7472*	7	21	425	3450	1/4	CCW	\$26.72
S7571*	7	27	—	—	5/16	CW	\$26.44
S7572*	7	27	—	—	5/16	CCW	\$26.44
S7481*	8	24	525	3450	1/4	CW	\$28.84
S7482*	8	24	525	3450	1/4	CCW	\$28.84
S7581*	8	24	525	3450	5/16	CW	\$28.84
S7582*	8	24	525	3450	5/16	CCW	\$28.24
S7484*	8	32	675	3450	1/4	CCW	\$19.74
S7584*	8	32	675	3450	5/16	CCW	\$28.24
S7591*	9	26	—	—	5/16	CW	\$32.80
S7592*	9	26	—	—	5/16	CCW	\$32.80
S7493*	10	20	450	1725	1/4	CW	\$49.18
S7494*	10	20	450	1725	1/4	CCW	\$32.78
S7593*	10	20	—	—	5/16	CW	\$37.28
S7594*	10	20	—	—	5/16	CCW	\$37.28
S7595*	10	31	650	1725	5/16	CW	\$37.28
S7596*	10	31	650	1725	5/16	CCW	\$32.78



FB501

PLASTIC ONE PIECE

- Celcon® plastic blade
- Lightweight
- Reduces bearing wear
- Integral hub (normally used with skeleton frame motors)
- CW: colored white
- CCW: colored gray



Part No.	Diameter (In.)	Bore (In.)	Nb. of Blades	Rotation	Price
FB401	4	1/8	5	CW	\$4.84
FB402	4	3/16	5	CW	\$4.84
FB403	4	1/8	5	CCW	\$4.84
FB404	4	3/16	5	CCW	\$4.84
FB501	5	3/16	5	CW	\$5.34
FB504	5	3/16	5	CCW	\$5.00
FB550	5 1/2	3/16	4	CCW	\$6.50

BLOWER WHEEL



16141

SINGLE INLET, SMALL DIAMETER

- Condensers
- Small appliances
- Furnaces
- Draft booster
- Flue exhaust
- Rotation viewed side opposite hub (looking into cage)



Part No.	Diameter (In.)	Width (In.)	Bore (In.)	RPM	Rotation	Price
16038	3	1 7/8	1/4	5000	CW	\$33.84
16039	3	1 7/8	1/4	5000	CCW	\$27.34
16040	3 13/16	1 7/8	1/4	5000	CCW	\$34.64
16041	3 13/16	1 7/8	1/4	5000	CW	\$34.64
16043	3 13/16	1 7/8	5/16	5000	CW	\$29.62
16044	3 13/16	2 1/2	5/16	5000	CW	\$34.64
16045	3 13/16	2 1/2	5/16	5000	CCW	\$30.26
16113	3 27/32	1	1/4	5800	CW	\$36.04
16114	3 27/32	1 1/4	1/4	5600	CW	\$28.80
16051	3 27/32	1 13/64	1/4	5640	CCW	\$34.38
16141	4	1 1/2	5/16	3600	CCW	\$34.98
16133	4	2 1/2	1/4	3600	CCW	\$41.52
16046	4 1/4	2	1/4	4500	CCW	\$37.74
16047	4 1/4	2	5/16	4500	CCW	\$34.38
16052	4 1/4	2 15/16	1/4	4500	CCW	\$34.38
16160	4 17/32	1 1/4	5/16	6300	CW	\$88.64
16161	4 17/32	1 1/4	5/16	6300	CCW	\$88.64
16000	4 23/32	2 15/16	5/16	3600	CCW	\$37.74
16054	5 13/64	2 29/32	5/16	3600	CCW	\$37.54
1-6060	6 3/16	2 15/16	3/8	3000	CCW	\$38.18
16143	5 3/4	1 1/2	5/16	3600	CCW	\$76.74
16066	7 1/8	2	5/16	2900	CCW	\$55.66

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

AIR DISTRIBUTION

BLOWER WHEEL

SINGLE INLET, 1/2 INCH BORE

- Condensers
- Small appliances
- Furnaces
- Draft booster
- Flue exhaust
- Rotation viewed side opposite hub (looking into cage)

FASCO

Part No.	Diameter (In.)	Width (In.)	Bore (In.)	RPM	Rotation	Price
16010	6	3 1/4	1/2	2400	CCW	\$50.90
16063	6 25/64	4	1/2	1700	CW	\$44.54
16064	6 25/64	4	1/2	1700	CCW	\$59.00
16005	7 1/8	4	1/2	1500	CW	\$68.34
16006	8 5/64	4	1/2	1650	CW	\$78.24
16074	8 5/64	4	1/2	1650	CCW	\$82.76
16076	8 35/64	3	1/2	2050	CW	\$74.64
16009	9 1/8	5	1/2	1350	CCW	\$69.26
16027	9 31/32	6	1/2	1100	CW	\$91.18
16028	9 31/32	6	1/2	1100	CCW	\$85.20



26018

DOUBLE INLET/DIRECT DRIVE

Applications

- Condensers
- Small appliances
- Furnaces
- Rotation viewed hub side
- Galvanized steel (26033, 26034 are aluminum)

FASCO

Part No.	Diameter (In.)	Width (In.)	Bore (In.)	RPM	Rotation	Price
2-6011	4 7/8	7	1/2	3600	CW	\$50.52
26012	5 1/4	7	1/2	3600	CCW	\$57.32
26030	5 1/4	7	1/2	3600	CW	\$56.48
26013	5 1/2	6 1/2	1/2	2500	CW	\$58.76
26014	5 1/2	6 1/2	1/2	2500	CCW	\$58.76
26031	5 3/4	7 5/8	1/2	3000	CW	\$60.42
26032	5 3/4	7 5/8	1/2	3000	CCW	\$60.42
26033	5 3/4	7 7/8	1/2	1700	CW	\$68.58
26084	6 3/16	7 5/8	1/2	3000	CW	\$68.98
26085	6 3/16	7 5/8	1/2	3000	CCW	\$68.98
26083	6 3/8	7	1/2	2050	CW	\$68.96
26015	6 3/8	7	1/2	2050	CCW	\$68.98
26034	6 3/8	8	1/2	1500	CW	\$74.50
26018	7 1/2	9	1/2	1600	CW	\$107.68
26093	10 3/4	7	1/2	1350	CW	\$151.78
26022	10 3/4	10 1/2	1/2	1150	CW	\$168.40



01333201

DOUBLE INLET/DIRECT DRIVE

Universal replacement wheels have a special hub for use with direct drive blowers. All standard replacement wheels are galvanized, cold-rolled steel. (C)CW-X rotation wheels have hub cups that are accessible through the wheel blades.

- Maximum temperature: 200°F
- Rotation determined viewing hub side

Lau Industries, Inc.

Part No.	Diameter (In.)	Model	Width (In.)	Bore (In.)	Rotation	Price
01333602* ¹	9 1/2	DD9-7A	7 1/8	1/2	CW-X	\$109.86
01333603* ¹	9 1/2	DD9-7A	7 1/8	1/2	CCW-X	\$109.86
01333701* ¹	9 1/2	DD9-8A	8	1/2	CW-X	\$109.86
01333703* ¹	9 1/2	DD9-8A	8	1/2	CCW-X	\$109.86
01333201* ²	9 1/2	DD9-9A	9 1/2	1/2	CW-V	\$109.86
01333203* ²	9 1/2	DD9-9A	9 1/2	1/2	CCW-V	\$109.86
01332701* ¹	11 1/8	DD10-4A	4 1/2	1/2	CW-X	\$122.82
01332601* ¹	11 1/8	DD10-6A	6	1/2	CW-X	\$122.82
01332602* ¹	11 1/8	DD10-6A	6	1/2	CCW-X	\$122.82
01332501* ¹	11 1/8	DD10-7A	7 1/8	1/2	CW-X	\$122.82
02710204* ¹	11 1/8	DD10-7A	7 1/8	1/2	CCW-X	\$122.82
01332401* ¹	11 1/8	DD10-8A	8	1/2	CW-X	\$122.82
01332402* ¹	11 1/8	DD10-8A	8	1/2	CCW-X	\$122.82
01331701* ²	11 1/8	DD10-9A	9 1/2	1/2	CW-V	\$122.82
01332301* ¹	11 1/8	DD10-9A	9 1/2	1/2	CW-X	\$122.82
01332203* ¹	11 1/8	DD10-10A	10 5/8	1/2	CW-X	\$122.82
01331602* ²	11 1/8	DD10-10A	10 5/8	1/2	CW-V	\$122.82
01331606* ²	11 1/8	DD10-10A	10 5/8	1/2	CCW-V	\$122.82
02694007* ¹	12 1/4	DD11-8A	8	1/2	CW-X	\$139.94
02694008* ¹	12 1/4	DD11-8A	8	1/2	CCW-X	\$139.94
02694009* ¹	12 1/4	DD11-9A	9 1/2	1/2	CW-X	\$139.94
02694010* ¹	12 1/4	DD11-9A	9 1/2	1/2	CCW-X	\$139.94
02694111* ²	12 1/4	DD11-10A	10 5/8	1/2	CW-V	\$139.94
02694112* ²	12 1/4	DD11-10A	10 5/8	1/2	CCW-V	\$139.94
01369325* ¹	13 3/16	DD12-9A	9 1/2	1/2	CW-X	\$163.92
01369315* ¹	13 3/16	DD12-9A	9 1/2	5/8	CW-X	\$163.92
01556507* ²	13 3/16	DD12-12A	12 5/8	1/2	CW-V	\$163.92
01556504* ²	13 3/16	DD12-12A	12 5/8	5/8	CW-V	\$163.92

¹Convex hub cup ²Concave hub cup



00827616

DOUBLE INLET/BELT DRIVE

Universal replacement wheels with two hubs for rotation in either direction.

- Galvanized



Part No.	Diameter (In.)	Model	Width (In.)	Bore (In.)	Rotation	Price
00862112*	9 1/2	A9-7A	7 1/8	3/4	REV	\$118.78
00851912*	9 1/2	A9-9A	9 1/2	3/4	REV	\$118.78
00836112*	10 5/8	A10-8A	8	3/4	REV	\$126.64
00836212*	10 5/8	A10-9A	9 1/2	3/4	REV	\$126.64
00850716*	13 3/16	A12-9A	9 1/2	1	REV	\$164.86
00836012*	10 5/8	A10-10A	10 5/8	3/4	REV	\$126.64
00850758GAL*	13 3/16	A12-9A	9 1/2	1 3/16	REV	\$222.64
00836016*	10 5/8	A10-10A	10 5/8	1	REV	\$139.46
00840316*	13 3/16	A12-12A	12 5/8	1	REV	\$164.86
00840393*	13 3/16	A12-12A	12 5/8	1 3/16	REV	\$233.20
00874716*	13 3/16	A12-15A	15	1	REV	\$251.70
00841877*	15 1/2	A15-11A	11 1/8	1 3/16	REV	\$306.66
00827616*	15 1/2	A15-15A	15	1	REV	\$253.22
00874616*	15 1/2	A15-12A	12 5/8	1	REV	\$253.22
01767137*	15 1/2	A15-15A	15	1 3/16	REV	\$306.66
00827672*	15 1/2	A15-15A	15	1 7/16	REV	\$349.78
00865916*	18 5/8	A18-13A	13 1/2	1	REV	\$434.12
00865816*	18 5/8	A18-18A	18	1	REV	\$434.12
00865874*	18 5/8	A18-18A	18	1 3/16	REV	\$556.34
00865887*	18 5/8	A18-18A	18	1 7/16	REV	\$602.78

FAN BLADE ACCESSORIES



PG

PITCH GAUGE

Determine degree of pitch and rotation of any fan blade.



Part No.	Description	Price
PG*	Pitch Gauge	\$43.48



UP1

FAN PULLER



Part No.	Description	Price
UP1	Fan Blade Puller	\$93.00



HP2

HUB PULLER ADAPTER SET

Simplifies the removal of many industrial and automotive fans and blower wheels by providing a solid connection between the puller and fan hub. Can be used on: chillers, freezers, condensers, ice machines, furnace fans, convection ovens, ice cream machines, exhaust and ventilation fans, defrost and AC fans.



Part No.	Includes	Price
HP2	One 104 (3 Jaw 4" 5Ton Puller) One HP-30 (Small Collar Adaptor) One HP-40 (Large Collar Adaptor) One HP-70 (Tip Reducer/Extender) One Carrying Case (13" x 9.5" x 5.5")	\$705.24

BLOWER ASSEMBLY



BELT DRIVE

Add motor and drive pulleys for complete assembly. Includes mounting hardware to set up for universal application. Performance at 1/2" static pressure. Outlet length is overall depth.



Part No.	Model	Median Performance			Outlet Dimensions (In.)		Price
		CFM	RPM	BHP	L	Size	
38243420M*	A12-12ACE	2000	596	0.37	15 3/4	13 7/16	\$764.40



02917501

BEARING BRACKET KIT

Especially designed to fit most blower from 9" to 16" sizes. This sturdy, compact, 10-gauge steel bearing and bracket is completely assembled and ready to mount. The sintered bronze ball assembly is securely held in a spherical rubber isolating liner to assure maximum absorption of vibration, quiet operation, constant self-alignment and long life. Packaged in pairs with shaft and hardware.



Part No.	Shaft (In.)		HP	Price
	Dia.	L		
02917501*	3/4	20	3/4 Max	\$168.88
02917601*	1	25	1 Max	\$193.32

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

AIR DISTRIBUTION

BLOWER ASSEMBLY



38252501

MOTOR MOUNTING HARDWARE

Lau
Industries, Inc.

Part No.	Description	Price
38252101*	Tailpieces (3), Screws, Bolts	\$34.08
38252301*	Tailpiece Only	\$16.72
38252501*	Grommets Only (6)	\$17.32
38220901*	Vibropads (12) - Resilient rubber pads snap easily into place. 5/16" hole, 7/8" diameter, 5/8" high.	\$18.52

POWER TRANSMISSION




02750203

SHAFT BUSHING

To adapt 1" bore pulley to 3/4" shaft

Lau
Industries, Inc.

Part No.	Description	Price
02750203*	1" x 3/4" Shaft Bushing	\$38.80



38209601

SHAFT STOCK

Premium shafting is ground and polished 1018 cold rolled steel. Excess shaft may be cut off. Keyways and/or flats are to be added as required in the field

Lau
Industries, Inc.

Part No.	Length (In.)	Dia. (In.)	Price
38220501*	20	5/8	\$47.08
38209601*	20	3/4	\$48.00
38269301*	35	3/4	\$44.92
38209501*	25	1	\$83.68
38249201*	35	1	\$121.00

Browning offers the most extensive V-drive line available anywhere, which means maximum economy, versatility and prompt availability for your every application...truly the right drive every time! With Browning, you select from the broadest range of V-drive ratios and centers in the world; more than double the selection available from any other source.

- Over 2100 stock sizes in multiple groove sheaves, far more than any other manufacturer.
- Full range of sizes in two bushing types: the popular Browning split taper. Choose the replaceable bushing that best suits the application
- Variable speed sheaves are available through 750 HP, precision balanced to provide smooth vibration-free performance.



1VL25X12-B

VARIABLE PITCH MOTOR PULLEY, SINGLE GROOVE, LIGHT DUTY

Variable pitch motor pulley, single groove, for light duty applications for light duty applications to 5HP

Browning

Part No.	Dia. (In.)	Bore (In.)	Belt Pitch (In.)			Price
			3L	4L	5L	
1VL25X1/2-B	2.50	1/2	1.6 to 2.4	—	—	\$90.00
1VL25X5/8-B	2.50	5/8	1.6 to 2.4	—	—	\$90.00
1VL30X1/2-B	2.87	1/2	1.8 to 2.7	—	—	\$91.34
1VL30X5/8-B	2.87	5/8	1.8 to 2.7	—	—	\$108.74
1VL34X1/2-B	3.15	1/2	1.7 to 2.5	2.0 to 3.0	2.5 to 3.3	\$92.84
1VL34X5/8-B	3.15	5/8	1.7 to 2.5	2.0 to 3.0	2.5 to 3.3	\$92.84
1VL34X3/4-B	3.15	3/4	1.7 to 2.5	2.0 to 3.0	2.5 to 3.3	\$120.70
1VL40X1/2-B	3.75	1/2	2.3 to 3.1	2.6 to 3.6	2.8 to 3.8	\$96.38
1VL40X5/8-B	3.75	5/8	2.3 to 3.1	2.6 to 3.6	2.8 to 3.8	\$94.02
1VL40X3/4-B	3.75	3/4	2.3 to 3.1	2.6 to 3.6	2.8 to 3.8	\$122.22
1VL40X7/8-B	3.75	7/8	2.3 to 3.1	2.6 to 3.6	2.8 to 3.8	\$94.02
1VL44X1/2-B	4.15	1/2	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	\$109.22
1VL44X5/8-B	4.15	5/8	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	\$101.48
1VL44X3/4-B	4.15	3/4	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	\$131.92
1VL44X7/8-B	4.15	7/8	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	\$140.84
1VM50X1/2-B	4.75	1/2	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	\$130.58
1VM50X5/8-B	4.75	5/8	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	\$119.60
1VM50X3/4-B	4.75	3/4	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	\$155.48
1VM50X7/8-B	4.75	7/8	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	\$171.20

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov



1VP56X1-18-B

VARIABLE PITCH MOTOR PULLEY, SINGLE GROOVE, HEAVY DUTY

Variable pitch motor pulley, single groove, for light duty applications to 25 HP

Browning



2VP60

VARIABLE PITCH MOTOR PULLEY, DUAL GROOVE, HEAVY DUTY

Variable pitch motor pulley, dual groove, for heavier duty applications to 25HP

Browning

Part No.	Dia. (In.)	Bore (In.)	Belt Pitch (In.)				Price
			3L	4L	5L	5V	
1VP25X1/2-B	2.50	1/2	1.6 to 2.4	—	—	—	\$90.00
1VP34X1/2-B	3.15	1/2	1.7 to 2.5	2.0 to 3.0	2.5 to 3.3	—	\$92.84
1VP34X5/8-B	3.15	5/8	1.7 to 2.5	2.0 to 3.0	2.5 to 3.3	—	\$92.84
1VP34X7/8-B	3.15	3/4	1.7 to 2.5	2.0 to 3.0	2.5 to 3.3	—	\$92.84
1VP40X1/2-B	3.75	1/2	2.3 to 3.1	2.6 to 3.6	2.8 to 3.8	—	\$96.38
1VP40X5/8-B	3.75	5/8	2.3 to 3.1	2.6 to 3.6	2.8 to 3.8	—	\$94.02
1VP40X7/8-B	3.75	7/8	2.3 to 3.1	2.6 to 3.6	2.8 to 3.8	—	\$94.02
1VP44X1/2-B	4.15	1/2	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	—	\$109.22
1VP44X5/8-B	4.15	5/8	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	—	\$101.48
1VP44X7/8-B	4.15	7/8	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	—	\$140.84
1VP44X1-1/8-B	4.15	1 1/8	2.7 to 3.5	3.0 to 4.0	3.2 to 4.2	—	\$140.84
1VP50X5/8-B	4.75	5/8	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	—	\$119.60
1VP50X7/8-B	4.75	7/8	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	—	\$171.20
1VP50X1-1/8-B	4.75	1 1/8	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	—	\$171.20
1VP56X5/8-B	5.35	5/8	3.9 to 4.7	4.2 to 5.2	4.4 to 5.4	—	\$178.60
1VP56X7/8-B	5.35	7/8	3.9 to 4.7	4.2 to 5.2	4.4 to 5.4	—	\$230.52
1VP56X1-1/8-B	5.35	1 1/8	3.9 to 4.7	4.2 to 5.2	4.4 to 5.4	—	\$230.52
1VP60X7/8-B	6	7/8	—	4.4 to 5.4	4.7 to 5.9	4.7 to 5.9	\$279.32
1VP60X1-1/8-B	6	1 1/8	—	4.4 to 5.4	4.7 to 5.9	4.7 to 5.9	\$279.32
1VP60X1-3/8-B	6	1 3/8	—	4.4 to 5.4	4.7 to 5.9	4.7 to 5.9	\$279.32
1VP62X7/8-B	5.95	7/8	—	4.7 to 5.9	4.4 to 5.4	4.9 to 5.9	\$281.98
1VP62X1-1/8-B	5.95	1 1/8	—	4.7 to 5.9	4.4 to 5.4	4.9 to 5.9	\$281.98
1VP65X1-1/8-B	6.50	1 1/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$292.30
1VP65X1-3/8-B	6.50	1 3/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$292.30
1VP68X1-1/8-B	6.55	1 1/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$293.46
1VP68X1-3/8-B	6.55	1 3/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$293.46
1VP71X1-1/8-B	7.10	1 1/8	—	5.5 to 6.5	5.8 to 7.0	5.8 to 7.0	\$327.14
1VP71X1-3/8-B	7.10	1 3/8	—	5.5 to 6.5	5.8 to 7.0	5.8 to 7.0	\$311.56

Part No.	Dia. (In.)	Bore (In.)	Belt Pitch (In.)				Price
			3L	4L	5L	5V	
2VP42X3/4-B	3.95	3/4	1.9 to 2.7	2.2 to 3.2	2.6 to 3.4	—	\$339.32
2VP42X5/8-B	3.95	5/8	1.9 to 2.7	2.2 to 3.2	2.6 to 3.4	—	\$328.14
2VP42X7/8-B	3.95	7/8	1.9 to 2.7	2.2 to 3.2	2.6 to 3.4	—	\$256.10
2VP42X1-1/8-B	3.95	1 1/8	1.9 to 2.7	2.2 to 3.2	2.6 to 3.4	—	\$256.10
2VP50X7/8-B	4.75	7/8	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	—	\$295.22
2VP50X1-1/8-B	4.75	1 1/8	3.3 to 4.1	3.6 to 4.6	3.8 to 4.8	—	\$295.22
2VP56X1-1/8-B	5.35	1 1/8	3.9 to 4.7	4.2 to 5.2	4.4 to 5.4	—	\$347.38
2VP60X1-1/8-B	6	1 1/8	—	4.4 to 5.4	4.7 to 5.9	4.9 to 5.9	\$443.76
2VP60X1-3/8-B	6	1 3/8	—	4.4 to 5.4	4.7 to 5.9	4.9 to 5.9	\$443.76
2VP62X1-3/8-B	5.95	1 3/8	—	4.4 to 5.4	4.7 to 5.9	4.7 to 5.9	\$444.14
2VP65X7/8-B	6.50	7/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$630.68
2VP65X1-1/8-B	6.50	1 1/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$476.02
2VP65X1-3/8-B	6.50	1 3/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$476.02
2VP65X1-5/8-B	6.50	1 5/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$476.02
2VP68X1-1/8-B	6.55	1 1/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$629.56
2VP68X1-3/8-B	6.55	1 3/8	—	4.9 to 5.9	5.2 to 6.4	5.2 to 6.4	\$491.36
2VP71X1-1/8-B	7.10	1 1/8	—	5.5 to 6.5	5.8 to 7.0	5.8 to 7.0	\$645.18
2VP71X1-3/8-B	7.10	1 3/8	—	5.5 to 6.5	5.8 to 7.0	5.8 to 7.0	\$503.54
2VP71X1-5/8-B	7.10	1 5/8	—	5.5 to 6.5	5.8 to 7.0	5.8 to 7.0	\$503.54

AIR DISTRIBUTION

POWER TRANSMISSION



AK56H

FIXED PITCH, 1 GROOVE, "A" BELT, SPLIT TAPER HUB

- Use "H" Hub

Browning



AK59X1

FIXED PITCH, 1 GROOVE, "A" BELT, FIXED HUB

Browning

Part No.	Dia. (In.)	Belt Pitch (In.)		Price
		3L	4L	
AK30H	3.05	2.46	2.8	\$78.50
AK32H	3.25	2.66	3.0	\$75.96
AK34H	3.45	2.86	3.2	\$80.88
AK39H	3.75	3.16	3.5	\$83.48
AK41H	3.95	3.36	3.7	\$80.60
AK44H	4.25	3.66	4.0	\$81.66
AK46H	4.45	3.86	4.2	\$82.74
AK49H	4.75	4.16	4.5	\$90.26
AK51H	4.95	4.36	4.7	\$84.96
AK54H	5.25	4.66	5.0	\$86.04
AK56H	5.45	4.86	5.2	\$93.92
AK59H	5.75	5.16	5.5	\$95.70
AK61H	5.95	5.36	5.7	\$90.78
AK64H	6.25	5.66	6.0	\$93.06
AK66H	6.45	5.86	6.2	\$103.30
AK69H	6.75	6.16	6.5	\$113.18
AK71H	6.95	6.36	6.7	\$110.84
AK74H	7.25	6.66	7.0	\$116.16
AK79H	7.75	7.16	7.5	\$126.60
AK84H	8.25	7.66	8.0	\$134.72
AK94H	9.25	8.66	9.0	\$156.72
AK104H	10.25	9.66	10.0	\$181.70
AK144H	14.25	13.66	14.0	\$320.74
AK184H	18.25	17.66	18.0	\$362.44

Part No.	Dia. (In.)	Bore (In.)	Belt Pitch (In.)		Price
			3L	4L	
AK20X34	2	3/4	1.46	1.8	\$40.46
AK22X34	2.20	3/4	1.66	2.0	\$51.18
AK23X34	2.30	3/4	1.76	2.1	\$54.52
AK25X34	2.50	3/4	1.96	2.3	\$46.68
AK28X34	2.80	3/4	2.26	2.6	\$53.50
AK30X34	3.05	3/4	2.46	2.8	\$49.50
AK34X34	3.45	3/4	2.86	3.2	\$55.52
AK41X7/8	3.95	7/8	3.36	3.7	\$81.02
AK41X1	3.95	1	3.36	3.7	\$79.84
AK44X1	4.25	1	3.66	4.0	\$82.18
AK46X34	4.45	3/4	3.86	4.20	\$79.60
AK51X5/8	4.95	5/8	4.36	4.7	\$84.86
AK51X3/4	4.95	3/4	4.36	4.7	\$91.34
AK51X1	4.95	1	4.36	4.7	\$84.86
AK54X1	5.25	1	4.66	5.0	\$93.02
AK59X1	5.75	1	5.16	5.5	\$98.22
AK61X1	5.95	1	5.36	5.7	\$98.96
AK64X1	6.25	1	5.66	6.0	\$101.62
AK71X5/8	6.95	5/8	6.36	6.7	\$163.10
AK71X3/4	6.95	5/8	6.36	6.7	\$130.76
AK74X1-7/16	7.25	1 7/16	6.66	7.0	\$183.14
AK84X5/8	8.40	5/8	7.66	8.0	\$223.94
AK84X1	8.25	1	7.66	8.0	\$147.00
AK99X1	9.75	1	9.16	9.5	\$252.16
AK114X1-7/16	11.25	1 7/16	10.66	11.0	\$299.24
AK124X1	12.25	1	11.66	12.0	\$307.54
AK124X1-7/16	12.25	1 7/16	11.66	12.0	\$333.96
AK144X1-7/16	14.25	1 7/16	13.66	14.0	\$444.86



2AK49H

FIXED PITCH, 2 GROOVE, "A" BELT, HUBLESS

- Use "H" Hub

Browning

Part No.	Dia. (In.)	Belt Pitch (In.)		Price
		3L	4L	
2AK49H	4.75	4.16	4.5	\$180.32
2AK74H	7.25	6.66	7.0	\$274.44
2AK94H	9.25	8.66	9.0	\$310.74



2AK25X1

FIXED PITCH, 2 GROOVE, "A" BELT, FIXED HUB

Browning

Part No.	Dia. (In.)	Bore (In.)	Belt Pitch (In.)		Price
			3L	4L	
2AK22X3/4	2.20	3/4	1.66	2.0	\$125.22
2AK25X1	2.50	1	1.96	2.3	\$134.98
2AK28X1	2.80	1	2.26	2.6	\$163.30
2AK34X1	3.45	1	2.86	3.2	\$210.52
2AK41X1	3.95	1	3.36	3.7	\$230.28
2AK44X1	4.25	1	3.66	4.0	\$252.36
2AK46X1	4.45	1	3.86	4.2	\$255.60
2AK54X1	5.25	1	4.66	5.0	\$270.94
2AK61X3/4	5.95	3/4	5.36	5.7	\$315.96
2AK74X1	7.25	1	6.66	7.0	\$301.28



BK55H

FIXED PITCH, 1 GROOVE, "B" BELT, SPLIT TAPER HUB

- Use "H" Hub

Browning

Part No.	Dia. (In.)	Belt Pitch (In.)		Price
		4L	5L	
BK30H	3.15	2.4	2.8	\$89.30
BK32H	3.35	2.6	3.0	\$94.98
BK36H	3.75	3.0	3.4	\$95.88
BK40H	3.95	3.2	3.6	\$89.30
BK45H	4.25	3.5	3.9	\$98.18
BK47H	4.45	3.7	4.1	\$100.32
BK50H	4.75	4.0	4.4	\$95.36
BK52H	4.95	4.2	4.6	\$99.80
BK55H	5.25	4.5	4.9	\$101.82
BK60H	5.75	5.0	5.4	\$102.40
BK62H	5.95	5.2	5.6	\$107.92
BK65H	6.25	5.5	5.9	\$115.10
BK67H	6.45	5.7	6.1	\$118.48
BK70H	6.75	6.0	6.4	\$122.60
BK72H	6.95	6.2	6.6	\$128.28
BK75H	7.25	6.5	6.9	\$136.98
BK77H	7.45	6.7	7.1	\$135.30
BK80H	7.75	7.0	7.4	\$137.60
BK85H	8.25	7.5	7.9	\$152.78
BK90H	8.75	8.0	8.4	\$162.54
BK95H	9.25	8.5	8.9	\$174.78
BK100H	9.75	9.0	9.4	\$181.52
BK110H	10.75	10.0	10.4	\$199.58
BK140H	13.75	13.0	13.4	\$274.14
BK160H	15.75	15.0	15.4	\$320.36



BK55

FIXED PITCH, 1 GROOVE, "B" BELT, FIXED HUB

Browning

Part No.	Dia. (In.)	Bore (In.)	Belt Pitch (In.)		Price
			4L	5L	
BK25X3/4	2.5	3/4	1.9	2.3	\$70.80
BK30X3/4	3.15	3/4	2.4	2.8	\$78.46
BK90X7/8	8.75	7/8	—	—	\$225.74
BK50X1	4.75	1	4.0	4.4	\$133.36
BK52X1	4.95	1	4.2	4.6	\$110.80
BK60X1	5.75	1	5.0	5.4	\$109.36
BK65X1	6.25	1	5.5	5.9	\$114.76
BK72X1	6.95	1	6.2	6.6	\$153.74
BK80X1	7.75	1	7.0	7.4	\$160.52
BK85X1	8.25	1	7.5	7.9	\$178.20
BK90X1	8.75	1	8.0	8.4	\$170.38
BK90X1-7/16	8.75	1 7/16	8.0	8.4	\$170.38
BK100X1-7/16	9.75	1 7/16	9.0	9.4	\$188.16
BK120X1-7/16	11.75	1 7/16	11.0	11.4	\$296.04
BK130X1	12.75	1	12.0	12.4	\$282.12
BK130X1-7/16	12.75	1 7/16	12.0	12.4	\$331.00
BK160X1-7/16	15.75	1 7/16	15.0	15.4	\$403.48
BK190X1-7/16	18.75	1 7/16	18.0	18.4	\$595.32



2BK45H

FIXED PITCH, 2 GROOVE, "B" BELT, SPLIT TAPER HUB

- Use "H" Hub

Browning

Part No.	Dia. (In.)	Belt Pitch (In.)		Price
		4L	5L	
2BK32H	3.35	2.6	3.0	\$151.40
2BK34H	3.55	2.8	3.2	\$164.08
2BK40H	3.95	3.2	3.6	\$157.04
2BK45H	4.25	3.5	3.9	\$161.02
2BK47H	4.45	3.7	4.1	\$177.40
2BK50H	4.75	4.0	4.4	\$180.78
2BK52H	4.95	4.2	4.6	\$185.34
2BK55H	5.25	4.5	4.9	\$200.66
2BK60H	5.75	5.0	5.4	\$208.64
2BK70H	6.75	6.0	6.4	\$238.18
2BK80H	7.75	7.0	7.4	\$276.58
2BK90H	8.75	8.0	8.4	\$281.80
2BK100H	9.75	9.0	9.4	\$327.10
2BK110H	10.75	10.0	10.4	\$354.36
2BK120H	11.75	11.0	11.4	\$404.72
2BK160H	15.75	15.0	15.4	\$516.30

AIR DISTRIBUTION

POWER TRANSMISSION



2BK28X1

FIXED PITCH, 2 GROOVE, "B" BELT, FIXED HUB

Browning

Part No.	Dia. (In.)	Bore (In.)	Belt Pitch (In.)		Price
			4L	5L	
2BK25X3/4	2.50	3/4	1.9	2.3	\$171.80
2BK28X1	2.95	1	2.2	2.6	\$196.32
2BK28X1-1/8	2.95	1 1/8	2.2	2.6	\$187.30
2BK30X1	3.15	1	2.4	2.8	\$199.34
2BK30X1-1/8	3.15	1 1/8	2.4	2.8	\$199.34
2BK32X1	3.35	1	2.6	3.0	\$212.38
2BK32X1-1/8	3.35	1 1/8	2.6	3.0	\$208.40
2BK34X1	3.55	1	2.8	3.2	\$221.60
2BK34X1-1/8	3.55	1 1/8	2.8	3.2	\$217.40
2BK36X1	3.75	1	3.0	3.4	\$234.16
2BK36X1-1/8	3.75	1 1/8	3.0	3.4	\$223.42
2BK40X1	3.95	1	3.2	3.6	\$238.12
2BK40X1-1/8	3.95	1 1/8	3.2	3.6	\$233.62
2BK50X1-3/8	4.75	1 3/8	4.0	4.4	\$207.68
2BK70X1	6.75	1	6.0	6.4	\$405.20
2BK70X1-7/16	6.75	1 7/16	6.0	6.4	\$391.86
2BK80X1-1/8	7.75	1 1/8	7.0	7.4	\$430.20
2BK90X1-3/16	8.75	1 3/16	8.0	8.4	\$430.18



1B5V42

FIXED PITCH, 1 GROOVE, "5V" BELT, SPLIT TAPER HUB

With the introduction of the revolutionary B5V, Browning has brought new technology to V-drive design. B5V packs into only 120 components what previously required some 500 different inventory items. And, you can mix and

match B5V with many present drive components for maximum flexibility.

- Use "B" Hub (1B5V42 uses "P1" Hub)

Browning

Part No.	Dia. (In.)	Belt Pitch (In.)			Price
		4L	5L	5V	
1B5V42	4.48	3.8	4.2	4.3	\$135.98
1B5V46	4.88	4.2	4.6	4.7	\$154.70
1B5V60	6.28	5.6	6.0	6.1	\$188.28
1B5V80	8.28	7.6	8.0	8.1	\$245.20
1B5V94	9.68	9.0	9.4	9.5	\$268.62
1B5V110	11.28	10.6	11.0	11.1	\$315.52
1B5V124	12.68	12.0	12.4	12.5	\$370.18



2B5V68

FIXED PITCH, 2 GROOVE, "5V" BELT, SPLIT TAPER HUB

With the introduction of the revolutionary B5V, Browning has brought new technology to V-drive design. B5V packs into only 120 components what previously required some 500 different inventory items. And, you can mix and

match B5V with many present drive components for maximum flexibility.

- Use "B" Hub (2B5V42 uses "P1" Hub)

Browning

Part No.	Dia. (In.)	Belt Pitch (In.)			Price
		4L	5L	5V	
2B5V42	4.48	3.8	4.2	4.3	\$188.78
2B5V46	4.88	4.2	4.6	4.7	\$214.00
2B5V48	5.08	4.4	4.8	4.9	\$221.82
2B5V50	5.28	4.6	5.0	5.1	\$229.58
2B5V52	5.48	4.8	5.2	5.3	\$237.42
2B5V54	5.68	5.0	5.4	5.5	\$245.20
2B5V56	5.88	5.2	5.6	5.7	\$253.04
2B5V58	6.08	5.4	5.8	5.9	\$260.86
2B5V60	6.28	5.6	6.0	6.1	\$268.62
2B5V62	6.48	5.8	6.2	6.3	\$276.48
2B5V64	6.68	6.0	6.4	6.5	\$284.24
2B5V66	6.88	6.2	6.6	6.7	\$288.16
2B5V68	7.08	6.4	6.8	6.9	\$292.10
2B5V70	7.28	6.6	7.0	7.1	\$337.84
2B5V74	7.68	7.0	7.4	7.5	\$341.76
2B5V80	8.28	7.6	8.0	8.1	\$345.68
2B5V86	8.88	8.2	8.6	8.7	\$353.46
2B5V90	9.28	8.6	9.0	9.1	\$357.42
2B5V94	9.68	9.0	9.4	9.5	\$361.30
2B5V110	11.28	10.6	11.0	11.1	\$415.96
2B5V124	12.68	12.0	12.4	12.5	\$447.16
2B5V136	13.88	13.2	13.6	13.7	\$525.26
2B5V154	15.68	15.0	15.4	15.5	\$712.60



2TB56

FIXED PITCH, 2 GROOVE, "A" OR "B" BELT, SPLIT TAPER HUB

Part No.	Dia. (In.)	Bore (In.)	Price
2TB56	5.95	1/2	\$268.98
2TB86	8.95	3/4	\$326.76
2TB110	11.35	3/4	\$390.92

Browning



FIXED PITCH, 3 GROOVE, "A" OR "B" BELT, SPLIT TAPER HUB

Browning

Part No.	Dia. (In.)	Bore (In.)	Price
3TB48	5.15	1/2	\$302.54
3TB86	8.95	3/4	\$407.06



"H" HUB

Use with AK-H, BK-H single and multi groove sheaves

Browning

Part No.	Bore (In.)	Price
H-1/2	1/2	\$31.72
H-5/8	5/8	\$29.48
H-3/4	3/4	\$29.48
H-7/8	7/8	\$29.48
H-15/16	15/16	\$32.16
H-1	1	\$29.48
H-1-1/8	1 1/8	\$29.48
H-1-3/16	1 3/16	\$29.48
H-1-1/4	1 1/4	\$29.48
H-1-3/8	1 3/8	\$29.48
H-1-7/16	1 7/16	\$29.48
H1-1/2	1 1/2	\$29.48
H-24MM	24mm	\$31.72
H-25MM	25mm	\$30.66



"B" HUB

Use with B5V sheaves, 1 to 4 groove, 5" OD and larger

Browning

Part No.	Bore (In.)	Price
B1	1	\$55.62
B1-1/16	1 1/16	\$59.16
B1-1/8	1 1/8	\$55.62
B1-3/16	1 3/16	\$55.62
B1-1/4	1 1/4	\$56.46
B1-3/8 5/16	1 3/8	\$51.70
B1-7/16	1 7/16	\$51.70
B1-1/2	1 1/2	\$51.70
B1-5/8	1 5/8	\$51.70
B1-11/16	1 11/16	\$51.70
B1-7/8	1 7/8	\$51.70
B1-15/16	1 15/16	\$51.70
B-2	2	\$55.62
B2-1/16	2 1/16	\$59.16
B2-1/8	2 1/8	\$51.70
B2-3/16	2 3/16	\$51.70
B2-1/4	2 1/4	\$56.46
B2-7/16	2 7/16	\$51.70

"P" HUB

Use P1 with TB sheaves, 1 to 4 groove
Use P2 with TB sheaves, 4 to 6 groove

Browning

Part No.	Bore (In.)	Price
P1-7/8	7/8	\$52.70
P1-1-5/8	1 5/8	\$52.70
P2-1X1/8	1 1/8	\$62.06



"Q" HUB

Use with TB sheaves, 1 to 4 groove

Browning

Part No.	Bore (In.)	Price
Q1-1-3/16	1 3/16	\$111.50
Q1-1-3/4	1 3/4	\$103.58
Q1-1-15/16	1 15/16	\$103.58
Q1-2-7/16	2 7/16	\$103.58

AIR DISTRIBUTION

SHAFT BEARING



38244202

OIL SLEEVE

Self-aligning, self-oiling, with bronze bushing held in housing under light, uniform spring pressure, providing uniform distribution of lubricant through pores of bushing. Drive type oil cup. Use as replacements in ACE type blower. Package of two.

NOTE: Shipped dry. Lubricate at time of installation with SAE 20 or 30 wt. oil.



Part No.	Shaft Dia. (In.)	Overall Dia. (In.)	Price
38240401* ¹	5/8	1 13/16	\$51.76
38244201* ¹	3/4	1 13/16	\$54.92
38244202* ¹	1	2 1/2	\$63.84

¹As measured over rubber cushion



38244901

OIL SLEEVE

Self-aligning and self-oiling with sintered bronze bushings and drive type oil cups. Package of two.



Part No.	Shaft Dia. (In.)	Overall Dia. (In.)	Price
38245001* ¹	3/4	1 27/32	\$52.52
38244901* ¹	1	1 27/32	\$54.00
38209401* ¹	1	2 1/2	\$73.36

¹As measured over rubber cushion



38269701

OIL SLEEVE

Self-oiling with sintered bronze bushings and drive type oil cups. Package of two.



Part No.	Shaft Dia. (In.)	Overall Dia. (In.)	Price
38269601* ¹	3/4	2 1/16	\$51.20
38269701* ¹	1	2 1/16	\$57.16

¹As measured over rubber cushion



38244303

SEALED SLEEVE

Self-aligning and factory packed with a supply of plastic petroleum assuring proper lubrication during life of bearing. Self-aligning porous bronze sleeve pressed in housing. Use as replacement in ACE type blower. Package of two.



Part No.	Shaft Dia. (In.)	Overall Dia. (In.)	Price
38244301* ¹	5/8	1 13/16	\$45.24
38244302* ¹	3/4	1 13/16	\$49.92
38244303* ¹	1	2 1/2	\$58.16

¹As measured over rubber cushion



38209101

CARTRIDGE SLEEVE

This cartridge type bearing will fit any spider type bracket used on 9", 10", and 12" blowers. Sintered bronze bushing pressed into steel bearing caps and cushioned in heavy neoprene conductive rubber. Package of two.



Part No.	Shaft Dia. (In.)	Overall Dia. (In.)	Comments	Price
38209101* ¹	3/4	1 13/16	With Thrust Collar & Spacer	\$61.40
38227201* ²	3/4	1 13/16	With Journal	\$113.48
38209001* ¹	1	1 13/16	—	\$61.40

¹As measured over rubber cushion

²As measured over rubber cushion. May permit use with old shaft



38208601

PILLOW BLOCK SLEEVE

Heavy neoprene cushioned. Recoilable porous bronze bushing in a pressed steel ball unit held firmly in a housing of two-piece interlocking steel. Self-aligning, static free and quiet operating. Package of two.



Part No.	Shaft Dia. (In.)	Price
38220401*	5/8	\$39.04
38208601*	3/4	\$39.52
38208701*	1	\$39.52
38209301* ¹	1	\$68.60

¹Heavy duty



PILLOW BLOCK BALL

- Durable cast-iron construction
- Prelubricated bearings
- Regreasable
- Temperature range: -30 to 200°F
- Package of two



Part No.	Shaft Dia. (In.)	Overall Dia. (In.)	Price
38256701*	3/4	1 5/16	\$263.60
38256801*	1	1 7/16	\$270.60
38256901*	1 3/16	1 11/16	\$357.92
38257001*	1 7/16	1 7/8	\$424.96



THRUST SPACER KIT

- Package of 12



Part No.	Shaft Dia. (In.)	Price
38249101*	5/8	\$14.76
38249102*	3/4	\$16.72
38249103*	1	\$18.28



SEALED BALL

For use where operating conditions exceed the limit of sleeve bearings or where repetitive failures occur. They are equipped with seals for positive grease retention and protection against contaminants. Includes interlocking thrust collar with insulator. Package of two.



Part No.	Shaft Dia. (In.)	Overall Dia. (In.)	Price
38258801* ¹	3/4	1 13/16	\$133.52
38259001* ¹	1	2 17/32	\$149.44

¹As measured over rubber cushion



SET SCREW BALL

Traditional 3 set screw locking collar, 120° spacing



Part No.	Bore (In.)	Dia. (In.)	Price
RUBRS108	1/2	2 17/32	\$129.72
RUBRS110	5/8	2 17/32	\$99.46
RUBRS112	3/4	2 17/32	\$107.46
RUBRS115	15/16	2 17/32	\$142.10
RUBRS116	1	2 17/32	\$117.16



THRUST SLEEVE KIT

Developed to eliminate end play on sleeve bearing blowers. Plastic sleeve with assortment of spacers make adjustment easy on any size blower. One pair per package.



Part No.	Shaft Dia. (In.)	Price
38220301*	3/4	\$18.52



THRUST COLLAR KIT

Sheet metal thrust collar kit consists of one pair packaged with thrust washers.



Part No.	Shaft Dia. (In.)	Price
38243101*	5/8	\$23.52
38220601*	3/4	\$18.52
38220701*	1	\$24.28



BOA CONCENTRIC BALL

Browning BOA concentric ball bearings incorporate a unique concentric locking collar design for better grip on the shaft and less vibration during operation. The BOA-LOC concentric clamp collar, with a single cap screw, provides increased reliability without marring

or burring the shaft. The 360° clamping force reduces vibration through improved concentricity.



Part No.	Bore (In.)	Dia. (In.)	Price
RUBRB112	3/4	2 17/32	\$119.74
RUBRB116	1	2 17/32	\$126.80

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

SHAFT BEARING



VPS210AH

PILLOW BLOCK BALL

Air handling AH ball bearings are manufactured with a special AH housing fit that allows the bearing more easily self-align when mounted on lightweight frames. Inner rings are zone hardened to maintain ballpath hardness while keeping inner ring extension soft for a precision set screw hold. Both ballpaths are honed for quieter operation and less vibration.

Browning

Part No.	Bore (In.)	Price
VPS210AH	5/8	\$123.84
VPS212AH	3/4	\$131.44
VPS216AH	1	\$142.62
VPS219AH	1 3/16	\$168.62
VPS223AH	1 7/16	\$198.72
VPS227AH	1 11/16	\$261.78
VPS231AH	1 15/16	\$292.20



VPB223AH.jpg

BOA PILLOW BLOCK BALL

Browning BOA concentric collar with a single cap screw provides excellent 360° holding power. Designed to prevent shaft marring or burring and centers the shaft in the bore for less vibration.

- Zone hardened inner race provides a fully hardened ball path while leaving the rest of the inner ring unhardened, allowing better holding power.
- Precision manufactured, diamond faceted set screws improve clamping and resist backing out.
- Pillow block housing with a semi-solid, cast iron base provides an excellent mounting foundation and is integral to prevent sheet metal "buckling".
- Rubber lip contact seal with auxiliary flinger for proven effective sealing against contaminants.

Browning

Part No.	Bore (In.)	Price
VPB216AH	1	\$196.88
VPB223AH	1 7/16	\$266.56
VPB227AH	1 11/16	\$332.76
VPB231AH	1 15/16	\$363.84

FAN BELT



3L160-B

3L, LIGHT DUTY

- Outside width: 3/8"
- Thickness: 7/32"

Browning

Part No.	Outside Length (In.)	Price
3L160-B	16.0	\$15.36
3L170-B	17.0	\$15.12
3L180-B	18.0	\$14.04
3L190-B	19.0	\$14.04
3L200-B	20.0	\$14.04
3L210-B	21.0	\$14.04
3L220-B	22.0	\$14.04
3L230-B	23.0	\$15.12
3L240-B	24.0	\$14.04
3L250-B	25.0	\$15.12
3L260-B	26.0	\$17.72
3L270-B	27.0	\$17.96
3L280-B	28.0	\$18.54
3L290-B	29.0	\$18.86
3L300-B	30.0	\$19.16
3L310-B	31.0	\$19.28
3L320-B	32.0	\$19.58
3L330-B	33.0	\$19.90
3L340-B	34.0	\$20.18
3L350-B	35.0	\$20.64
3L360-B	36.0	\$20.92
3L370-B	37.0	\$21.38
3L380-B	38.0	\$21.84
3L390-B	39.0	\$22.28
3L400-B	40.0	\$22.74
3L410-B	41.0	\$23.60
3L420-B	42.0	\$23.44
3L430-B	43.0	\$24.26
3L440-B	44.0	\$24.56
3L450-B	45.0	\$25.00
3L460-B	46.0	\$24.84
3L470-B	47.0	\$26.50
3L480-B	48.0	\$26.08
3L490-B	49.0	\$27.16
3L500-B	50.0	\$27.44
3L520-B	52.0	\$28.06
3L530-B	53.0	\$28.34
3L550-B	55.0	\$29.00
3L560-B	56.0	\$29.34
3L570-B	57.0	\$29.62
3L620-B	62.0	\$31.36



3L160-B

4L, LIGHT DUTY

- Outside width: 1/2"
- Thickness: 9/32"

Browning


Part No.	Outside Length (In.)	Price
4L170-B	17.0	\$15.86
4L180-B	18.0	\$14.74
4L190-B	19.0	\$14.74
4L200-B	20.0	\$14.74
4L210-B	21.0	\$14.74
4L220-B	22.0	\$14.74
4L230-B	23.0	\$14.74
4L240-B	24.0	\$14.74
4L250-B	25.0	\$14.74
4L260-B	26.0	\$15.04
4L270-B	27.0	\$15.24
4L280-B	28.0	\$15.50
4L290-B	29.0	\$15.74
4L300-B	30.0	\$15.94
4L310-B	31.0	\$17.42
4L320-B	32.0	\$16.44
4L330-B	33.0	\$17.96
4L340-B	34.0	\$18.34
4L350-B	35.0	\$17.30
4L360-B	36.0	\$17.64
4L370-B	37.0	\$17.84
4L380-B	38.0	\$18.22
4L390-B	39.0	\$18.66
4L400-B	40.0	\$19.04
4L410-B	41.0	\$19.40
4L420-B	42.0	\$19.66
4L430-B	43.0	\$20.02
4L440-B	44.0	\$20.48
4L450-B	45.0	\$20.84
4L460-B	46.0	\$22.70
4L470-B	47.0	\$22.94
4L480-B	48.0	\$22.50
4L490-B	49.0	\$23.36
4L500-B	50.0	\$21.92
4L510-B	51.0	\$23.82
4L520-B	52.0	\$24.10
4L530-B	53.0	\$24.34
4L540-B	54.0	\$24.60
4L550-B	55.0	\$28.60
4L560-B	56.0	\$29.08
4L570-B	57.0	\$29.38
4L580-B	58.0	\$29.62
4L590-B	59.0	\$30.36
4L600-B	60.0	\$30.82
4L610-B	61.0	\$31.10
4L620-B	62.0	\$31.40
4L630-B	63.0	\$31.88

Continued...

4L, LIGHT DUTY (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
4L640-B	64.0	\$32.18
4L650-B	65.0	\$32.64
4L660-B	66.0	\$32.92
4L670-B	67.0	\$33.20
4L680-B	68.0	\$33.66
4L690-B	69.0	\$34.12
4L700-B	70.0	\$35.10
4L710-B	71.0	\$35.80
4L720-B	72.0	\$36.58
4L730-B	73.0	\$37.90
4L740-B	74.0	\$38.12
4L750-B	75.0	\$38.40
4L760-B	76.0	\$38.72
4L770-B	77.0	\$39.18
4L780-B	78.0	\$39.80
4L790-B	79.0	\$39.34
4L800-B	80.0	\$41.08
4L810-B	81.0	\$41.70
4L820-B	82.0	\$42.36
4L830-B	83.0	\$42.98
4L840-B	84.0	\$43.58
4L850-B	85.0	\$44.24
4L870-B	87.0	\$45.44



A20-B

A, HEAVY DUTY

- Outside width: 1/2"
- Thickness: 13/32"
- Inside length is belt size

Browning

Part No.	Outside Length (In.)	Price
A20-B	22.2	\$15.46
A21-B	23.2	\$15.46
A22-B	24.2	\$15.46
A23-B	25.2	\$15.54
A24-B	26.2	\$15.82
A25-B	27.2	\$16.06
A26-B	28.2	\$16.32
A27-B	29.2	\$16.52
A28-B	30.2	\$16.80
A29-B	31.2	\$17.06
A30-B	32.2	\$17.30
A31-B	33.2	\$17.56
A32-B	34.2	\$17.92
A33-B	35.2	\$18.16
A34-B	36.2	\$18.58
A35-B	37.2	\$18.82
A36-B	38.2	\$19.16
A37-B	39.2	\$19.70
A38-B	40.2	\$20.06

Continued...

AIR DISTRIBUTION

FAN BELT

A, HEAVY DUTY (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
A39-B	41.2	\$20.44
A40-B	42.2	\$20.68
A41-B	43.2	\$21.06
A42-B	44.2	\$21.54
A43-B	45.2	\$21.92
A44-B	46.2	\$22.20
A45-B	47.2	\$22.46
A46-B	48.2	\$22.58
A47-B	49.2	\$22.82
A48-B	50.2	\$23.08
A49-B	51.2	\$23.32
A50-B	52.2	\$23.56
A51-B	53.2	\$23.86
A52-B	54.2	\$24.06
A53-B	55.2	\$24.30
A54-B	56.2	\$24.72
A55-B	57.2	\$24.96
A56-B	58.2	\$25.22
A57-B	59.2	\$25.46
A58-B	60.2	\$25.84
A59-B	61.2	\$26.08
A60-B	62.2	\$26.32
A61-B	63.2	\$26.70
A62-B	64.2	\$26.94
A63-B	65.2	\$27.32
A64-B	66.2	\$27.60
A65-B	67.2	\$27.86
A66-B	68.2	\$28.18
A67-B	69.2	\$28.60
A68-B	70.2	\$28.84
A69-B	71.2	\$31.72
A70-B	72.2	\$30.12
A71-B	73.2	\$30.36
A72-B	74.2	\$32.80
A73-B	75.2	\$33.04
A74-B	76.2	\$33.34
A75-B	77.2	\$31.36
A76-B	78.2	\$34.28
A77-B	79.2	\$34.82
A78-B	80.2	\$35.40
A79-B	81.2	\$35.88
A80-B	82.2	\$36.46
A81-B	83.2	\$36.96
A82-B	84.2	\$37.54
A83-B	85.2	\$38.60
A84-B	86.2	\$39.14
A85-B	87.2	\$39.14
A86-B	88.2	\$39.68
A87-B	89.2	\$40.22
A88-B	90.2	\$40.74
A89-B	91.2	\$41.90

Continued...

A, HEAVY DUTY (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
A90-B	92.2	\$38.86
A91-B	93.2	\$42.40
A92-B	94.2	\$43.38
A93-B	95.2	\$43.84
A94-B	96.2	\$40.62
A95-B	97.2	\$44.12
A96-B	98.2	\$44.54
A97-B	99.2	\$45.74
A98-B	100.2	\$45.48
A100-B	102.2	\$54.18
A103-B	105.2	\$55.74
A105-B	107.2	\$55.86
A110-B	112.2	\$61.10
A112-B	114.2	\$62.08
A120-B	122.2	\$66.74
A128-B	130.2	\$72.42
A136-B	138.2	\$77.12
A144-B	146.2	\$81.70
A158-B	160.2	\$91.50
A180-B	182.2	\$93.44



AX COG BELT

- Precision molded raw edge construction; extra deep molded notches
- Oil and heat resistant; static conducting
- Outside width: 1/2"
- Thickness: 11/32"
- Inside length is belt size

Browning

Part No.	Outside Length (In.)	Price
AX20-B	22.2	\$14.84
AX21-B	23.2	\$18.74
AX22-B	24.2	\$18.74
AX23-B	25.2	\$18.74
AX24-B	26.2	\$19.04
AX25-B	27.2	\$20.02
AX26-B	28.2	\$20.92
AX27-B	29.2	\$21.34
AX28-B	30.2	\$21.64
AX29-B	31.2	\$21.92
AX30-B	32.2	\$22.38
AX31-B	33.2	\$22.62
AX32-B	34.2	\$23.12
AX33-B	35.2	\$23.40
AX34-B	36.2	\$23.90
AX35-B	37.2	\$24.22
AX36-B	38.2	\$24.72
AX37-B	39.2	\$25.38
AX38-B	40.2	\$25.88

Continued...

AX COG BELT (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
AX39-B	41.2	\$26.36
AX40-B	42.2	\$26.82
AX41-B	43.2	\$27.32
AX42-B	44.2	\$27.82
AX43-B	45.2	\$28.26
AX44-B	46.2	\$28.30
AX45-B	47.2	\$28.68
AX46-B	48.2	\$29.08
AX47-B	49.2	\$29.38
AX48-B	50.2	\$29.70
AX49-B	51.2	\$29.92
AX50-B	52.2	\$30.48
AX51-B	53.2	\$30.70
AX52-B	54.2	\$31.02
AX53-B	55.2	\$31.36
AX54-B	56.2	\$31.84
AX55-B	57.2	\$32.14
AX56-B	58.2	\$32.46
AX57-B	59.2	\$32.84
AX58-B	60.2	\$33.20
AX59-B	61.2	\$33.58
AX60-B	62.2	\$33.94
AX61-B	63.2	\$34.32
AX62-B	64.2	\$34.74
AX63-B	65.2	\$35.14
AX64-B	66.2	\$35.56
AX65-B	67.2	\$35.96
AX66-B	68.2	\$36.34
AX67-B	69.2	\$37.66
AX68-B	70.2	\$37.16
AX69-B	71.2	\$38.94
AX70-B	72.2	\$38.76
AX71-B	73.2	\$39.10
AX72-B	74.2	\$40.42
AX73-B	75.2	\$40.74
AX74-B	76.2	\$41.08
AX75-B	77.2	\$41.40
AX76-B	78.2	\$42.06
AX77-B	79.2	\$42.72
AX78-B	80.2	\$43.38
AX79-B	81.2	\$44.70
AX80-B	82.2	\$43.64
AX81-B	83.2	\$45.40
AX82-B	84.2	\$46.06
AX83-B	85.2	\$47.42
AX84-B	86.2	\$48.08
AX85-B	87.2	\$48.04
AX86-B	88.2	\$49.40
AX88-B	90.2	\$50.06
AX89-B	91.2	\$51.46
AX90-B	92.2	\$50.10
AX91-B	93.2	\$52.62
AX92-B	94.2	\$52.40

Continued...

AX COG BELT (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
AX93-B	95.2	\$53.84
AX94-B	96.2	\$54.54
AX96-B	98.2	\$54.64
AX97-B	99.2	\$57.64
AX98-B	100.2	\$56.44
AX100-B	102.2	\$67.40
AX103-B	105.2	\$68.22
AX105-B	107.2	\$68.56
AX112-B	114.2	\$77.30
AX120-B	122.2	\$83.06
AX128-B	130.2	\$88.86



5L, LIGHT DUTY

- Outside width: 5/8"
- Thickness: 11/32"

Browning

Part No.	Outside Length (In.)	Price
5L230-B	23.0	\$23.86
5L250-B	25.0	\$23.86
5L240-B	24.0	\$23.86
5L260-B	26.0	\$23.78
5L270-B	27.0	\$24.40
5L280-B	28.0	\$24.84
5L290-B	29.0	\$24.96
5L300-B	30.0	\$25.92
5L310-B	31.0	\$27.28
5L320-B	32.0	\$27.16
5L330-B	33.0	\$27.72
5L340-B	34.0	\$29.16
5L350-B	35.0	\$29.62
5L360-B	36.0	\$29.42
5L370-B	37.0	\$29.88
5L380-B	38.0	\$30.48
5L390-B	39.0	\$31.44
5L400-B	40.0	\$32.64
5L410-B	41.0	\$33.54
5L420-B	42.0	\$34.32
5L430-B	43.0	\$35.10
5L440-B	44.0	\$35.80
5L450-B	45.0	\$36.58
5L460-B	46.0	\$37.36
5L470-B	47.0	\$38.12
5L480-B	48.0	\$38.90
5L490-B	49.0	\$39.64
5L500-B	50.0	\$40.22
5L510-B	51.0	\$40.82
5L520-B	52.0	\$41.48
5L530-B	53.0	\$42.06
5L540-B	54.0	\$42.68

Continued...

AIR DISTRIBUTION

FAN BELT

5L, LIGHT DUTY (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
5L550-B	55.0	\$43.14
5L560-B	56.0	\$43.46
5L570-B	57.0	\$45.16
5L580-B	58.0	\$44.20
5L590-B	59.0	\$44.50
5L600-B	60.0	\$44.78
5L610-B	61.0	\$46.44
5L620-B	62.0	\$45.44
5L630-B	63.0	\$47.06
5L640-B	64.0	\$46.36
5L650-B	65.0	\$46.92
5L660-B	66.0	\$48.90
5L670-B	67.0	\$48.16
5L680-B	68.0	\$48.74
5L690-B	69.0	\$50.80
5L700-B	70.0	\$51.26
5L710-B	71.0	\$51.70
5L720-B	72.0	\$52.32
5L730-B	73.0	\$51.66
5L740-B	74.0	\$53.76
5L750-B	75.0	\$54.38
5L760-B	76.0	\$55.00
5L770-B	77.0	\$55.82
5L780-B	78.0	\$54.88
5L790-B	79.0	\$57.22
5L800-B	80.0	\$58.00
5L810-B	81.0	\$58.80
5L820-B	82.0	\$59.58
5L830-B	83.0	\$60.36
5L840-B	84.0	\$59.50
5L850-B	85.0	\$60.98
5L960-B	96.0	\$68.60

AIR QUALITY & AIR DISTRIBUTION



B25-B

B, HEAVY DUTY

- Outside width: 21/32"
- Thickness: 7/16"
- Inside length is belt size

Browning

Part No.	Outside Length (In.)	Price
B24-B	27.0	\$21.84
B25-B	28.0	\$22.00
B26-B	29.0	\$22.54
B28-B	31.0	\$23.48
B29-B	32.0	\$24.02
B30-B	33.0	\$24.56
B31-B	34.0	\$25.10
B32-B	35.0	\$25.50
B33-B	36.0	\$26.04
B34-B	37.0	\$24.56

Continued...

B, HEAVY DUTY (CONT'D.)

Browning


Part No.	Outside Length (In.)	Price
B35-B	38.0	\$25.10
B36-B	39.0	\$25.84
B37-B	40.0	\$26.82
B38-B	41.0	\$27.60
B39-B	42.0	\$28.18
B40-B	43.0	\$28.84
B41-B	44.0	\$29.46
B42-B	45.0	\$30.12
B43-B	46.0	\$30.70
B44-B	47.0	\$31.36
B45-B	48.0	\$31.98
B46-B	49.0	\$32.58
B47-B	50.0	\$33.12
B48-B	51.0	\$33.58
B49-B	52.0	\$34.12
B50-B	53.0	\$34.60
B51-B	54.0	\$35.10
B52-B	55.0	\$35.52
B53-B	56.0	\$35.76
B54-B	57.0	\$36.10
B55-B	58.0	\$36.34
B56-B	59.0	\$36.62
B57-B	60.0	\$36.88
B58-B	61.0	\$37.12
B59-B	62.0	\$37.36
B60-B	63.0	\$37.62
B61-B	64.0	\$38.12
B62-B	65.0	\$38.60
B63-B	66.0	\$39.14
B64-B	67.0	\$39.64
B65-B	68.0	\$40.12
B66-B	69.0	\$40.62
B67-B	70.0	\$41.00
B68-B	71.0	\$41.36
B69-B	72.0	\$41.90
B70-B	73.0	\$42.48
B71-B	74.0	\$43.02
B72-B	75.0	\$43.50
B73-B	76.0	\$44.00
B74-B	77.0	\$44.66
B75-B	78.0	\$45.12
B76-B	79.0	\$45.78
B77-B	80.0	\$46.40
B78-B	81.0	\$47.00
B79-B	82.0	\$47.62
B80-B	83.0	\$48.28
B81-B	84.0	\$48.90
B82-B	85.0	\$50.14
B83-B	86.0	\$50.52
B84-B	87.0	\$51.04
B85-B	88.0	\$51.42
B86-B	89.0	\$51.92
B87-B	90.0	\$52.40

Continued...

B, HEAVY DUTY (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
B88-B	91.0	\$52.90
B89-B	92.0	\$53.40
B90-B	93.0	\$53.94
B91-B	94.0	\$54.68
B92-B	95.0	\$55.54
B93-B	96.0	\$56.44
B94-B	97.0	\$57.06
B95-B	98.0	\$57.68
B96-B	99.0	\$58.30
B97-B	100.0	\$58.96
B98-B	101.0	\$59.32
B99-B	102.0	\$64.40
B100-B	103.0	\$60.20
B103-B	106.0	\$61.42
B105-B	108.0	\$62.70
B106-B	109.0	\$68.64
B108-B	111.0	\$64.94
B111-B	114.0	\$72.06
B112-B	115.0	\$67.70
B116-B	119.0	\$69.58
B117-B	120.0	\$76.76
B120-B	123.0	\$71.48
B123-B	126.0	\$78.90
B124-B	127.0	\$73.96
B126-B	129.0	\$80.96
B128-B	131.0	\$76.46
B133-B	136.0	\$80.26
B136-B	139.0	\$81.74
B140-B	143.0	\$84.00
B144-B	147.0	\$86.52
B148-B	151.0	\$95.42
B150-B	153.0	\$89.78
B154-B	157.0	\$98.76
B158-B	161.0	\$94.06
B162-B	165.0	\$97.80
B173-B	176.0	\$110.66
B180-B	183.0	\$116.06
B195-B	198.0	\$125.50
B205-B	208.0	\$133.48
B210-B	213.0	\$136.94
B270-B	273.0	\$178.64



BX COG BELT

- Precision molded raw edge construction; extra deep molded notches
- Oil and heat resistant; static conducting
- Outside width: 21/32"
- Thickness: 7/16"
- Inside length is belt size

Browning

Part No.	Outside Length (In.)	Price
BX27-B	30.0	\$27.60
BX28-B	31.0	\$28.18
BX29-B	32.0	\$28.76
BX30-B	33.0	\$29.34
BX31-B	34.0	\$35.26
BX32-B	35.0	\$30.48
BX33-B	36.0	\$31.06
BX34-B	37.0	\$31.68
BX35-B	38.0	\$32.30
BX36-B	39.0	\$34.00
BX37-B	40.0	\$34.78
BX38-B	41.0	\$35.56
BX39-B	42.0	\$36.26
BX40-B	43.0	\$36.88
BX41-B	44.0	\$38.06
BX42-B	45.0	\$38.76
BX43-B	46.0	\$39.34
BX44-B	47.0	\$40.08
BX45-B	48.0	\$41.24
BX46-B	49.0	\$42.02
BX47-B	50.0	\$42.68
BX48-B	51.0	\$43.30
BX49-B	52.0	\$44.00
BX50-B	53.0	\$44.58
BX51-B	54.0	\$45.24
BX52-B	55.0	\$45.74
BX53-B	56.0	\$46.06
BX54-B	57.0	\$46.52
BX55-B	58.0	\$46.84
BX56-B	59.0	\$47.18
BX57-B	60.0	\$47.50
BX58-B	61.0	\$47.84
BX59-B	62.0	\$48.12
BX60-B	63.0	\$48.46
BX61-B	64.0	\$49.12
BX62-B	65.0	\$49.76
BX63-B	66.0	\$50.38
BX64-B	67.0	\$51.04
BX65-B	68.0	\$51.70
BX66-B	69.0	\$52.36
BX67-B	70.0	\$52.86
BX68-B	71.0	\$53.32
BX69-B	72.0	\$54.10

Continued...

AIR DISTRIBUTION

FAN BELT

BX COG BELT (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
BX70-B	73.0	\$54.76
BX71-B	74.0	\$55.42
BX72-B	75.0	\$56.08
BX73-B	76.0	\$56.78
BX74-B	77.0	\$57.80
BX75-B	78.0	\$58.18
BX76-B	79.0	\$58.96
BX77-B	80.0	\$59.78
BX78-B	81.0	\$60.60
BX79-B	82.0	\$61.38
BX80-B	83.0	\$62.22
BX81-B	84.0	\$63.00
BX82-B	85.0	\$64.64
BX83-B	86.0	\$65.10
BX84-B	87.0	\$65.68
BX85-B	88.0	\$66.24
BX86-B	89.0	\$66.38
BX87-B	90.0	\$67.12
BX88-B	91.0	\$68.10
BX89-B	92.0	\$68.84
BX90-B	93.0	\$69.46
BX91-B	94.0	\$70.58
BX92-B	95.0	\$71.60
BX93-B	96.0	\$72.72
BX94-B	97.0	\$73.50
BX95-B	98.0	\$74.32
BX96-B	99.0	\$75.10
BX97-B	100.0	\$75.94
BX98-B	101.0	\$76.54
BX99-B	102.0	\$77.08
BX100-B	103.0	\$77.58
BX103-B	106.0	\$79.14
BX105-B	108.0	\$80.80
BX108-B	111.0	\$85.36
BX112-B	115.0	\$87.22
BX113-B	116.0	\$90.06
BX115-B	118.0	\$88.78
BX116-B	119.0	\$89.70
BX120-B	123.0	\$92.08
BX123-B	126.0	\$94.72
BX124-B	127.0	\$95.30
BX126-B	129.0	\$96.86
BX128-B	131.0	\$98.56
BX133-B	136.0	\$103.32
BX136-B	139.0	\$105.34
BX140-B	143.0	\$108.36
BX144-B	147.0	\$111.44
BX148-B	151.0	\$114.04
BX154-B	157.0	\$118.36
BX158-B	161.0	\$121.16
BX162-B	165.0	\$126.04
BX173-B	176.0	\$135.80

Continued...

BX COG BELT (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
BX180-B	183.0	\$142.42
BX191-B	194.0	\$172.26
BX195-B	198.0	\$177.12
BX210-B	213.0	\$193.22



C96-B

C, HEAVY DUTY

- Outside width: 7/8"
- Thickness: 9/16"
- Inside length is belt size

Browning

Part No.	Outside Length (In.)	Price
C55-B	59.2	\$81.86
C85-B	89.2	\$118.12
C96-B	100.2	\$135.42
C99-B	103.2	\$142.34
C105-B	109.2	\$145.88
C100-B	104.2	\$141.06
C111-B	115.2	\$159.36
C112-B	116.2	\$157.46
C115-B	119.2	\$161.54
C120-B	124.2	\$166.04
C128-B	132.2	\$176.92
C136-B	140.2	\$186.84
C144-B	148.2	\$181.40
C158-B	162.2	\$217.24
C162-B	166.2	\$221.94
C173-B	177.2	\$237.44
C195-B	199.2	\$268.50
C210-B	214.2	\$294.46
C240-B	244.2	\$330.68



CX75-B

CX COG BELT

- Outside width: 7/8"
- Thickness: 9/16"
- Inside length is belt size

Browning

Part No.	Outside Length (In.)	Price
CX60-B	64.2	\$104.32
CX68-B	72.2	\$117.88
CX75-B	79.2	\$129.46
CX81-B	85.2	\$141.06
CX85-B	89.2	\$142.84
CX90-B	94.2	\$154.26
CX96-B	100.2	\$163.78
CX109-B	113.2	\$188.20
CX112-B	116.2	\$193.22
CX128-B	132.2	\$217.08
CX158-B	162.2	\$266.60



3VX600-B

3VX, PREMIUM

- VX belts designed for newer high efficiency drive system
- Outside width: 3/8"
- Thickness: 5/16"

Browning

Part No.	Outside Length (In.)	Price
3VX250-B	25.0	\$26.62
3VX265-B	26.5	\$27.32
3VX280-B	28.0	\$28.02
3VX300-B	30.0	\$28.64
3VX315-B	31.5	\$30.04
3VX335-B	33.5	\$30.74
3VX355-B	35.5	\$31.48
3VX375-B	37.5	\$32.14
3VX400-B	40.0	\$34.16
3VX425-B	42.5	\$35.48
3VX450-B	45.0	\$36.30
3VX475-B	47.5	\$37.62
3VX500-B	50.0	\$38.28
3VX530-B	53.0	\$39.64
3VX560-B	56.0	\$40.92
3VX600-B	60.0	\$42.94
3VX630-B	63.0	\$44.20
3VX670-B	67.0	\$46.22
3VX710-B	71.0	\$47.66
3VX750-B	75.0	\$51.50
3VX800-B	80.0	\$53.44
3VX850-B	85.0	\$58.76
3VX900-B	90.0	\$64.28
3VX950-B	95.0	\$66.66
3VX1000-B	100.0	\$71.64
3VX1060-B	106.0	\$75.68
3VX1120-B	112.0	\$82.40
3VX1180-B	118.0	\$87.76



5VX960-B

5VX, PREMIUM

- VX belts designed for newer high efficiency drive system
- Outside width: 5/8"
- Thickness: 17/32"

Browning

Part No.	Outside Length (In.)	Price
5VX450-B	45.0	\$71.24
5VX470-B	47.0	\$74.40
5VX490-B	49.0	\$77.66
5VX500-B	50.0	\$79.22
5VX510-B	51.0	\$81.28
5VX530-B	53.0	\$82.44
5VX540-B	54.0	\$86.06
5VX550-B	55.0	\$85.44
5VX560-B	56.0	\$86.32

Continued...

5VX, PREMIUM (CONT'D.)

Browning

Part No.	Outside Length (In.)	Price
5VX570-B	57.0	\$85.78
5VX580-B	58.0	\$89.40
5VX590-B	59.0	\$90.92
5VX600-B	60.0	\$93.36
5VX610-B	61.0	\$94.92
5VX630-B	63.0	\$97.90
5VX650-B	65.0	\$101.10
5VX660-B	66.0	\$102.76
5VX670-B	67.0	\$104.36
5VX680-B	68.0	\$105.84
5VX690-B	69.0	\$107.50
5VX710-B	71.0	\$110.78
5VX730-B	73.0	\$114.04
5VX740-B	74.0	\$115.64
5VX750-B	75.0	\$117.22
5VX780-B	78.0	\$121.92
5VX800-B	80.0	\$124.92
5VX810-B	81.0	\$126.48
5VX830-B	83.0	\$129.62
5VX840-B	84.0	\$131.18
5VX850-B	85.0	\$134.60
5VX860-B	86.0	\$136.20
5VX880-B	88.0	\$139.38
5VX900-B	90.0	\$139.76
5VX930-B	93.0	\$146.92
5VX950-B	95.0	\$150.06
5VX960-B	96.0	\$151.62
5VX1000-B	100.0	\$158.46
5VX1030-B	103.0	\$163.28
5VX1060-B	106.0	\$168.10
5VX1080-B	108.0	\$171.26
5VX1120-B	112.0	\$177.74
5VX1150-B	115.0	\$182.56
5VX1180-B	118.0	\$187.42
5VX1230-B	123.0	\$195.28
5VX1250-B	125.0	\$199.04
5VX1320-B	132.0	\$209.96
5VX1400-B	140.0	\$221.54
5VX1500-B	150.0	\$238.30
5VX1600-B	160.0	\$254.42
5VX1700-B	170.0	\$270.52
5VX1800-B	180.0	\$287.24
5VX1900-B	190.0	\$303.98
5VX2000-B	200.0	\$320.74

AIR DISTRIBUTION

FAN BELT



GRIPTWIST

- Perfect for emergency replacement: Minimizes production downtime because it assembles and installs immediately for any length required.
- Vibration free: Premium Griptwist Belts have no equal in suppressing troublesome vibration. Because of

their extremely close tolerances, they create and transmit up to 90% less vibration than classical endless V-belts.

Browning

Part No.	Description	Price
2708030	Adjustable Belt, "A" Groove, 5'	\$135.02
2708048	Adjustable Belt, "B" Groove, 5'	\$152.12
2708055	Adjustable Belt, "3L" Groove, 5'	\$144.32



TENSION TOOL

Indicates tension on all V-belt drives (3L, 4L, 5L, A, B, C, D, 3V, 5V and 8V). Compact, spring-loaded design. Easy to operate; instructions included. Adjustable for 10" to 170" belt span and up to 35 pounds of tension.

Browning

Part No.	Description	Price
1302546	V-Belt Tension Tool	\$159.20



BELT JACK

Designed to set belt tension and to help align pulleys on all belt driven units including blower motors, compressors, transmissions, and automotive components.

Supco

Part No.	Description	Price
BJ10	Belt Jack	\$57.50

CONDENSER PAD



QWIKHURRICANE™ PAD


QwikPad® for Condensers is a lightweight, easy-to-install condenser pad that meets wind loading requirements up to 180 mph. Includes corrosion-resistant stainless steel tie-down assemblies to secure the outdoor unit to the pad.

Contains a super absorbent material that acts as a unique gelling agent... Once water is added, it forms a solidus gel that provides freeze protection.

Material: Linear Low Density Polyethylene (LLDPE)

Solutions Through Advanced Technology
MAINSTREAM
ENGINEERING

Part No.	Width (In.)	Length (In.)	Thickness (In.)	Price
QT8036	36	36	4	\$171.66
QT8040	40	40	4	\$188.84



RECTANGULAR, PLASTIC

Part No.	Width (In.)	Length (In.)	Thickness (In.)	Price
PAP24X24	24	24	2	\$34.10
PAP24X36	24	36	2	\$51.02
PAP30X30	30	30	2	\$54.64
PAP30X36	30	36	2	\$63.56
PAP30X40	30	40	2	\$76.98
PAP36X36	36	36	2	\$76.98
PAP36X40	36	40	2	\$86.12
PAP36X48	36	48	2	\$101.84
PAP18X38X3	24	38	3	\$54.84
PAP24X24X3	24	24	3	\$37.50
PAP24X36X3	24	36	3	\$79.30
PAP30X30X3	30	30	3	\$60.98
PAP32X32X3	32	32	3	\$76.92
PAP36X36X3	36	36	3	\$84.86
PAP36X40X3	36	40	3	\$94.62
PAP36X48X3	36	48	3	\$111.72
PAP38X42X3	38	42	3	\$153.10
PAP52X52X3	52	52	3	\$268.96




UL36X36

RECTANGULAR, CONCRETE SHELL

A concrete shelled pad with the weight of plastic, strengthened by a fiber-cement coating, flexes instead of cracking or breaking. The textured surface prevents unit slide and allows water drainage, while the engineered core prevents warping and provides a solid bottom to resist settling. Unaffected by soil conditions, UV, temperature extremes, and other weather conditions.

Part No.	Width (In.)	Length (In.)	Thickness (In.)	Price
UL16X36	16	36	2	\$34.98
UL24X24	24	24	2	\$40.36
UL24X36	24	36	2	\$49.66
UL26X36	26	36	2	\$49.66
UL36X40	36	40	2	\$100.58
UL36X48	36	48	2	\$126.46
UL24X24X3	24	24	3	\$49.02
UL30X30X3	30	30	3	\$60.44
UL32X32X3	32	32	3	\$63.66
UL36X36X3	36	36	3	\$83.36
UL36X48X3	36	48	3	\$96.80
UL38X42X3	38	42	3	\$133.26
UL40X42X3	40	42	3	\$120.98



HURRICANE PAD™ - T CLASS

Designed for higher wind loads - up to 175 MPH. Ideal for South Florida and other heavily threatened areas, the T Class Hurricane Pads are heavier and provide additional concrete for superior anchor pullout strength.

- Steel reinforced
- 3,000 psi minimum concrete, mandatory to meet strict anchor pullout requirements
- Much lighter than solid concrete
- Easier to install
- Will not float (unlike air filled pad)
- Uses standard Tapcon™ brand screws and no inserts are necessary
- Superior screw pullout strength



Part No.	Width (In.)	Length (In.)	Thickness (In.)	Price
HT1840-4	18	40	4	\$87.96
HT2436-4	24	36	4	\$108.22
HT3030-4	30	30	4	\$117.04
HT3232-4	32	32	4	\$132.80
HT3636-4	36	36	4	\$161.24
HT3648-4	36	48	4	\$214.70
HT3842-4	38	42	4	\$192.80
HT4040-4	40	40	4	\$201.84
HT4242-4	42	42	4	\$230.28
HT4558-4	45	58	4	\$370.62

UNIT ELEVATOR



4005S

UNIT ELEVATOR

- Elevates heat pumps and air handling units
- Made of corrosion-resistant plastic
- Allows better condensate drainage
- Helps prevent corrosion of metal base
- Absorbs vibration and noise
- Polymeric mastic included with each unit
- Solid 6" x 6" mounting base
- Top diameter: 4 1/8"



Part No.	Description	Box Qty	Price
4005S*	3" Pump-up	32	\$6.28
4008S*	6" Pump-up	16	\$8.56



FMB1

FURNACE MOUNTING BLOCK

- Easy peel and stick installation
- Each block can support 300 lbs.
- Holds furnace off floor to prevent moisture and rust of furnace panels
- Absorbs vibration and noise



Part No.	Description	Price
FMB1	Mounting Block	\$9.16



EL10

EASY LEVELER FURNACE LEGS

Four sturdy bolt-adjusted leg extensions supplied with mounting materials. Simply turn the lag bolted insert clockwise or counter clockwise to raise or lower each corner of the furnace.

- Mounting hardware included
- Adjustments made with standard wrench



Part No.	Description	Price
EL10	Easy Leveler Furnace Legs (4)	\$33.84

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

AIR DISTRIBUTION

DRAIN PAN



DP2748L

SECONDARY, PLASTIC

- Rolled edges for durability
- Ribbed bottoms for rigidity
- Reinforced corners for strength
- 3/4" PVC fittings attached to each pan
- No seams, no rust, no leakage
- Depth 2"; Overall dimension + 2"

- "S" suffix = Drain line outlets in short sid
- "L" suffix = Drain line outlets in long sid



Part No.	Width (In.)	Length (In.)	Price
DP1838S	20	40	\$43.54
DP2424L	26	26	\$42.04
DP2748L	29	50	\$54.74
DP2763L	29	65	\$68.44
DP3030L	32	32	\$40.52
DP3060L	32	62	\$72.46
DP3263L	34	65	\$73.76
DP3050L	32	52	\$68.84
DP3660L	38	62	\$95.84



SAFT1

SAFE-T-SWITCH®

The Safe-T-Switch® Models SS1 and SS2 detect down stream clogs in condensate drains and interrupt the thermostat circuit to shut off the unit before flooding occurs. This product can also be installed to activate an alarm circuit. The Model SS1 installs

inline at any downward slope from vertical to horizontal. It can also be installed on auxiliary pan outlets utilizing the plug included with the kit. Model SS2 installs primarily in drain pan outlets but can be used inline with the addition of a 3/4" tee. Float resets automatically and won't stick in the OFF position after the drain is cleared, saving callbacks. Model SS3 mounts to the auxiliary drain pan; minimum pan depth 1 3/8". Package includes snap on mounting bracket, mounting nuts, 1/4" hex head self-drilling sheet metal screw, pre-wired 6', 18 gauge lead wires, instructions and warning sticker.

- Safe-T-Switch® is UL Listed to comply with most applicable building codes
- Package includes 4', 18 gauge lead wires
- SS1 also includes 3/4" Schedule 40 PVC slip plug and bushing



Part No.	Description	Price
SAFT1	SS1, Inline T	\$43.56
SAFT2	SS2, Terminal 90°	\$37.54
SS3	Drain Pan Auxiliary Switch	\$21.84

AIR CLEANER



F100F1620

MEDIA

- High efficiency media filter capture particles as small as 0.3 microns
- Applicable to all gas, oil and electric forced air furnaces and to compressor cooling up to 5 tons
- Mounts in the return air duct

- Rugged zinc-coated, roll-formed cabinet resists corrosion and can support weight of residential furnace and evaporator coil
- Requires no electrical connections.
- Mounts in any position
- Requires no maintenance except periodic media filter replacement
- Quick and easy media filter replacement
- Later upgrade to higher performing media or electronic air cleaner is easy
- Includes; cabinet, access door and MERV 11 filter

Honeywell Home

Part No.	CFM	Media Size (In.)	Price
F100F1620	1200	16 x 20	\$214.48
F100F1625	1400	16 x 25	\$214.48
F100F2020	1400	20 x 20	\$214.48
F100F2025	2000	20 x 25	\$214.48



FC100A

REPLACEMENT MEDIA

Honeywell Home

Part No.	Description	Price
FC100A1003	Replacement media, F100, 16x20", MERV10	\$49.72
FC2200A1009	Replacement media for 2200	\$49.94
FC200E1003	Replacement charged media, F200, 16x20", MERV13	\$77.72
FC2400A1005	Replacement media for 2400	\$49.94
FC100A1011	Replacement media, F100, 20x20", MERV10	\$49.72
FC200E1011	Replacement charged media, F200, 20x20", MERV13	\$77.72
FC100A1029	Replacement media, F100, 16x25", MERV10	\$49.72
FC200E1029	Replacement charged media, F200, 16x25", MERV13	\$77.72
FC100A1037	Replacement media, F100, 20x25", MERV10	\$49.72
FC200E1037	Replacement charged media, F200, 20x25", MERV13	\$77.72
FC100A1052	Replacement media, F100, 12.5x20", MERV10	\$49.72



F300E1027

ELECTRONIC

- Available in five sizes to fit most ducts; adapts to airflow from either side
- Solid state power supply is self regulating and maintains peak efficiency during a wide range of cell dirt loading conditions

- Fractional efficiency
70% (0.3 micron 500 fpm)
90% (1 micron 500 fpm)

Honeywell Home

Part No.	Voltage	CFM	Nominal Opening (In.)	Wgt (Lbs.)	Price
F300B2012	240	875	20 x 12 1/2	25.0	\$1,120.40
F300E1001	120	1200	16 x 20	30.0	\$1,133.18
F300E1019	120	1400	16 x 25	33.0	\$1,173.94
F300E1027	120	1400	20 x 20	33.0	\$1,173.90
F300E1035	120	2000	20 x 25	38.0	\$1,318.58



209989

F50/F300 FILTER

Honeywell Home

Part No.	Description	Price
209989	Pre-filter for 16" x 20" F50, F300	\$62.86
203371	Pre-filter for 16" x 25" F50, F300	\$65.08
203373	Pre-filter for 20" x 20" F50, F300	\$62.86
203372	Washable Pre-filter for 20" x 25" and 20" x 12 1/2" F50, F300	\$65.08
50000293-001	16" x 10" Post Filter for 16" x 20" F300, F50	\$47.72
50000293-002	16" x 12 1/2" Post Filter for 16" x 25" F300, F50	\$47.72
50000293-003	20" x 10" Post Filter for 20" x 20" F300, F50	\$47.72
50000293-004	20" x 12 1/2" Post Filter for 20" x 25" and 20" x 12 1/2" F300, F50	\$47.72



5000

WHOLE HOUSE

The Aprilaire Model 5000 Air Purifier is the only air purifier that captures more than 98% of dirty indoor air.

- It traps and kills:
99% of all airborne pollen, mold and spore-sized particles
98% of bacteria-sized particles

80% of virus-sized particles down to 0.01 micron in size.

- Performs 24 hours a day or on demand
- Prevents dust build up
- Includes air cleaner controller
- Improves energy savings

Aprilaire
Trusted Solutions for a Healthy Home™

Dimensions (In.)					
Part No.	H	W	D	Max. Resistance (In.) WC at CFM	Price
5000	17 3/4	31 1/8	11 1/2	.29" 2,000	\$1,328.94

Part No.	Description	Price
RP501	Replacement Media for 5000	\$79.66



2210

MEDIA, DUCT MOUNT

The 1000 Series (MERV11) provides highly efficient, whole-home air cleaning and effective removal of pollen and mold:

- Removes 94% of pollen and mold
- Removes 72% of airborne bacteria and fungi

- Removes 56% of dust particles
- Permanently traps indoor allergens that can lead to respiratory problems
- RP1610 is designed for easy installation in upflow H AC systems with right or left returns
- The 2000 Series (MERV13) is the best choice for homeowners who suffer from allergies.
- Traps 98% of visible airborne dust and other large particles
- Permanently captures at least 97% of airborne pollen-sized particles
- Provides more than 10 times the filtering media used in standard 1" furnace filter

Aprilaire
Trusted Solutions for a Healthy Home™

Part No.	Dimensions (In.)			Filter Area (Sq Ft)	Resistance (In.) W.C. @ CFM		Price
	H	W	D		Min.	Max.	
RP1210	22.06	27.38	6.75	31.4	.04" 600	.22" 2,000	\$199.66
RP1310	20.38	22	6.75	19.4	.07" 600	.25" 1,400	\$199.66
RP1410	17.75	30	6.75	28.3	.05" 600	.27" 2,000	\$199.66
RP1510	31	30	6.75	43.5	.04" 1,000	.19" 3,000	\$269.68
RP1610	17.8	30.1	15.7	28.3	.05" 600	.27" 2,000	\$316.16
2210	22.06	27.38	6.75	31.4	.06" 600	.35" 2,000	\$257.12
2310	20.38	22.06	6.75	19.4	.09" 600	.23" 1,200	\$257.12
2410	17.75	30	6.75	28.3	.06" 600	.37" 2,000	\$257.12

Part No.	Description	Price
RP213	Replacement Media (MERV13) for 4200, 2210	\$87.72
RP413	Replacement Media (MERV13) for 4400, 2410	\$80.20

AIR CLEANER



2250

MEDIA, SURFACE MOUNT

Designed for installation where a single central return air duct is used. It is easily surface-mounted in the location normally occupied by the return air grille of the central heating/cooling system. It may be installed in the wall or ceiling, making it equally adaptable for

use with closet or attic installations. The only visible part of the installed unit is the attractive aluminum grille.

Technical Note

For commercial application, maximum recommended airflow per unit is 1,000 CFM.



Part No.	Dimensions (In.)			Filter Area (Sq Ft)	Resistance (In.) W.C. @ CFM		Price
	H	W	D		Min.	Max.	
2250	22 3/4	27 3/4	9 1/4	78.6	.05" 600	.27" 2,000	\$693.32



2275

MEDIA, PORTABLE

The portable Space-Gard provides high efficiency air cleaning in single rooms in an average room up to 4 air changes per hour. Two fan speeds adapt unit to various room conditions.



Part No.	Dimensions (In.)			Filter Area (Sq Ft)	CFM	Voltage	Price
	H	W	L				
2275	13 3/4	11 7/8	11 7/8	10.8	100 to 140	120	\$521.74

Part No.	Description	Price
RP0275	Replacement Media for 2275	\$47.32

AIR SCRUBBER



FN1AAF

OPTICLEAN NEGATIVE AIR MACHINE AND AIR SCRUBBER

The OptiClean™ negative air machine is a portable solution primarily designed to help convert normal hospital rooms into Airborne Infectious Isolation (AII) rooms. Designed to ASHRAE Standard 170 for Ventilation of Health Care

Facilities, the OptiClean™ uses highly efficient filters and a heavy duty, yet quiet, motor to remove contaminated air from the room. The resulting negative air pressure, or "vacuum effect," helps limit the spread of air-based contaminants into surrounding areas. If negative pressure is not required, such as in an open-air, temporary hospital, a business location or home, the machine can be used as an air "scrubber"; pulling air in, removing many contaminants, and discharging cleaner air back into the room. The unit can be operated either vertically as shown, or horizontally.

- 99.97% efficient long-life HE A filter removes particles as small as 0.3 microns
- Standard MERV 7 or higher pre-filter
- Meets or exceeds ASHRAE Standard 170: Ventilation of Health Care Facilities
- Vertical design for smaller footprint compared to many competitors, and can be mounted and operated horizontally when necessary
- Portable and adaptable to nearly any location
- Heavy duty locking casters for easy and smooth transport
- HEPA filter rack and sealing design meet air leakage requirements
- Red lighted indicator to alert user when filters are overloaded (generally means pre-filter requires replacement)
- Green ON/OFF switch illuminates to verify when running
- 3-second motor start delay
- 3-speed selector switch on 006 and 015 models for various air flow ranges
- 10-foot long power cord with strain relief
- Galvanized steel, pre-painted cabinet is fully insulated
- UL® Listed
- One year limited warranty



Part No.	Motor HP	RPM	Dimensions (In.)			Volt	Price
			H	W	D		
FN1AAF005000	3/4	1500	49 5/8	17 5/8	22 1/16	115	\$3,862.06
FN1AAF015000	1	1500	53 7/16	21 1/8	22 1/16	115	\$4,193.10

FRESH AIR VENTILATION SYSTEM



VNTseries

TRUEBREEZE BALANCED VENTILATION SYSTEM

- Removable duct collars
- Simplified balancing
- Adjustable hanging straps
- Centralized wiring and speed control

- Compact size
- ENERGY STAR® rated
- Meets ASHRAE 62.2 standards
- 5-Year warranty

Honeywell Home

Part No.	Recovery	CFM	Price
VNT5150H1000	Heat Only	150	\$1,697.68
VNT5150E1000	Energy	150	\$2,097.16
VNT5200H1000	Heat Only	200	\$1,930.70
VNT5200E1000	Energy	200	\$2,829.48



8100

RECOVERY VENTILATOR

- Unit capacity: Handles up to a 3,600 sq. ft. home (calculated to include natural infiltration and mechanical ventilation per ASHRAE Standard 62-89.)
- Free air flow: 150 CFM each air stream
- Design air flow: 120 CFM 3" .g. external duct resistance, i.e. 240 equivalent ft. for each of the fresh and stale air streams
- Electrical usage: 120 Vac, 60 Hz, 1.4 Amps

Aprilaire

Trusted Solutions for a Healthy Home™

Part No.	Voltage	Dimensions (In.)			Wgt (Lbs.)	Price
		H	W	D		
8100	120	20 9/16	37 3/8	12 3/4	76.0	\$2,523.94



W8150A1001

VENTILATOR CONTROL

The control operates a fresh air intake damper and, when necessary, activates the main HVAC blower to efficiently meet ASHRAE ventilation rates.

- Designed to help meet local ventilation codes and standards, including ASHRAE 62.2-2003

standard, Ventilation and Acceptable Indoor Air Quality in Low-Rise Residential Buildings.

- Microcontroller optimizes the air delivery schedule to make efficient use of normal HVAC run times.
- Easy-to-use input dials allow customized ventilation for each installation.
- Test mode that includes immediate feedback to installer to confirm that air delivery requirements of selected ventilation standard are being met.
- Economical supply-only ventilation; works with forced air system.
- Can be used with other equipment, such as an HRV/ ERV, for balanced ventilation.
- Airflow: 50 to 160 CF
- Includes: W8150 Fresh Air Ventilation Control, Mounting Hardware, Homeowner Information Label

Honeywell Home

Part No.	CFM	Use with	Price
W8150A1001	50 to 160	EARD6; ER200; BER200; CER150; BHR200; BHR150B	\$179.96



Y8150A1017

VENTILATION SYSTEM WITH TRUEZONE DAMPER

- Designed to help meet local ventilation codes and standards, including ASHRAE 62.2-2010 standard, Ventilation and Acceptable Indoor Air Quality in Low-Rise Residential Buildings.

- Smart Control optimizes air delivery by syncing ventilation calls with heating/cooling
- Easy-to-use input dials allow customized ventilation for each installation
- Test mode that includes immediate feedback to installer to confirm that air delivery requirements of selected ventilation standard are being met.
- Economical supply-only ventilation; works with forced air system.
- Can be used with other equipment, such as an HRV/ ERV, for balanced ventilation.
- Includes: W8150 Ventilation Controller (W8150A1001), 24V Transformer (AT120B1028) and TrueZONE Damper/Actuator (EARD6TZ)

Honeywell Home

Part No.	CFM	Price
Y8150A1017	50 to 160	\$413.08

ULTRAVIOLET BIOCIDES



BLUQR

BLU QR® UV STICK LIGHT

BLU QR® features an exclusive quick-release lamp, which requires no tools for the lamp replacement. It comes standard with four easy-to-install mounting options right in the box, including the magnetic mount, through panel mount, bracket mount and direct mount.

The patented BLU QR® economically provides UV light disinfection and protection to the AC coil surfaces from bacteria, viruses, mold and mildew growth and odor. This results in a cleaner and more efficient energy-saving system.

The 24 VAC ballast is designed to be mounted either in the air handler control panel itself or external to the HVAC air handler unit. The BLU QR® UV treatment system utilizes a standard germicidal wavelength lamp for safe dependable disinfection and protection of AC Coil surfaces from bacteria, viruses, mold growth and foul odors, resulting in a cleaner, more energy efficient system.

All electrical connections in the BLU QR® are IP 67 and completely waterproof, submersible up to six (6) feet, and dustproof with carbon impregnated UV resistant components and tubing. The smaller U Bracket footprint makes the BLU QR® ideal for tight fitting spaces. The high efficiency 24 volt ballast box comes included with an LED integrated lamp status indicator and lens to show the unit is operational for easy maintenance and a high-quality long life UV lamp.

To better treat the air conditioned space in the home, office or plant, we recommend installing the BLU QR® in conjunction with the RGF's Guardian Air QR or REME HALO® in duct systems.

- Kills mold, mildew and bacteria on AC coils
- Quick release lamp replacement
- Small U Bracket Footprint for tight-fitting installation
- Reduces AC maintenance
- Helps AC run more energy efficient and can increase life of your central AC unit
- Low operating cost
- Helps reduce musty, moldy smells from AC
- Control Odors



Part No.	Description	Price
BLUQR	Quick release AC coil ultraviolet treatment system, 1 year warranty	\$193.20



UV100A

STANDARD

- UV-C light kills airborne and surface bacteria
- UV lamp does not produce ozone
- Easy lamp maintenance with quick and easy lamp replacement

- Sealed unit design prevents accidental installer and homeowner contact with high voltage and ultraviolet rays
 - Safe design prevents lamps from lighting unless the base is correctly mounted on the HVAC duct
 - Light pipe to safely view the lamp operation
- Power: 120 Vac

Honeywell Home

Part No.	Use with	Price
UV100A1059	Return Air, Coil	\$390.94



UV100E

ENVIRACARE

- Extended lamp life
- SmartLamp™ Control Algorithm determines optimal UV lamp usage, extends lamp life 5 times, lowers operating costs
- SmartLamp™ LED shows lamp life and replacement

- Reduced power consumption
- Communicates with other home appliances through Envirocom™ three-wire communications bus
- Automatic brownout and high temperature protection for UV lamps
- Return air models supplied with integrated airflow sensor to monitor air flowing through ductwork timer after lamp replacement with extended five-second hold
- UV-C light kills airborne and surface bacteria
- UV lamp does not produce ozone
- Easy lamp maintenance with quick and easy lamp replacement
- Sealed unit design prevents accidental installer and homeowner contact with high voltage and UV rays
- Safe design prevents lamps from lighting unless the base is correctly mounted on the HVAC duct
- Light pipe to safely view the lamp operation
- Five-year limited warranty

Honeywell Home

Part No.	Use with	Price
UV100E1043	Return Air, 1 Lamp	\$677.82



UC100E1006

REPLACEMENT BULBS

Honeywell recently received information that some UV100RM1 products may be experiencing premature bulb failures in the field, specifically a bulb failure in less than 12 months. If the bulb fails, the UV device is not effective for its intended use. Please contact your

local United branch to return faulty devices.

Honeywell is working on resolving this issue.

Honeywell Home

Part No.	Use with	Price
UC100E1006	UV100E1043, UV100E1001	\$172.86
UC100E1030	UV100E3007, UV100E1035	\$192.08



UV12

UV-AIRE®

- New design incorporates a hinged cover for easy accessibility
- Includes patent pending angle bracket and duct board mounting kit
- UV18HP for heat pump applications; 240V
- UV18X includes 2 lamps for greater coverage area



Part No.	Nb. of Lamps	Min. Duct Width (In.)	Voltage	Watts	Area Treated (Sq Ft.)	Price
UV12	1	9	115/1/60	30	1500	\$394.06
UV18	1	14	115/1/60	30	2000	\$444.60

AC/HEAT DUCT AIR PURIFICATION SYSTEM



Standard Kit

UV AIR DISINFECTION SYSTEM

An easy retro-fit system for all existing air-conditioning units, to treat and protect the air, by constant UV disinfection, every time it passes through the unit.

Standard kit includes:

- LED Driver: designed to power & connect only to BlueScience auxiliary items, warranty is void if anything else is powered from the LED Driver. Can be fitted in multiple locations: below drip tra , inside ducting, above ceiling.
- 100 m Extension Cable
- 70 m UV-c 18 LED Strip: can be cut to any desired length.
- Storefront Display Sticker
- AC Unit Safety Seal
- Installation Guide

The Pro-Kit is a quick and easy way to simply enhance the UV-c dosage from the LED Driver.

First purchase the Standard Kit and install the LED Driver & 700mm LED Strip. The Pro-Kit can then be added by adding the splitter (supplied with the Pro-Kit). Then connect the 700mm LED Strip (supplied with the Standard-Kit) and 1000mm LED Strip (supplied with the Pro-Kit) into the splitter.

The increased number of LED's; 48 in total, 18 (Standard Kit) + 30 (Pro-Kit), it massively ramps up the UV-c dosage rate.

Pro Kit Includes:

- 100 m 30 UV-c LED Strip: can be cut to any desired length.
- 100 m Extension Cable
- LED Split Connector
- Storefront Display Sticker



Part No.	Voltage	Description	Price
X07003	100-230	Standard Kit	\$400.00
X07004PRO	100-230	Pro Kit	\$300.00



UV AIR DISINFECTION SYSTEM

Treat and protect the air, by constant disinfection.



UV LIGHT



KILLS VIRUSES



NEUTRALISES ODOURS



AVAILABLE FROM:



UNITED REFRIGERATION INC.

NEW

PRODUCT LAUNCH

+1 770 831 1122
www.bluescience.us

AC/HEAT DUCT AIR PURIFICATION SYSTEM



TZAPKG

MAGNETIC MOUNT PACKAGE

The Photohydroionization™ "HI" Package Unit is designed to eliminate sick building syndrome risks by reducing odors, air pollutants, VOCs, smoke, mold bacteria and viruses. Designed specifically for package systems and utilizes adjustable

magnetic feet to attach without fasteners to the blower unit itself making installation as trouble free as possible. This 24V model connects directly into the control box of the HVAC unit.

Application: small package products, vertical stack units, roof tops, gas package products, anywhere ductwork is inaccessible

- 24 VAC
- Aluminum housing
- 2.25" W x 1.75" D



Part No.	CFM	Tonnage	Dimensions (In.)			Price
			W	L	D	
TZAPKG5	250 - 1200	Up to 3.5 Ton	2.25	10.5	1.75	\$756.00
TZAPKG9	1200 - 3000	3.5 to 7.5 Ton	2.25	13.5	1.75	\$826.00
TZAPKG14	3000 - 8000	7.5 to 20 Ton	2.25	18.5	1.75	\$1,061.20



ClearSkyDM


SELF-CLEANING ION GENERATOR

Developed to produce bi-polar ions in the conditioned space of homes and commercial buildings. This system has separated quad ion emitters for superior bi-polar ionization. The RGF CLEAR SKY reduces particulates, allergens, smoke, bacteria, viruses and mold spores.

- MAINTENANCE FREE - Continuous sonic self-cleaning ion emitters
- Very low energy consumption (only 1 watt)
- Low cost treatment option
- Reduces Bacteria, Molds, and Viruses
- Reduces Odors and Particulates
- Whole House Quad-Polar Ionization Unit
- Patent-pending dual cleaning technology combining ultrasonic energy with induced oscillation targeting
- Improves Indoor Air Quality (IAQ) of treated spaces



Part No.	Application	Voltage	Description	Price
CLEARSKYDM	In-Duct HVAC units	24 Vac	7" L x 4" W x 2.75" H	\$221.20
CLEARSKYMS	Mini-split HVAC units	100-277 Vac	7" L x 3.5" W x 1.5" H	\$221.20



HALOLED

HALO-LED WHOLE HOME IN-DUCT AIR PURIFIER

The HALO-LED™ is the industry's first LED in-duct, whole home air purification system that is both mercury free and zero ozone compliant. The REME-LED™ proactively treats every cubic inch of air conditioned space, reducing airborne

and surface contaminants and pollutants through bi-polar ionization and revolutionary, patent pending, REME-LED™ technology.

- New REME-LED technology utilizing RGF's patented PHI and REME® technologies providing superior indoor air purification
- New hybrid hydrophilic catalyst incorporating the industry's first washable ceramic catalyst
- Includes automatic self-cleaning ionizers with carbon fiber brushes to reduce particulates (Patent Pending)
- Unlimited cycling capability designed to turn on/off with the HVAC system
- 24 VAC/DC input (24 VAC transformer included)
- Long-life replaceable LED cell module with 2.5x longer life than current mercury vapor UV lamp technologies
- Industry's first washable catalyst for high load environments (ie. cigar bars, smoking rooms)
- Reduces airborne and surface microbials, bacteria, viruses, and mold
- Reduction of smoke, odors, VOCs, allergens, dust, and particulates
- Seven-year limited warranty



Part No.	Application	Voltage	CFM	Price
HALOLED	Residential	24 Vac	1000 - 6500	\$1,106.66



TZAPHALO

TZAP HALO


The TZAP HALO is designed to eliminate sick building syndrome risks by reducing odors, air pollutants, VOCs, smoke, mold, bacteria and viruses. Easily mounted into air conditioning and heating systems air ducts where most sick building problems

start. When the HVAC system is in operation, the TZAP HALO unit creates an Advanced Oxidation Plasma consisting of Ionized Hydroperoxides, Super oxide ions and Hydroxide ions ("Friendly Oxidizers"). The outer housing has also been updated to be more efficient as the air flows around it in the HVAC plenum. Another new feature is a twist lock system that allows the electronics housing or head to be removed along with the Cell without having to remove the mounting flange from the plenum.

- Increased Ionized Hydro-Peroxide Output
- New Enhanced Catalyst With Zinc For Faster Kill Rates
- Easier, Faster, No Tool Cell Replacement
- Kills 99% of sneeze germs within 3 feet
- New Zinc ions kills 99% of viruses on surfaces



Part No.	Application	Voltage	CFM	Price
TZAPHALO	Residential/Light Commercial	24 Vac	1000 - 6500	\$1,047.20



CML-COMMERCIAL PHI UNIT

The CML Commercial PHI Unit by RGF® is designed for large commercial and industrial buildings and is effective at eliminating Sick Building Syndrome (SBS) and Dirty Sock Syndrome (DSS) risks.

The modular design of the CML's will allow greater versatility in regards to CFM's required. Occupants in buildings with an HVAC unit capacity exceeding 25 tons will benefit from breathing clean, fresh air, with sanitized duct systems and conditioned spaces.

Reduces surface and airborne bacteria, mold, odors, viruses and VOCs

- Recommended cell replacement: 18,000-25,000 hrs.
- Material: Stainless steel / Polymers
- 100-277 Vac
- Warranty: 1 year



Part No.	CFM	Tons	L (In.)	Length of Cells	Nb. of Cells	Price
CML25	9730	25	20 (Housing)	14"	1	\$2,016.00
CML50	19460	50	20 (Housing)	14"	2	\$3,133.32
CML90	34750	90	35 (Housing)	35" and 14"	(1) 35" cell, (1) 14" cell	\$4,133.34
CML65	25020	65	35 (Housing)	35"	1	\$2,976.00
CML115	44480	115	35 (Housing)	35" and 14"	(1) 35" cell, (2) 14" cells	\$5,973.34



WAVE®-C COMMERCIAL AIR CLEANER

iWave-C is a self-cleaning, bi-polar ionization generator for actively treating a building's air quality that does not require replacement parts in a year or two like competing UV lights or other ionizer technologies. In addition, the

iWave-C produces and maintains unparalleled ionization output and capabilities. As the air flows past the iWave-C, the device emits positive and negative ions, creating a plasma region that actively purifies the supply air, killing mold, bacteria and viruses in the coil and living space. The ionization process also reduces allergens, smoke and static electricity, as well as controlling odors (cooking, pet, VOCs) and other particles (no more sunbeams) in the air without creating ozone or any harmful byproducts.

Although suitable for residential applications, the original iWave-C is specially designed for light commercial systems up to 12 tons (4800 CFM) with no maintenance or replacement parts needed. iWave-C can be easily duct-mounted indoors or outdoors, depending on the application. iWave-C always works at peak performance, producing over 200 million ions/cc per polarity (400 million total ions/cc), making it superior to other market approaches. Special features include a programmable self-cleaning cycle, waterproof housing, digital display (for on-site visual monitoring) and integral alarm contact (for remote monitoring). In the event the ion emitters become damaged or wear out (after years of service), they can be replaced on the iWave-C model.

Three Year Limited Warranty Nu-Calgon offers a three year limited warranty on iWave products. For a valid warranty claim within three years, proof of purchase and proof of installation by a licensed HVAC or Electrical contractor must be provided. See full warranty at iwaveair.com for complete details.

- Needle point ionization actively treats air in homes and buildings
- Duct-mount install for systems up to 12 tons (4800 CFM)
- Includes waterproof housing for installation indoors or outdoors
- Universal voltage input -24VAC-240VAC
- Kills mold, bacteria and viruses
- Reduces allergens, odors, smoke, static electricity and other airborne particles
- Keeps coil cleaner



Part No.	Tonnage	CFM	Voltage	Dimensions (In.)			Price
				H	W	D	
490010	12	4800	24 to 240 Vac	7	4	7	\$1,338.60

SEE LIVE INVENTORY AT ALL OF OUR BRANCHES NATIONWIDE ON

uri.com

with the check stock feature

Find Out How

AC/HEAT DUCT AIR PURIFICATION SYSTEM



WAVE®-R AIR PURIFIER

No maintenance air purifier for residence - tial air conditioning systems

- Patent-pending self-cleaning design ensures ongoing peak performance
- Needle point ionization actively treats air in the living space

- For duct systems up to 6 tons (2400 CFM)
- Universal mounting with magnets
- Flexible design with no replacement parts
- Kills mold, bacteria and viruses
- Reduces allergens, odors, smoke, static electricity and other airborne particles
- Keeps coil cleaner
- Alarm contact option for secondary notificatio
- Programmable cleaning cycle
- Three-year warranty



Part No.	Tonnage	CFM	Voltage	Dimensions (In.)			Price
				H	W	D	
490020	6	2400	24 - 240 Vac	6	4.8	2	\$859.90



WAVE®-V VORTEX AIR CLEANER

iWave-V is a low-maintenance, bi-polar, high-output ion generator designed specifically for treating air in residential duct A/C systems (but could be used in other air conditioning applications). As the air flows past the iWave-V, positive

and negative ions actively purify the supply air, killing mold, bacteria and viruses in the coil and living space. The ionization process also reduces allergens, smoke and static electricity, as well as controlling odors (cooking, pet, VOCs) and other particles (no more sunbeams) in the air without creating ozone or any harmful byproducts.

iWave-V treats the air in residential duct air conditioning systems up to 6 tons (2400 CFM) in size (or other appropriate A/C applications). Designed for universal mounting, the iWave-V typically is easy to install inside or outside of duct, or can be attached magnetically near the indoor fan. Install between air filter and cooling coil to treat the indoor coil; as an alternative, the iWave-V can be installed in supply air.

Three Year Limited Warranty Nu-Calgon offers a three year limited warranty on iWave products. For a valid warranty claim within three years, proof of purchase and proof of installation by a licensed HV AC or Electrical contractor must be provided. See full warranty at iwaveair.com for complete details.

- Needle point ionization actively treats air in the living space
- For systems up to 6 tons (2400 CFM)
- Installs in minutes with universal mounting options and integrated magnets
- Kills mold, bacteria and viruses
- Reduces allergens, odors, smoke, static electricity and other airborne particles



Part No.	CFM	Voltage	Dimensions (In.)		Description	Price
			H	W		
490040	2800	24 Vac	2.5	2.0	4" Diameter	\$708.56



WAVE®-M AIR PURIFIER

iWave-M is a flexible ion-generating ba that can treat IAQ in nearly any HV AC application. The air purifier provide the highest level of ionization energy in the most compact size available in the market, producing 35 milli on ions/cc. The highly v ersatile iWave-M is

low maintenance with no replacement parts. As the air flows past the iWave-M, the device emits positive and negative ions, creating a plasma region that purifies the air, killing mold, bacteria and viruses in the coil and living space. The ionization process also reduces allergens, smoke and static electricity, as well as controlling odors (cooking, pet, VOCs) and other particles (no more sunbeams) in the air without creating ozone or any harmful byproducts.

iWave-M's revolutionary circuit bar with special integrated ion-gen-erating needles fits any H AC cooling coil up to 1200CFM. The circuit bar is chemical resistant and highly durable for long service life. Plus, it can be folded to length in the field to any size and uses hook and loo fastener material for the flexible bar and power pack for easy install - tion. It is perfect for ductless HVAC systems – specifically mini-splits, commercial VRF coils, PTAC systems – plus residential and commercial duct systems, packaged systems, transport cooling coils or even in ice machines. The iWave-M is the most versatile and novel product on the market to address air quality for any HVAC system, in particular to solve mold issues common in hard-to-clean ductless systems.

- Special ion needles routed in a flexible bar circui
- Compact design applicable for any HVAC systems up to 1,200 CFM
- Can flex easily in the field to accommodate virtually any applicatio - ideal for ductless systems
- No replacement parts
- Flexible voltage input – 110VAC to 240VAC



Part No.	CFM	Voltage	Dimensions (In.)			Price
			H	W	D	
490035	1200	110 - 240 Vac	0.05	2.0	1.0	\$488.20

HUMIDIFIER



RP500M

BYPASS FLOW, THROUGH

Uses return to move air across water panel.

- RP500,550, 600M - economy model for smaller houses; traditional manual humidistat control
- 600A - automatic computer control



Trusted Solutions for a Healthy Home™

Part No.	Capacity (GPD)	Voltage	Control	Ship Wgt (Lbs.)	Price
RP500M	12	24	Manual	8	\$284.44
600M	16.8	24	Manual	12	\$309.70
600A	16.8	24	Automatic	14	\$430.30



RP400

BYPASS, RECIRCULATING

For areas where drain facilities are not practical.

- Automatic computer control



Trusted Solutions for a Healthy Home™

Part No.	Capacity (GPD)	Voltage	Ship Wgt (Lbs.)	Price
RP400	16.8	24	20	\$386.38



700

POWER FLOW THROUGH

- Eliminates supply to return ducting
- 700,700A: Automatic computer control with outdoor temperature sensor; 700M: Manual control



Trusted Solutions for a Healthy Home™

Part No.	Control Type	Capacity (GPD)	Voltage	Ship Wgt (Lbs.)	Price
700M	Manual	18	120	17	\$554.68
700A	Automatic Digital	18	120	19	\$633.72



R/P360


SELF-CONTAINED



Trusted Solutions for a Healthy Home™

Part No.	Application	Capacity (GPD)	Voltage	Price
R/P350	Space Mount	12	120	\$833.68
R/P360	Wall Mount	12	120	\$789.46

WATER PANEL MAINTENANCE KITS



RP10

RP45 sold as a package of 2

RP4839: RP35 water panel, RP4330 Scale Control Insert, RP4335 feed tube and compression sleeve, RP4331 water distribution tray, RP4231 orifice, and RP4004 inline strainer. For use in models 600, 600A and 600M.

RP4792: RP10 water panel, RP4640 Scale Control Insert, RP4335 feed tube and compression sleeve, RP4331 water distribution tray, RP4231 orifice and RP4004 inline strainer. For use in Models 500, 500A and 500M.

RP4837: RP35 water panel, RP4236 Scale Control Insert, RP4266 feed tube and compression sleeve, RP4277 water distribution tray, RP4231 orifice and RP4004 inline strainer. For Model 560

RP4750: RP35 water panel, RP4236 Scale Control Insert, RP4235 feed tube and compression sleeve, RP4246 water distribution tray, RP4232 orifice and RP4004 inline strainer. For Model 700

RP4793: RP10 water panel, RP4217 Scale Control Insert (black plastic frame), RP4226 feed tube and compression sleeve, RP4218 water distribution tray, RP4231 orifice and RP4004 inline strainer. For Model 550

RP4788: RP45 water panel (2 pack for one season), RP4403 Scale Control Insert, RP4407 Water Distribution Tray, RP4406 Float Assembly, RP4335 feed tube and compression sleeve that includes a 4231 orifice and RP4004 inline strainer. For use in Models 400, 400A and 400M.

RP4785: RP35 water panel, RP4181 Scale Control Insert, RP4281 Water Distribution Tray, RP4079 feed tube and compression sleeve that includes a RP4232 orifice humidifier, and RP4004 inline strainer. For use in Models 350 or 360.



Part No.	Description	Use with	Price
RP10	Water Panel	110,220,500,550,550A,558	\$14.28
RP12	Water Panel	112,224,225,440,445,445A,448	\$26.58
RP35	Water Panel	350,360,560,560A,568,600,760,760A,768,700	\$19.92
RP45	Water Panel	400	\$47.54
RP4839	Maintenance Kit	600,600A,600M	\$97.48
RP4792	Maintenance Kit	500,500A,500M	\$95.70
RP4837	Maintenance Kit	560	\$109.82
RP4750	Maintenance Kit	700	\$93.78
RP4793	Maintenance Kit	550	\$104.08
RP4788	Maintenance Kit	400,400A,400M	\$170.94
RP4785	Maintenance Kit	350,360	\$172.00

HUMIDIFIER



HC22A

WATER PANEL

- Also replaces indicated R/P pads
- Standard (A) or AgION™ (E) Anti-Microbial Humidifier Pad

Honeywell Home

Part No.	Use with	Price
HC22A1007	HE220,HE225,110,220,550,558	\$13.52
HC22E1003	HE220,HE225,110,220,550,558	\$30.36
HC26A1008	HE260,HE265,HE360,HE365,350,360,560,568,600,700,760,768	\$19.06
HC26E1004	HE260,HE265,HE360,HE365,350,360,560,568,600,700,760,768	\$33.40



800

STEAM POWER

- Is not dependant on an HVAC system to provide humidity to the largest of homes.
- Remote mount with additional accessories (RP850)
- Features truly automatic control (can be installed in manual mode if desired)

- Complements non-forced air heating sources and other specialty heating systems.
- Humidifies tightly-constructed homes up to 6,200 f
- Water hardness, 3 to 36 grain per gallon, water filtration not necessary
- Supply water pressure must be between 25 psi and 120 psi

Aprilaire
Trusted Solutions for a Healthy Home™

Part No.	Capacity (GPD)	Control Type	Amps	Voltage	Price
800	23.3 240 V	Automatic	11.5	115/208-240	\$1,534.34



HM750A

ADVANCED ELECTRODE HUMIDIFIER

- Dependable on-demand steam humidification solutio
- Allowing rapid installation and service
- Only duct mountable solution enabling retrofit and new installation

- Smallest product footprint allowing application flexibility
- Communication with a variety of thermostat options including Lyric, PrestigeIAQ, and VisionPRO
- HumidiPRO included
- Humidifier replacement cylinder designed for Rapid, simplified, DI replacement (recommended annually dependent on water quality)
- Dimensions: 7" H x 10" W x 20.8" D
- 5-Year complete warranty

Honeywell Home

Part No.	Capacity (GPD)	Ship Wgt (Lbs.)	Price
HM750A1000	11 or 22	18.8	\$1,586.34



CM200

BYPASS FLOW THROUGH

- Easy to install, compact, and durable design.
- Adjustable, precision duct or wall mounted humidistat allow the unit to be set for optimum relative humidity.
- Universal mounting allows for left or right side air intake when installed.
- 2" evaporator pad expands the evaporative area for water supply and increases performance.
- Accessible from the front, making pad changes easy.
- Serviceable internal water filter protects solenoid.
- Self-piercing saddle valve and a 24v brass solenoid valve makes installation easy.
- Wide 6" duct collar for ease of installation.
- Complete installation kit and humidistat control included for immediate installation.
- Dimensions: 13"W x 12"H x 8 3/4"D

TRION
Air Purification Systems

Part No.	Capacity (GPD)	Voltage	Ship Wgt (Lbs.)	Price
CM200	13	24	8	\$275.34



HG100

POWER FLOW THROUGH

- 13"W x 18 3/4"H x 11 1/2"D

TRION
Air Purification Systems

Part No.	Capacity (GPD)	Voltage	Ship Wgt (Lbs.)	Price
HG100	19	120	18	\$359.32



UHS24

UNIVERSAL HUMIDIFIER SOLENOID

This universal solenoid can replace common units such as Aprilaire 4040, General's 990-53, Honeywell's 32001639-002, and the Skuttle A01-0814-148 in 24V versions.

All appropriate fittings are included in

the kit with a universal bracket. Flow can easily be reversed by removing two screws, turning the solenoid 180 degrees, and replacing the screws.

ESP

ENERGY SAVING PRODUCTS

Part No.	Description	Price
UHS24	Universal Humidifier solenoid	\$72.84

DEHUMIDIFIER



DH450S

PORTABLE

- Auto shut off
- Drain hose connection
- Adjustable air guide
- Low power consumption
- Digital display
- Filter alert
- Full tank alarm

- Caster wheels
- Voltage: 115/1/60
- DH470SMP and DH495SMPA include condensate pump with 6.3 ft of lift



Part No.	Capacity Pints/Day	Dimensions (In.)			Ship Wgt (Lbs.)	Price
		W	H	D		
DH450SM*	50	15.4	23.2	10.8	41.8	\$413.34
DH470SMA*	70	15.4	23.2	10.8	36.3	\$510.22
DH495SMA*	95	18.8	24.6	14.2	58	\$875.10
DH495SMPA*1	95	18.8	24.6	14.2	58	\$995.74

*Includes condensate pump with 6.3 ft lift



RP1820

WHOLE HOUSE DEHUMIDIFIER

- 1820 is designed for crawlspace (up to 2,800 sq. ft.)
- 1830 is designed for smaller homes, townhomes, condominiums and crawlspace applications (up to 3,800 sq. ft.)

- 1850 series is designed for whole-home dehumidification, basements, crawlspaces and sealed attics (up to 5,200 sq. ft.)
- 1870 is a whole-home dehumidifier designed for ducted applications
- 1770A offers whole-home, zoned dehumidification, and ventilation with internal or external control (up to 7,400 sq. ft.)
- 1" washable MERV 8 filter include
- Capacity rated at 80°F & 60% RH
- 120/1/60
- Ambient operating temperature range: 40°F - 140°F
- Ambient operating humidity range: 0%RH - 99%RH (to 95%RH RP1770A)
- 5 year warranty
- RP1830 and RP1870 are ENERGY STAR® qualifie



Trusted Solutions for a Healthy Home™

Part No.	Capacity Pints/Day	CFM	Amps	Dimensions (In.)			Price
				W	H	L	
RP1820	70	200	5.8	12.5	12.5	25	\$2,253.88
RP1830	70	160 0.0" w.c.	6.3	12.5	14.5	25	\$2,481.72
RP1850	95	265 0.0" w.c.	8.0	12.5	14.5	27.5	\$2,866.02
RP1852	95	245 0.0" w.c.	8.0	12.5	17	27.5	\$2,866.02
RP1870	130	310 0.0" w.c.	8.3	19.5	18.75	30	\$3,873.68



DR65

WHOLE HOUSE DEHUMIDIFIER

Utilizes refrigeration and internal air circulation to cool the incoming air stream below its dew point. Water condenses and drains off the coil, sending drier air back into the house.

- Built-in humidity control requires no additional wiring to an external control. Choice of external control options also available for centrally ducted control.
- Separate control for ventilation, so the powerful onboard blower can be used to efficiently bring fresh air into the house even when dehumidification is not needed
- E-Coated Coil delivers longer life and increased efficiency
- Integrated set and forget humidistat
- Side ducted exhaust
- Reduced noise during operation
- MERV 11 air filtration
- ENERGY STAR RATED

Honeywell Home

Part No.	Capacity Pints/Day	Voltage	Dimensions (In.)			Ship Wgt (Lbs.)	Price
			W	H	L		
DR65A3000	65	120	12	12	28	60	\$2,659.76
DR90A3000	90	120	14.3	19.3	32.2	86	\$3,362.70
DR120A3000	120	120	14.3	21.3	32.2	95	\$4,326.28

THE ONLINE RESOURCE CENTER

uri.com

Visit Now


- REFRIGERANT REFERENCE GUIDE
- EPA CERTIFICATION FORMS
- CREDIT APPLICATIONS
- ONLINE USER GUIDE
- SDS SHEETS
- & MUCH MORE...

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov

DISPOSABLE FIBERGLASS FILTER

Frame is made from heavy, moisture-resistant chipboard in a one-piece design that eliminates corner separation.

Filtering media is progressive density, continuous filament spun glass. resinous bonding agent provides rigidity and resistance to compression. A viscous adhesive increases filtering effectiveness. These filters have been tested by Underwriters Laboratories Inc., and classified as Class 2 for flammability.



16X20X1EZ F2

NO SUPPORT - NOMINAL 1" THICKNESS

Instead of a metal media retainer, a very fine spray of fiberglass is blown onto E-Z Flow II's media surface fibers. This mesh takes the place of the metal grill to provide structural integrity.

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
10X10X1EZ F2	10	10	12	☎
12X12X1EZ F2	12	12	12	☎
12X18X1EZ F2	12	18	12	☎
12X24X1EZ F2	12	24	12	☎
12X30X1EZ F2	12	30	12	☎
14X20X1EZ F2	14	20	12	☎
14X24X1EZ F2	14	24	12	☎
16X20X1EZ F2	16	20	12	☎
18X18X1EZ F2	18	18	12	☎
18X24X1EZ F2	18	24	12	☎
18X30X1EZ F2	18	30	12	☎
18X36X1EZ F2	18	36	12	☎
20X20X1EZ F2	20	20	12	☎
20X22X1EZ F2	20	22	12	☎
20X25X1EZ F2	20	25	12	☎
24X24X1EZ F2	24	24	12	☎



16X20X2EZ F2

NO SUPPORT - NOMINAL 2" THICKNESS

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
12X24X2EZ F2	12	24	12	☎
16X20X2EZ F2	16	20	12	☎
16X25X2EZ F2	16	25	12	☎
20X20X2EZ F2	20	20	12	☎
20X25X2EZ F2	20	25	12	☎
24X24X2EZ F2	24	24	12	☎



20X20X1HD

2 SIDE SUPPORT - NOMINAL 1" THICKNESS

Media support is provided on both sides of the filtering medium.

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
8X16X1HD	8	16	12	☎
8X20X1HD	8	20	12	☎
8X22X1HD	8	22	12	☎
8X24X1HD	8	24	12	☎
8X30X1HD	8	30	12	☎
10X10X1HD	10	10	12	☎
10X12X1HD	10	12	12	☎
10X14X1HD	10	14	12	☎
10X16X1HD	10	16	12	☎
10X20X1HD	10	20	12	☎
10X22X1HD	10	22	12	☎
10X24X1HD	10	24	12	☎
10X25X1HD	10	25	12	☎
10X30X1HD	10	30	12	☎
12X12X1HD	12	12	12	☎
12X16X1HD	12	16	12	☎
12X18X1HD	12	18	12	☎
12X20X1HD	12	20	12	☎
12X22X1HD	12	22	12	☎
12X24X1HD	12	24	12	☎
12X25X1HD	12	25	12	☎
12X28X1HD	12	28	12	☎
12X3058X1HD	12	30 5/8	12	☎
12X30X1HD	12	30	12	☎
12X32X1HD	12	32	12	☎
12X36X1HD	12	36	12	☎
14X14X1HD	14	14	12	☎
14X16X1HD	14	16	12	☎
14X18X1HD	14	18	12	☎
14X20X1HD	14	20	12	☎
14X22X1HD	14	22	12	☎
14X24X1HD	14	24	12	☎
14X25X1HD	14	25	12	☎
14X26X1HD	14	26	12	☎
14X30X1HD	14	30	12	☎
15X15X1HD	15	15	12	☎
15X16X1HD	15	16	12	☎
15X20X1HD	15	20	12	☎
15X24X1HD	15	24	12	☎
15X25X1HD	15	25	12	☎
15X3058X1HD	15	30 5/8	12	☎
15X30X1HD	15	30	12	☎
16X16X1HD	16	16	12	☎
16X18X1HD	16	18	12	☎
16X20X1HD	16	20	12	☎
16X24X1HD	16	24	12	☎

Continued...

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

2 SIDE SUPPORT - NOMINAL 1" THICKNESS (CONT'D.)

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
16X25X1HD	16	25	12	☎
16X28X1HD	16	28	12	☎
16X30X1HD	16	30	12	☎
18X18X1HD	18	18	12	☎
18X20X1HD	18	20	12	☎
18X22X1HD	18	22	12	☎
18X24X1HD	18	24	12	☎
18X25X1HD	18	25	12	☎
18X28X1HD	18	28	12	☎
18X30X1HD	18	30	12	☎
18X36X1HD	18	36	12	☎
19X25X1HD	19	25	12	☎
19X27X1HD	19	27	12	☎
20X20X1HD	20	20	12	☎
20X21X1HD	20	21	12	☎
20X2214X1HD	20	22 1/4	12	☎
20X22X1HD	20	22	12	☎
20X24X1HD	20	24	12	☎
20X25X1HD	20	25	12	☎
20X28X1HD	20	28	12	☎
20X30X1HD	20	30	12	☎
21X21X1HD	21	21	12	☎
21X22X1HD	21	22	12	☎
22X22X1HD	22	22	12	☎
22X24X1HD	22	24	12	☎
22X25X1HD	22	25	12	☎
22X26X1HD	22	26	12	☎
22X30X1HD	22	30	12	☎
24X24X1HD	24	24	12	☎
24X25X1HD	24	25	12	☎
24X30X1HD	24	30	12	☎
24X36X1HD	24	36	12	☎
25X25X1HD	25	25	12	☎
25X28X1HD	25	28	12	☎
25X30X1HD	25	30	12	☎
30X30X1HD	30	30	12	☎



2 SIDE SUPPORT - NOMINAL 2" THICKNESS

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
10X14X2HD	10	14	12	☎
10X20X2HD	10	20	12	☎
10X25X2HD	10	25	12	☎
12X20X2HD	12	20	12	☎
12X24X2HD	12	24	12	☎
12X25X2HD	12	25	12	☎
14X16X2HD	14	16	12	☎
14X20X2HD	14	20	12	☎
14X24X2HD	14	24	12	☎
14X25X2HD	14	25	12	☎
15X20X2HD	15	20	12	☎
15X25X2HD	15	25	12	☎
16X16X2HD	16	16	12	☎
16X20X2HD	16	20	12	☎
16X24X2HD	16	24	12	☎
16X25X2HD	16	25	12	☎
18X20X2HD	18	20	12	☎
18X24X2HD	18	24	12	☎
18X25X2HD	18	25	12	☎
20X20X2HD	20	20	12	☎
20X24X2HD	20	24	12	☎
20X25X2HD	20	25	12	☎
20X28X2HD	20	28	12	☎
20X30X2HD	20	30	12	☎
24X24X2HD	24	24	12	☎
25X25X2HD	25	25	12	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

DISPOSABLE FIBERGLASS FILTER



1 SIDE SUPPORT - NOMINAL 1" THICKNESS

Media support is provided on the downstream side only.

20X20X1

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
8X16X1	8	16	12	☎
8X20X1	8	20	12	☎
8X22X1	8	22	12	☎
8X24X1	8	24	12	☎
8X30X1	8	30	12	☎
10X10X1	10	10	12	☎
10X12X1	10	12	12	☎
10X14X1	10	14	12	☎
10X16X1	10	16	12	☎
10X18X1	10	18	12	☎
10X20X1	10	20	12	☎
10X22X1	10	22	12	☎
10X24X1	10	24	12	☎
10X25X1	10	25	12	☎
10X26X1	10	26	12	☎
10X28X1	10	28	12	☎
10X30X1	10	30	12	☎
10X36X1	10	36	12	☎
10X48X1	10	48	12	☎
12X12X1	12	12	12	☎
12X14X1	12	14	12	☎
12X16X1	12	16	12	☎
12X18X1	12	18	12	☎
12X20X1	12	20	12	☎
12X22X1	12	22	12	☎
12X24X1	12	24	12	☎
12X25X1	12	25	12	☎
12X27X1	12	27	12	☎
12X28X1	12	28	12	☎
12X30X1	12	30	12	☎
12X34X1	12	34	12	☎
12X36X1	12	36	12	☎
14X14X1	14	14	12	☎
14X15X1	14	15	12	☎
14X16X1	14	16	12	☎
14X18X1	14	18	12	☎
14X20X1	14	20	12	☎
14X22X1	14	22	12	☎
14X24X1	14	24	12	☎
14X25X1	14	25	12	☎
14X26X1	14	26	12	☎
14X28X1	14	28	12	☎
14X30X1	14	30	12	☎
14X36X1	14	36	12	☎

Continued...

1 SIDE SUPPORT - NOMINAL 1" THICKNESS (CONT'D.)

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
15X15X1	15	15	12	☎
15X16X1	15	16	12	☎
15X18X1	15	18	12	☎
15X20X1	15	20	12	☎
15X22X1	15	22	12	☎
15X24X1	15	24	12	☎
15X25X1	15	25	12	☎
15X30X1	15	30	12	☎
16X16X1	16	16	12	☎
16X18X1	16	18	12	☎
16X20X1	16	20	12	☎
16X21X1	16	21	12	☎
16X22X1	16	22	12	☎
16X24X1	16	24	12	☎
16X25X1	16	25	12	☎
16X28X1	16	28	12	☎
16X30X1	16	30	12	☎
17X21X1	17	21	12	☎
17X30X1	17	30	12	☎
18X18X1	18	18	12	☎
18X20X1	18	20	12	☎
18X21X1	18	21	12	☎
18X22X1	18	22	12	☎
18X24X1	18	24	12	☎
18X25X1	18	25	12	☎
18X28X1	18	28	12	☎
18X30X1	18	30	12	☎
18X36X1	18	36	12	☎
19X19X1	19	19	12	☎
19X21X1	19	21	12	☎
19X24X1	19	24	12	☎
19X25X1	19	25	12	☎
19X27X1	19	27	12	☎
19X32X1	19	32	12	☎
20X20X1	20	20	12	☎
20X21X1	20	21	12	☎
20X22X1	20	22	12	☎
20X24X1	20	24	12	☎
20X25X1	20	25	12	☎
20X28X1	20	28	12	☎
20X30X1	20	30	12	☎
20X36X1	20	36	12	☎
21X21X1	21	21	12	☎
21X22X1	21	22	12	☎
22X22X1	22	22	12	☎
22X24X1	22	24	12	☎
22X25X1	22	25	12	☎
22X26X1	22	26	12	☎
22X30X1	22	30	12	☎
24X24X1	24	24	12	☎
24X25X1	24	25	12	☎
24X28X1	24	28	12	☎

Continued...

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

1 SIDE SUPPORT - NOMINAL 1" THICKNESS (CONT'D.)

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
24X30X1	24	30	12	
24X36X1	24	36	12	
25X25X1	25	25	12	
25X28X1	25	28	12	
25X30X1	25	30	12	
25X33X1	25	33	12	
28X30X1	28	30	12	
30X30X1	30	30	12	



1 SIDE SUPPORT - NOMINAL 2" THICKNESS

Part No.	Dimensions (In.)		Box Qty	Price
	W	L		
10X14X2	10	14	12	
10X20X2	10	20	12	
10X24X2	10	24	12	
10X25X2	10	25	12	
12X12X2	12	12	12	
12X20X2	12	20	12	
12X24X2	12	24	12	
12X25X2	12	25	12	
12X30X2	12	30	12	
14X16X2	14	16	12	
14X20X2	14	20	12	
14X24X2	14	24	12	
14X25X2	14	25	12	
14X30X2	14	30	12	
15X20X2	15	20	12	
15X25X2	15	25	12	
16X16X2	16	16	12	
16X20X2	16	20	12	
16X22X2	16	22	12	
16X24X2	16	24	12	
16X25X2	16	25	12	
16X30X2	16	30	12	
18X18X2	18	18	12	
18X20X2	18	20	12	
18X24X2	18	24	12	
18X25X2	18	25	12	
18X26X2	18	26	12	
20X20X2	20	20	12	
20X22X2	20	22	12	
20X24X2	20	24	12	
20X25X2	20	25	12	
20X28X2	20	28	12	
20X30X2	20	30	12	
24X24X2	24	24	12	
24X30X2	24	30	12	
25X25X2	25	25	12	

POLY SYNTHETIC FILTER



POLY SYNTHETIC

Polyester synthetic fiber air filtration media. In some tests, PSF has shown somewhat higher average arrestance than spun glass media. Filtering medium is 100% high bulk polyester fibers that are thermobonded with a fire retardant resin. PSF filters classified as UL listed Class 2 for flammability.

NOMINAL 1" THICKNESS

Part No.	Nominal Dimensions (In.)		Box Qty	Wgt (Lbs.)	Price
	W	L			
10X10X1P	10	10	12	0.28	
10X14X1P	10	14	12	0.35	
10X20X1P	10	20	12	0.43	
10X24X1P	10	24	12	0.51	
10X25X1P	10	25	12	0.54	
10X30X1P	10	30	12	0.65	
12X12X1P	12	12	12	0.33	
12X14X1P	12	14	12	0.36	
12X16X1P	12	16	12	0.4	
12X20X1P	12	20	12	0.49	
12X24X1P	12	24	12	0.56	
12X25X1P	12	25	12	0.63	
12X28X1P	12	28	12	0.7	
12X30X1P	12	30	12	0.65	
14X14X1P	14	14	12	0.43	
14X18X1P	14	18	12	0.48	
14X20X1P	14	20	12	0.52	
14X24X1P	14	24	12	0.6	
14X25X1P	14	25	12	0.64	
14X28X1P	14	28	12	0.77	
14X30X1P	14	30	12	0.88	
14X36X1P	14	36	12	1.07	
15X20X1P	15	20	12	0.56	
15X22X1P	15	22	12	0.56	
15X24X1P	15	24	12	0.54	
15X25X1P	15	25	12	0.56	
15X30X1P	15	30	12	0.65	
16X16X1P	16	16	12	0.51	
16X18X1P	16	18	12	0.54	
16X20X1P	16	20	12	0.57	
16X22X1P	16	22	12	0.64	
16X24X1P	16	24	12	0.71	
16X25X1P	16	25	12	0.69	
16X30X1P	16	30	12	0.82	
17X30X1P	17	30	12	0.85	
18X18X1P	18	18	12	0.6	
18X20X1P	18	20	12	0.65	
18X24X1P	18	24	12	0.75	
18X25X1P	18	25	12	0.8	
18X30X1P	18	30	12	0.93	
18X32X1P	18	32	12	0.97	

Continued...

Note: Box quantity for ordering convenience only

POLY SYNTHETIC FILTER

PLEATED FILTER

NOMINAL 1" THICKNESS (CONT'D.)

Part No.	Nominal Dimensions (In.)		Box Qty	Wgt (Lbs.)	Price
	W	L			
19X27X1P	19	27	12	0.98	☎
19X30X1P	19	30	12	1.02	☎
20X20X1P	20	20	12	0.66	☎
20X21X1P	20	21	12	0.71	☎
20X22X1P	20	22	12	0.77	☎
20X24X1P	20	24	12	0.79	☎
20X25X1P	20	25	12	0.79	☎
20X30X1P	20	30	12	1.04	☎
21X21X1P	21	21	12	0.72	☎
21X24X1P	21	24	12	0.79	☎
22X22X1P	22	22	12	0.85	☎
22X24X1P	22	24	12	0.88	☎
24X24X1P	24	24	12	0.94	☎
24X30X1P	24	30	12	1.19	☎
25X25X1P	25	25	12	1.13	☎
25X30X1P	25	30	12	1.25	☎
26X30X1P	26	30	12	1.28	☎
28X28X1P	28	28	12	1.45	☎
30X30X1P	30	30	12	1.6	☎

NOMINAL 2" THICKNESS

Part No.	Nominal Dimensions (In.)		Box Qty	Wgt (Lbs.)	Price
	W	L			
10X20X2P	10	20	12	0.6	☎
10X30X2P	10	30	12	0.72	☎
12X20X2P	12	20	12	0.67	☎
12X24X2P	12	24	12	0.82	☎
12X25X2P	12	25	12	0.86	☎
14X20X2P	14	20	12	0.76	☎
14X25X2P	14	25	12	0.88	☎
15X20X2P	15	20	12	0.78	☎
15X30X2P	15	30	12	1.08	☎
16X16X2P	16	16	12	0.77	☎
16X20X2P	16	20	12	0.8	☎
16X24X2P	16	24	12	0.97	☎
16X25X2P	16	25	12	0.97	☎
16X30X2P	16	30	12	1.14	☎
18X18X2P	18	18	12	0.87	☎
18X20X2P	18	20	12	0.97	☎
18X24X2P	18	24	12	1.06	☎
18X25X2P	18	25	12	1.1	☎
20X20X2P	20	20	12	0.99	☎
20X24X2P	20	24	12	1.18	☎
20X25X2P	20	25	12	1.17	☎
20X30X2P	20	30	12	1.38	☎
24X24X2P	24	24	12	1.33	☎
25X25X2P	25	25	12	1.43	☎

MERV 7

The MERV 7 economy pleated filter features a filtering medium that is more efficient and ecologically friendly. Made entirely from recycled materials, this medium achieves MERV 7 efficiency with low resistance to airflow. It is also unaffected by high humidity and is hydrophobic (non-moisture absorbing).

- Average efficiency is 20-25% per ASHRAE 52.1-9
- MERV 7 per ASHRAE 52.2-99

NOMINAL 1" THICKNESS, MERV 7

Part No.	Nominal Dimensions (In.)		Price
	W	L	
12X20X1EP30	12	20	☎
12X24X1EP30	12	24	☎
14X20X1EP30	14	20	☎
14X25X1EP30	14	25	☎
15X20X1EP30	15	20	☎
16X20X1EP30	16	20	☎
16X25X1EP30	16	25	☎
18X24X1EP30	18	24	☎
18X25X1EP30	18	25	☎
20X20X1EP30	20	20	☎
20X20X1PR13	20	20	☎
20X24X1EP30	20	24	☎
20X24X1PR13	20	24	☎
20X25X1EP30	20	25	☎
20X25X1PR13	20	25	☎
24X24X1EP30	24	24	☎
24X24X1PR13	24	24	☎
25X25X1EP30	25	25	☎
25X25X1PR13	25	25	☎

NOMINAL 2" THICKNESS, MERV 7

Part No.	Nominal Dimensions (In.)		Price
	W	L	
12X20X2EP30	12	20	☎
12X24X2EP30	12	24	☎
14X20X2EP30	14	20	☎
14X25X2EP30	14	25	☎
15X20X2EP30	15	20	☎
16X20X2EP30	16	20	☎
16X25X2EP30	16	25	☎
18X24X2EP30	18	24	☎
18X25X2EP30	18	25	☎
20X20X2EP30	20	20	☎
20X24X2EP30	20	24	☎
20X25X2EP30	20	25	☎
24X24X2EP30	24	24	☎
25X25X2EP30	25	25	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

NOMINAL 4" THICKNESS, MERV 7

Part No.	Nominal Dimensions (In.)		Price
	W	L	
12X24X4EP30	12	24	
16X20X4EP30	16	20	
16X25X4EP30	16	25	
18X24X4EP30	18	24	
20X20X4EP30	20	20	
20X24X4EP30	20	24	
20X25X4EP30	20	25	
24X24X4EP30	24	24	

NOMINAL 4" THICKNESS, MERV 13

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
12X24X4PR13	12	24	6	
16X20X4PR13	16	20	6	
16X25X4PR13	16	25	6	
18X24X4PR13	18	24	6	
20X20X4PR13	20	20	6	
20X24X4PR13	20	24	6	
20X25X4PR13	20	25	6	
24X24X4PR13	24	24	6	

NOMINAL 1" THICKNESS, MERV 13



Part No.	Nominal Dimensions (In.)		Price
	W	L	
10X20X1PR13	10	20	
12X20X1PR13	12	20	
12X24X1PR13	12	24	
14X20X1PR13	14	20	
14X25X1PR13	14	25	
15X20X1PR13	15	20	
16X20X1PR13	16	20	
16X24X1PR13	16	24	
16X25X1PR13	16	25	
18X20X1PR13	18	20	
18X24X1PR13	18	24	
18X25X1PR13	18	25	

MODEL 40, MERV 8

- V-shaped pleat design provides the same open area on the air intake and air exiting sides for low airflow resistance
- Heavy gauge beverage board prevents moisture breakdown.
- Media-to-frame bond prevents air bypass and maintains filter integrity.
- Media is a blend of synthetic and natural fibers offering high dust-holding capacity and high efficiency.



NOMINAL 1" THICKNESS, MERV 8

- Average efficiency: 25-30
- Average arrestance: 90-93% (ASHRAE 52.1-92)



NOMINAL 2" THICKNESS, MERV 13



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
10X20X2PR13	10	20	10	
12X20X2PR13	12	20	12	
14X20X2PR13	14	20	12	
14X25X2PR13	14	25	12	
15X20X2PR13	15	20	12	
16X20X2PR13	16	20	12	
16X24X2PR13	16	24	12	
16X25X2PR13	16	25	12	
18X20X2PR13	18	20	12	
18X24X2PR13	18	24	12	
18X25X2PR13	18	25	12	
20X20X2PR13	20	20	12	
20X24X2PR13	20	24	12	
20X25X2PR13	20	25	12	
24X24X2PR13	24	24	12	
25X25X2PR13	25	25	12	

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
8X20X1AB40	8	20	12	
8X27X1AB40	8	27	12	
10X10X1AB40	10	10	12	
10X14X1AB40	10	14	12	
10X16X1AB40	10	16	12	
10X20X1AB40	10	20	12	
10X24X1AB40	10	24	12	
10X25X1AB40	10	25	12	
10X30X1AB40	10	30	12	
12X12X1AB40	12	12	12	
12X14X1AB40	12	14	12	
12X16X1AB40	12	16	12	
12X18X1AB40	12	18	12	
12X20X1AB40	12	20	12	
12X24X1AB40	12	24	12	
12X25X1AB40	12	25	12	
12X30X1AB40	12	30	12	
12X36X1AB40	12	36	12	
14X14X1AB40	14	14	12	
14X16X1AB40	14	16	12	
14X18X1AB40	14	18	12	
14X20X1AB40	14	20	12	
14X22X1AB40	14	22	12	
14X24X1AB40	14	24	12	

Continued...


Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

POLY SYNTHETIC FILTER

NOMINAL 1" THICKNESS, MERV8 (CONT'D.)

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
14X25X1AB40	14	25	12	☎
14X28X1AB40	14	28	12	☎
14X30X1AB40	14	30	12	☎
15X20X1AB40	15	20	12	☎
15X24X1AB40	15	24	12	☎
15X25X1AB40	15	25	12	☎
15X30X1AB40	15	30	12	☎
16X16X1AB40	16	16	12	☎
16X18X1AB40	16	18	12	☎
16X20X1AB40	16	20	12	☎
16X22X1AB40	16	22	12	☎
16X24X1AB40	16	24	12	☎
16X25X1AB40	16	25	12	☎
16X27X1AB40	16	27	12	☎
16X28X1AB40	16	28	12	☎
16X30X1AB40	16	30	12	☎
16X32X1AB40	16	32	12	☎
17X22X1AB40	17	22	12	☎
17X30X1AB40	17	30	12	☎
18X18X1AB40	18	18	12	☎
18X20X1AB40	18	20	12	☎
18X22X1AB40	18	22	12	☎
18X24X1AB40	18	24	12	☎
18X25X1AB40	18	25	12	☎
18X30X1AB40	18	30	12	☎
18X36X1AB40	18	36	12	☎
19X27X1AB40	19	27	12	☎
20X20X1AB40	20	20	12	☎
20X21X1AB40	20	21	12	☎
20X22X1AB40	20	22	12	☎
20X24X1AB40	20	24	12	☎
20X25X1AB40	20	25	12	☎
20X28X1AB40	20	28	12	☎
20X30X1AB40	20	30	12	☎
21X21X1AB40	21	21	12	☎
22X22X1AB40	22	22	12	☎
22X24X1AB40	22	24	12	☎
24X24X1AB40	24	24	12	☎
24X25X1AB40	24	25	12	☎
24X30X1AB40	24	30	12	☎
24X36X1AB40	24	36	12	☎
25X25X1AB40	25	25	12	☎
25X30X1AB40	25	30	12	☎
28X28X1AB40	28	28	12	☎



NOMINAL 2" THICKNESS, MERV 8

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
10X20X2AB40	10	20	12	☎
10X24X2AB40	10	24	12	☎
10X25X2AB40	10	25	12	☎
11X11X2AB40	11	11	12	☎
12X12X2AB40	12	12	12	☎
12X16X2AB40	12	16	12	☎
12X20X2AB40	12	20	12	☎
12X24X2AB40	12	24	12	☎
12X25X2AB40	12	25	12	☎
12X30X2AB40	12	30	12	☎
12X32X2AB40	12	32	12	☎
14X14X2AB40	14	14	12	☎
14X20X2AB40	14	20	12	☎
14X24X2AB40	14	24	12	☎
14X25X2AB40	14	25	12	☎
14X30X2AB40	14	30	12	☎
15X20X2AB40	15	20	12	☎
15X25X2AB40	15	25	12	☎
15X30X2AB40	15	30	12	☎
16X16X2AB40	16	16	12	☎
16X18X2AB40	16	18	12	☎
16X20X2AB40	16	20	12	☎
16X22X2AB40	16	22	12	☎
16X24X2AB40	16	24	12	☎
16X25X2AB40	16	25	12	☎
16X30X2AB40	16	30	12	☎
18X18X2AB40	18	18	12	☎
18X20X2AB40	18	20	12	☎
18X24X2AB40	18	24	12	☎
18X25X2AB40	18	25	12	☎
18X30X2AB40	18	30	12	☎
20X20X2AB40	20	20	12	☎
20X22X2AB40	20	22	12	☎
20X24X2AB40	20	24	12	☎
20X25X2AB40	20	25	12	☎
20X30X2AB40	20	30	12	☎
20X32X2AB40	20	32	12	☎
22X22X2AB40	22	22	12	☎
22X24X2AB40	22	24	12	☎
24X24X2AB40	24	24	12	☎
24X30X2AB40	24	30	12	☎
25X25X2AB40	25	25	12	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only



12X24X4AB40

NOMINAL 4" THICKNESS, MERV 8

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
12X20X4AB40	12	20	6	☎
12X24X4AB40	12	24	6	☎
12X25X4AB40	12	25	6	☎
14X20X4AB40	14	20	6	☎
14X24X4AB40	14	24	6	☎
14X25X4AB40	14	25	6	☎
15X30X4AB40	15	30	6	☎
16X20X4AB40	16	20	6	☎
16X24X4AB40	16	24	6	☎
16X25X4AB40	16	25	6	☎
16X28X4AB40	16	28	6	☎
18X24X4AB40	18	24	6	☎
20X20X4AB40	20	20	6	☎
20X22X4AB40	20	22	6	☎
20X24X4AB40	20	24	6	☎
20X25X4AB40	20	25	6	☎
20X30X4AB40	20	30	6	☎
24X24X4AB40	24	24	6	☎
25X25X4AB40	25	25	6	☎
25X29X4AB40	25	29	6	☎
28X30X4AB40	28	30	6	☎
28X32X4AB40	28	32	6	☎

MODEL 60, MERV 11

- V-shaped pleat design provides the same open area on the air intake and air exiting sides for low airflow resistance
- Heavy gauge beverage board prevents moisture breakdown.
- Media-to-frame bond prevents air bypass and maintains filter integrity.
- Media is a blend of synthetic and natural fibers offering high dust-holding capacity and high efficiency.

NOMINAL 1" THICKNESS, MERV 11

- Average efficiency: 35-45

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
16X20X1AB60	16	20	12	☎
16X25X1AB60	16	25	12	☎
20X20X1AB60	20	20	12	☎

NOMINAL 2" THICKNESS, MERV 11

- Average efficiency: 35-45

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
16X20X2AB60	16	20	12	☎
16X25X2AB60	16	25	12	☎
20X20X2AB60	20	20	12	☎
20X24X2AB60	20	24	12	☎
20X25X2AB60	20	25	12	☎
24X24X2AB60	24	24	12	☎

NOMINAL 4" THICKNESS, MERV 11

- Average efficiency: 35-45

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
12X24X4AB60	12	24	6	☎
16X20X4AB60	16	20	6	☎
16X25X4AB60	16	25	6	☎
18X24X4AB60	18	24	6	☎
24X24X4AB60	24	24	6	☎

Visit Now

- P-T CALCULATOR
- DOCUMENT FINDER
- QUOTING
- SELECTION TOOLS
- & MUCH MORE WITH THE

TECH TOOLS PAGE

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

PLEATED FILTER



M13

MERV 13

Pre Pleat M13 pleated panel filters can be an ideal choice to achieve the minimum efficiency requirements of LEED® Green Building design. The low initial resistance of the M13 can also contribute to an overall strategy of reducing energy consumption. Its two-inch depth makes MERV 13

upgrades as trouble-free as a direct replacement for most commercial and industrial applications.

The Pre Pleat M13 provides an initial efficiency of MERV 13 per ASHRAE 52.2-2007 (80-85%) at a resistance of only .20" w.g. when operating at approach velocity of 375 FPM - only 0.30 at 500 FPM.

NOMINAL 2" THICKNESS, MERV 13

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
10X20X2M13	10	20	12	☎
12X20X2M13	12	20	12	☎
12X24X2M13	12	24	12	☎
14X20X2M13	14	20	12	☎
14X25X2M13	14	25	12	☎
15X20X2M13	15	20	12	☎
16X20X2M13	16	20	12	☎
16X24X2M13	16	24	12	☎
16X25X2M13	16	25	12	☎
18X20X2M13	18	20	12	☎
18X24X2M13	18	24	12	☎
18X25X2M13	18	25	12	☎
20X20X2M13	20	20	12	☎
20X24X2M13	20	24	12	☎
20X25X2M13	20	25	12	☎
24X24X2M13	24	24	12	☎
25X25X2M13	25	25	12	☎

NOMINAL 4" THICKNESS, MERV 13

Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
12X24X4M13	12	24	6	☎
16X20X4M13	16	20	6	☎
18X24X4M13	18	24	6	☎
20X20X4M13	20	20	6	☎
20X25X4M13	20	25	6	☎
24X24X4M13	24	24	6	☎

MODEL FME40, MERV8

An FME Series filter is effective in stand alone applications or as prefilter in place of a disposable, permanent, or media pad/frame filter. In situations where a significantly high degree of cleanliness and/or longer service life is desired, an FME pleated filter should be considered. A lofted, non-woven pleated filter media composed of cotton synthetic fibers makes up the FME media. When tested in accordance with ASHRAE testing method 52.1-1992, this fiber blend provides a 25-30 average efficiency and a 90-93% average arrestance and maximize dust retention capabilities. The FME40 pleated filters are UL Listed, Class 2 approved. Testing on these products was performed in accordance with U.L. Standard 900.



10X10X1FME40

NOMINAL 1" THICKNESS, MERV 8



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
10X10X1FME40	10	10	12	☎
10X12X1FME40	10	12	12	☎
10X20X1FME40	10	20	12	☎
10X24X1FME40	10	24	12	☎
10X25X1FME40	10	25	12	☎
10X30X1FME40	10	30	12	☎
12X12X1FME40	12	12	12	☎
12X24X1FME40	12	24	24	☎
12X16X1FME40	12	16	12	☎
12X20X1FME40	12	20	12	☎
12X25X1FME40	12	25	12	☎
12X30X1FME40	12	30	12	☎
14X14X1FME40	14	14	12	☎
14X20X1FME40	14	20	12	☎
14X22X1FME40	14	22	12	☎
14X24X1FME40	14	24	12	☎
14X25X1FME40	14	25	12	☎
14X30X1FME40	14	30	—	☎
15X20X1FME40	15	20	12	☎
15X25X1FME40	15	25	12	☎
15X30X1FME40	15	30	12	☎
16X16X1FME40	16	16	12	☎
16X18X1FME40	16	18	12	☎
16X20X1FME40	16	20	12	☎
16X22X1FME40	16	22	12	☎
16X24X1FME40	16	24	12	☎
16X25X1FME40	16	25	12	☎
16X30X1FME40	16	30	12	☎
18X18X1FME40	18	18	12	☎
18X20X1FME40	18	20	12	☎
18X24X1FME40	18	24	12	☎
18X25X1FME40	18	25	12	☎
18X30X1FME40	18	30	12	☎
19X27X1FME40	19	27	12	☎

Continued...

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

NOMINAL 1" THICKNESS, MERV8 (CONT'D.)



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
20X20X1FME40	20	20	12	
20X22X1FME40	20	22	12	
20X24X1FME40	20	24	12	
20X25X1FME40	20	25	12	
20X30X1FME40	20	30	12	
21X21X1FME40	21	21	12	
22X27X1FME40	22	27	12	
22X22X1FME40	22	22	12	
24X24X1FME40	24	24	12	
24X30X1FME40	24	30	12	
25X25X1FME40	25	25	12	
25X30X1FME40	25	30	12	



16X20X2FME40

NOMINAL 2" THICKNESS, MERV 8



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
10X20X2FME40	10	20	24	
12X20X2FME40	12	20	24	
12X24X2FME40	12	24	24	
12X25X2FME40	12	25	24	
14X20X2FME40	14	20	12	
14X24X2FME40	14	24	12	
14X25X2FME40	14	25	12	
14X30X2FME40	14	30	12	
15X20X2FME40	15	20	12	
15X25X2FME40	15	25	12	
16X16X2FME40	16	16	12	
16X20X2FME40	16	20	12	
16X24X2FME40	16	24	12	
16X25X2FME40	16	25	12	
18X20X2FME40	18	20	12	
18X24X2FME40	18	24	12	
18X25X2FME40	18	25	12	
20X20X2FME40	20	20	12	
20X24X2FME40	20	24	12	
20X25X2FME40	20	25	12	
20X30X2FME40	20	30	12	
24X24X2FME40	24	24	12	
24X30X2FME40	24	30	12	
25X25X2FME40	25	25	12	
30X30X2FME40	30	30	12	

NOMINAL 4" THICKNESS, MERV 8



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
12X24X4FME40	12	24	12	
16X20X4FME40	16	20	6	
16X24X4FME40	16	24	6	
16X25X4FME40	16	25	6	
18X24X4FME40	18	24	6	
20X20X4FME40	20	20	6	
20X24X4FME40	20	24	6	
20X25X4FME40	20	25	6	
20X30X4FME40	20	30	6	
24X24X4FME40	24	24	6	
25X29X4FME40	25	29	6	



24X24X1SSP

NOMINAL 1" THICKNESS, KEY PLEAT, MERV 8

- Standard-Capacity MERV 8, MERV-A 8-A
- New automated process delivers consistency and durability
- Durable, self-supporting synthetic media

- No metal, fully incinerable
- Die cut frame with interlocking corners for added strength



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
10X20X1SSP	10	20	12	
10X24X1SSP	10	24	12	
12X12X1SSP	12	12	12	
12X20X1SSP	12	20	12	
12X24X1SSP	12	24	12	
14X14X1SSP	14	14	12	
14X20X1SSP	14	20	12	
14X24X1SSP	14	24	12	
14X25X1SSP	14	25	12	
14X30X1SSP	14	30	12	
15X20X1SSP	15	20	12	
16X16X1SSP	16	16	12	
16X20X1SSP	16	20	12	
16X24X1SSP	16	24	12	
16X25X1SSP	16	25	12	
16X30X1SSP	16	30	12	
18X18X1SSP	18	18	12	
18X20X1SSP	18	20	12	
18X24X1SSP	18	24	12	
18X25X1SSP	18	25	12	
20X20X1SSP	20	20	12	
20X22X1SSP	20	22	12	
20X24X1SSP	20	24	12	
20X25X1SSP	20	25	12	
20X30X1SSP	20	30	12	
24X24X1SSP	24	24	12	
24X30X1SSP	24	30	12	
25X25X1SSP	25	25	12	

Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

PLEATED FILTER



24X24X2SSP

NOMINAL 2" THICKNESS, KEY PLEAT, MERV 8



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
12X24X2SSP	12	24	12	☎
14X20X2SSP	14	20	12	☎
14X25X2SSP	14	25	12	☎
15X20X2SSP	15	20	12	☎
16X16X2SSP	16	16	12	☎
16X20X2SSP	16	20	12	☎
16X24X2SSP	16	24	12	☎
16X25X2SSP	16	25	12	☎
18X24X2SSP	18	24	12	☎
18X18X2SSP	18	18	12	☎
18X20X2SSP	18	20	12	☎
18X25X2SSP	18	25	12	☎
20X20X2SSP	20	20	12	☎
20X24X2SSP	20	24	12	☎
20X25X2SSP	20	25	12	☎
20X30X2SSP	20	30	12	☎
24X24X2SSP	24	24	12	☎
25X25X2SSP	25	25	12	☎

NOMINAL 4" THICKNESS, KEY PLEAT, MERV 8



Part No.	Nominal Dimensions (In.)		Box Qty	Price
	W	L		
12X24X4SSP	12	24	6	☎
16X20X4SSP	16	20	6	☎
16X25X4SSP	16	25	6	☎
18X24X4SSP	18	24	6	☎
20X20X4SSP	20	20	6	☎
20X24X4SSP	20	24	6	☎
20X25X4SSP	20	25	6	☎
24X24X4SSP	24	24	6	☎



FC40R1003

RETURN GRILL MEDIA

- Mounts in most third party return filter grilles
- Provides high-efficiency alternative to one-inch filter .
- Captures particles as small as 0.3 micron.

- Pleated for greater media capacity.
- Easy installation. Pre-assembled filter easily inserts into and out of existing return grille.
- Exclusive frame design nests properly into place.
- Low pressure drop

Honeywell Home

Part No.	Nominal Dimensions (In.)		Price
	W	L	
FC40R1110	14	20	\$62.36
FC40R1045	14	25	\$62.36
FC40R1052	16	20	\$69.26
FC40R1060	16	25	\$69.26
FC40R1003	20	20	\$76.22
FC40R1011	20	25	\$76.22
FC40R1078	24	24	\$76.22
FC40R1029	24	30	\$76.22
FC40R1144	20	24	\$76.22



POPUP

POPUP MEDIA

Nominal size filters fit respective Honeywell media air cleaner housings and others. 2200 and 2400 fit those model Aprilaire media filter housings

Honeywell Home

Part No.	Nominal Dimensions (In.)		Price
	W	L	
POPUP1620	16	20	\$63.40
POPUP1625	16	25	\$63.40
POPUP2020	20	20	\$63.40
POPUP2025	20	25	\$63.40
POPUP2200	20 1/4	24 1/4	\$57.70
POPUP2400	16	27 1/8	\$57.70

HOG HAIR ROLL



HH25530

Made of organic fibers that have been curled, layered onto a scrim backing, coated with a special resin, then baked together at a high temperature. The result of this process is a tough and springy, thoroughly bonded, nearly rigid air filtration medium. This rugged material can be cleaned and re-installed as

an inexpensive permanent filter. Rated UL Class 2 for flammability.

- Rolls are 30' long

Part No.	Nominal Dimensions (In.)		Price
	W	Thick	
HH25530	25	1/2	☎
HH20130	20	1	☎
HH25130	25	1	☎
HH30130	30	1	☎
HH36130	36	1	☎

FOAM ROLL



FR52536

A rugged polyurethane foam that is designed for use in room unit air conditioners and in pad-holding frames. It is washable and will withstand repeated cleaning with mild soap and water.

- Rolls are 25' long

Part No.	Nominal Dimensions (In.)		Price
	W	Thick	
FR52520	20	1/4	☎
FR52524	24	1/4	☎
FR52530	30	1/4	☎
FR52536	36	1/4	☎
FR55024	24	1/2	☎
FR55025	25	1/2	☎

HAMMOCK



HR24240

SPUN GLASS

Progressive density media, designed to trap dirt all through its thickness for longer filter life and no face loading. Fibers are loosely woven on the air-exit side.

- Rolls are 20' long

Part No.	Nominal Dimensions (In.)		Price
	W	Thickness	
HR24240	24	1	☎
HR30240	30	1	☎
HR36240	36	1	☎

HOG HAIR PRE-CUT



SM100

A pad made from organic fibers that are held together with a special latex binder. This unique pad filters by natural electrostatic attraction, created by air flowing over its fibers. It is washable, durable, and has very high dust holding capacity.

Part No.	Nominal Dimensions (In.)			Box Qty	Price
	W	L	Thick		
SM100	20	30	1	12	☎
SM105	20	25	1	12	☎
SM150	25	30	1	12	☎



HR30240P

POLY SYNTHETIC

Polyester synthetic fiber (PSF) media produced from 100% high bulk polyester fibers that are thermobonded with a fire-retardant resin. PSF is extremely resilient and will withstand direct moisture. It is in many cases an ideal alternative in areas where spun glass is not recommended.

- Rolls are 20' long (10R25 is 90' long, super tackified)

Part No.	Nominal Dimensions (In.)			Price
	W	Thick	Roll Length (Ft.)	
HR24240P	24	1	20	☎
HR30240P	30	1	20	☎
HR36240P	36	1	20	☎
PSF1DT	25	1	90	☎

☎ Please contact your local United Refrigeration Branch or our Customer Service Center for pricing.

Note: Box quantity for ordering convenience only

KWIK KUT

Kwik Kut room air conditioner filters are 15" x 24" pads of air filter media that can be easily cut to fit any window or wall mounted room air conditioner. They come packaged in see-through poly display bags. The packaging bears installation and care instructions.



KK500F

FOAM

By far the most popular and most commonly used of all room air conditioner filters. It is made with an open cell foam that can be washed like a sponge or vacuumed for repeat use. Foam Kwik Kuts are treated with a special anti-microbial to prevent

growth of micro-organisms on the filter.

Plastic Back Foam: The same open cell foam media as described above, but laminated to a rigid plastic support grid.

Part No.	Dimensions (In.)			Box Qty	Price
	W	L	Thickness		
KK1000P ¹	15	24	1/4	24	☎
KK500F	15	24	1/4	24	☎

¹Plastic Support Grid



KK600G

SPUN GLASS

A semi rigid spun glass pad designed for disposal after use.

Part No.	Box Qty	Price
KK600G	24	☎



KK700H

PERMAIRE

A pad made from organic fibers that are held together with a special latex binder. This unique pad filters by natural electrostatic attraction, created by air flowing over its fibers. It is washable, durable, and has very high dust holding capacity.

Part No.	Dimensions (In.)			Box Qty	Price
	W	L	Thickness		
KK700H	15	24	1/2	12	☎



KK1601A

ALUMINUM

A pad made completely from expanded aluminum mesh. Designed to be coated with a dust catching adhesive prior to use. Can be washed and re-used several times.

Part No.	Thickness (In.)	Width (In.)	Length (In.)	Box Qty	Price
KK1601A	3/8	15	24	24	☎

FILTER ACCESSORIES



RP412

SUPER FILTER COAT ADHESIVE

Super Filter Coat Handi Koter is used to increase the adherence of metal mesh filters.

RP RESEARCH PRODUCTS CORPORATION

Part No.	Container Size	Price
RP412	10 Oz., Pump-Spray Bottle	\$17.50



FBG1

FILTER BOX GRABBER

- Saves time
- Lifts virtually any filter box (up to 20 lbs)
- Is safer than climbing up and down ladders

SP Sensible Products®

Part No.	Description	Price
FBG1	32" L x 8" W x 1" H	\$76.68



FP48

FILTER PULLER

Makes getting too hard to reach filters easy!

Features:

- Magnetic Tip
- Ergonomic Handle

Supco

Part No.	Description	Price
FP48	Filter Puller, 48" Extension	\$33.16

FILTER PAD



16X20X1PAD

SPUN GLASS

These are progressive density media, designed to trap dirt all through their thickness for longer filter life and n face loading. Glass fibers are loosely woven on the air -entering side, progressing to closely woven fibers on the air-exit side. A resinous bonding

agent in the media increases rigidity and resistance to compression so the filter will not collapse in the airstream. Nominal 1" and 2" adhesive treated spun glass. For industrial and commercial air filtration with fairly heavy dirt loads. Tinted blue on the air-entering side. Used in conjunction with holding frames and as protective prefilters for high efficiency panels

Dimensions (In.)				
Part No.	W	L	Thickness	Price
16X20X1PAD	16	20	1	☎
16X25X1PAD	16	25	1	☎
20X20X1PAD	20	20	1	☎
20X25X1PAD	20	25	1	☎




1DT1620

POLY SYNTHETIC

Polyester synthetic fiber (PSF) media are produced from 100% high bulk polyester fibers that are thermobonded with a fire-retardant resin. PSF is extremely resilient and will withstand direct moisture. Coded blue on the air-exit side.

Nominal Dimensions (In.)			
Part No.	W	L	Price
1DT1620	16	20	☎
1DT1625	16	25	☎
1DT2020	20	20	☎
1DT2025	20	25	☎
1DT2525	25	25	☎
2DT1620	16	20	☎
2DT1625	16	25	☎
2DT2020	20	20	☎
2DT2025	20	25	☎



9200

ALUMINUM, TRIM TO SIZE



Nominal Dimensions (In.)						
Part No.	W	L	Thickness	Wgt (Lbs.)	Box Qty	Price
9200	15	24	1/4	0.33	20	\$11.22
9250	40	64	1/4	2.0	30	\$51.24
9251	40	64	5/8	4.0	14	\$89.80

ALUMINUM AIR FILTER



9806

- Delivers high overall performance at varying velocities up to 650 FPM
- Bonded aluminum media provides strength and durability
- Meets UL Listed Class 2 filter requirements
- Unique baffle design provides high dust holding capacity for longer service life and increased overall performance



Nominal Dimensions (In.)						
Part No.	W	L	Thickness	Wgt (Lbs.)	Box Qty	Price
9806	10	20	1	0.55	20	\$18.18
9805	15	20	1	0.75	20	\$19.64
9804	16	20	1	0.75	20	\$21.60
9803	16	25	1	0.9	20	\$26.54
9802	20	20	1	0.9	20	\$25.08
9801	20	25	1	1.05	20	\$28.74
9155	15	20	2	1.5	10	\$45.26
9154	16	20	2	1.5	10	\$46.30
9153	16	25	2	1.8	10	\$54.04
9152	20	20	2	1.8	10	\$52.28
9151	20	25	2	2.2	10	\$58.08

EVAPORATIVE COOLER PAD

RIGID MEDIA

- Cut-to-Fit
- High Efficiency Foamed Polyeste
- Removes Particulates
- Non-Allergenic & Odorless
- Won't Shed Fiber



Dimensions (In.)			
Part No.	W	L	Price
DI3080*	36	240	\$135.68

Note: Box quantity for ordering convenience only

*WARNING: This item may contain chemicals known to cause cancer and/or reproductive harm in the state of California. For more information go to www.P65Warnings.ca.gov