

Date:	09/29/08	MSDS No:
Supersedes:		
Trade Name:		
Sizes:		All

MATERIAL SAFETY DATA SHEET

SECTION I – IDENTIFICATION Product Name: HEAVY DUTY D-SCALE Product Type: Manufacturer/Supplier: **Evaporative Cooler Descalant** Dial Manufacturing, Inc. Product Number: 5242 (Quart) / 5244 (Gallon) 25 S. 51st Avenue 2 - Moderate Hazard HMIS HEALTH: Phoenix, Arizona 85043 FLAMMABILITY: 0 - Minimal Hazard Tel. No.: (602) 278-1100

Classification: **REACTIVITY:** 0 - Minimal Hazard SPECIAL: 0 - Minimal Hazard

SECTION II - HAZARDOUS INGREDIENTS

Composition contains no hazardous ingredients.

SECTION III – PHYSICAL & CHEMICAL PROPERTIES			
Appearance & Color:	Clear, light blue color	Boiling Point (estimated):	>212°F/>100°C
Odor:	Little or no odor	Vapor Pressure (estimated):	20mm @ 72°F / 22°C
Physical State:	Liquid	Vapor Density (Air=1):	>1
pH of Concentrate:	<1	Evaporation Rate (BuAc = 1):	<1
Specific Gravity:	1.03, 8.5 lbs./US Gallon	Volatile Percent (estimated):	72°
Viscosity:	Not Established	Freezing Point (estimated):	<32°F / 0°C
Solubility in Water:	100°		

SECTION IV – FIRE AND EXPLOSION HAZARD DATA				
Flash Point (Method Used) None	e Explosion Limits:	None		
Auto Ignition: Non-	Flammability Class (de	fined by OSHA): Non-Combustible		
	At flame temperatures the	e product residues will emit toxic fumes of		
Combustion Products:		gen oxides. May, under prolonged high		
	temperature, also give off i	temperature, also give off noxious fumes.		
Extinguishing Media:	Use media appropriate for	packaging and surroundings.		
Unusual Fire and Explosion Haza	Spilled product may pres	ent slippery conditions. Take suitable care		
Onusual Fire and Explosion Haza	with footing			
Special Precautions:	Avoid personal contact wit	h the product.		
Fire Fighting Procedures:	Use bunker gear and self-c	ontained breathing apparatus (SCBA)		

SECTION V – FIRST AID PROCEDURES		
Eyes:	Remove any contact lens and immediately flush eyes with water for 15 minutes. Lift upper and lower eyelids to aid flushing. Get immediate medical attention.	
Skin:	Immediately flush the skin with ample amounts of water. Remove contaminated clothing and launder before reusing. If irritation persists, seek medical help.	
Ingestion:	Do not induce vomiting. Give ample amounts (one glass for children and two for adults) of water, Milk of Magnesia or milk and call a physician.	
Inhalation:	If liquid is aspirated into the lungs, remove to fresh air. If not breathing, give artificial respiration. Get immediate medical help.	

SECTION VI – HEALTH HAZARD DATA		
Primary Routes of Entry:	Eye and Skin.	
Physical Hazard:	None established.	
Summary of Health Hazards:	Avoid contact of eyes or mucous membranes, which will cause irritation.	
Acute Exposure:	Eyes: Splashing into the eye can cause effects of pain and irritation	
	Skin:	Contact may cause mild irritation. (Based on an OECD test
	SKIII;	of a main product component)
	Ingestion:May cause pain, nausea and vomiting.Inhalation of Vapor:Not expected to cause difficulty. Avoid inhalation of mists, which can cause harm.	

CONTINUED ON NEXT PAGE

Chronic Exposure:	Skin:	Prolonged contact may cause irritation.	
	Carcinogenicity Listings::	NTP: None, IARC: None, OSHA: None, ACGIH: None.	
Signs and Symptoms of Overexposure:	Irritation of the eyes and mucous membranes, redness and pain.		
Medical Conditions Aggravated by Exposure:	Dermatitis may be aggravated depending on the amount and duration of contact.		
		H IMX O DE A CONTUINTA DA CA	
Stability:	Stability: Stable SECTION VII – STABILITY & REACTIVITY DATA		
Conditions to Avoid:	Extreme and prolonged heat that will cause hydrolysis with the reduction of product effectiveness.		
Incompatibility:	Avoid galvanized metals that may produce explosive mixtures of hydrogen and air.		
Hazardous Decomposition: Hazardous Polymerization:	Not expected unde Will not occur.	er normal conditions.	
SI	ECTION IX – E	XPOSURE CONTROLS	
Procedures for Clean-Up:			
For Small Spills:	Treat with soda an	d flush with water.	
For Large Spills:	Dike spill with sand or soil and recover reusable product. Neutralize the area with soda ash and place solids in a waste container. Wash area with water.		
Personal Precautions:	See Section 9 for personal protective equipment recommendations. Avoid		
Environmental Precautions:	personal contact. Avoid discharge of large amounts to any waterway or low area.		
SECTION VIII – ACCIDENTAL RELEASE MEASURES			
	Adequate general ventilation and control of any possible mist generation.		
Engineering Controls:	Otherwise, no special controls.		
Personal Protection:			
Ventilation:	No special requirements under normal conditions.		
Respiration:	Not required under normal conditions.		
Eye Protection:	Splash-proof goggles or eyewear recommended.		
Gloves:	Rubber gloves for extensive use.		
Ingestion:	Do not ingest. Do not use when handling food.		
	Exposure Limit Guideline: This product has no established exposure limits.		
Safe Handling and Hygienic	ECTION X – HA	ANDLING & STORAGE	
Practices:	Do not mix with other cleaners. Wash any contacted skin.		
Storage Requirements:	Do not store in metal containers, especially aluminum. Storage in certain metal containers at temperatures above 60° C (140° F) may result in hydrogen gas		
	evolution. Store below 48° C (118° F) and above freezing.		
SECTION XI – TOXICITY DATA			
Information for this MSDS came from component data and from manufacturing experience.			
SECTION XII – ECOLOGICAL DATA			
Although not determined, we believe that based on the component data this product is environmentally acceptable.			
SECTION XIII – DISPOSAL CONSIDERATIONS			
RCRA Classification:	This product has been evaluated for RCRA characteristics and does meet the criteria of the hazardous corrosive class, D002, if discarded in its purchased form.		
Volatile Organic Compound (VOC) Content:	None.		
Special Instructions:	Neutralize waste fluids with soda ash and discharge into a waste treatment system according to local, State and Federal Regulations.		
SEC	SECTION XIV – TRANSPORTATION DATA		
	ot Required	Hazard Class:	
Proper Shipping Name:		ID Number:	

SECTION XV – REGULATORY INFORMATION			
OSHA Compliance:	This MSDS prepared according to the 29 CFR 1919.1200 and ANSI Z400.1 Standards for the preparation of Material Safety Data Sheets. These standards meet the requirements of the WHMIS Format Standard.		
TSCA:	Although components of this product find listing under the Toxic Substance Control Act (TSCA), this blended product is exempt from import/transport declarations.		
SARA Title III:	The product in its normal packaging form is exempt under SARA Section 311 and 312 of the Superfund and Reauthorization Act of 1986 (Title III) as defined by the EPA Hazard Categories.		
CERCLA, State & Local Planning (Reporting Qualities): Not Required.		Not Required.	
State Right-To-Know Compliance: Not Required.		Not Required.	

Notice: All information appearing herein is based upon data obtained from the manufacturers of the components used in this formulation and/or recognized technical sources. While the information is believed to be correct, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.