


Material Safety Data Sheet (MSDS)

Chemical Name And Synonyms

Manufacturer's Name

Trade Name

USA HMIS INDEX Health Index-0 Flammability-0 Reactivity-0 Personal Protection-A*



CANADA WHMIS INDEX Health-0

Flammability-0 Reactivity-0

Personal Protection-A*

SECTION I	Emergency Telephone
LENOX® PROTOOL LUBE®	1-800-642-0010
Amine Complex - Trade Secret	Revised Date 1/30/2013
Lenox®	Supercedes 7/15/2003

Address (Number, Street, City, State, Zip) 301 Chestnut Street, East Longmeadow, MA 01028-0504 U.S.A.

SECTION II - INGREDIENTS

This Cutting Lubricant Does Not Contain Any Chemicals Listed in SARA Title III, Section 313 Of The Emergency Planning And Community Right-To-Know Act Of 1986 Or In OSHA 29 CFR 1910, Subpart Z List

Note - Canadian Users: This Is Not A Controlled Product Under The WHMIS Guidelines.

Does not contain silicone

SECTION III - PHYSICAL DATA			
Boiling Point	99°C / 210°F	Percent Volatile By Volume%	NA
Vapor Pressure	68°F	р.Н.	8.0 - 8.5
Vapor Density (Air = 1)	>Air	Evaporation Rate	NA
Solubility In Water	100%	Pour Point C/F	-25°C / -13°F
Specific Gravity (H20 = 1)	1.03	Viscosity	500 SUS

Appearance and Odor Translucent Yellow; Characteristic Odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	None	Flammable Limits None	LEL NA	UEL NA

Extinguishing Media Water or Carbon Dioxide

Special Fire Fighting Procedures None Required

Unusual Fire And Explosion Hazards None

SECTION V - HEALTH HAZARD INFORMATION

Symptoms/Effects Of Overexposure None Known

Medical Conditions Aggravated By Exposure None Known

Carcinogenicity No Biodegradable Yes

FIRST AID

Eyes Flush Eyes With Water For 15 Minutes. See Physician If Irritation Persists.

Skin Wash Infected Area With Soap And Water.

Ingestion Do Not Induce Vomiting. Contact A Physician As A Precautionary Measure.

Note: This Product Is Not A DOT Hazardous Material And Is Therefore Not Regulated

NA-Not Applicable NE-Not Established

Lenox 301 Chestnut Street, East Longmeadow, MA 01028-0504 U.S.A.

800-628-3030 413-525-2336 Fax: 800-223-7906 413-525-2336

SECTION VI - REACTIVITY

Stability Product is Stable And Will Not Polymerize

Incompatible Materials Strong Acids or Alkalies

Hazardous Decomposition Product None Known

SECTION VII - SPILL OR LEAK PROCEDURES

Procedures Small Amounts - Flush With Water. Large Amounts Should Be Removed And Disposed Of In

Accordance With Local, State, Federal Or Provincial Regulations.

Waste Disposal Method Used Cutting Lubricant Must Be Disposed Of In Accordance With Local, State, Federal Or Provincial

Regulations. Determine Waste Classification At time Of Disposal.

SECTION VIII - SPECIAL PROTECTION INFORMATION

*Eyewear Use of Eye Protection Is A Good Industrial Practice Or As Required By Your Employer

Clothing/Gloves Use Impervious Gloves/Clothing As Needed Or As Required.

Respiratory None Required

Ventilation Adequate Ventilation To Maintain Level At Less Than 5mg/m³ Air.

Work/Hygienic Practices Wash Hands With Soap And Water As Required.

SECTION IX - SPECIAL PRECAUTIONS

Use As Directed. Store Indoors.

Protect From Freezing. If Frozen, Thaw To Room Temperature And Agitate.

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its misuse