

# SAFETY DATA SHEET

# 1. Product and Company Identification

Product identifier Pressurized RX-Acid Scavenger (4301-05)

Other means of identificationNot availableRecommended useAcid neutralizerRecommended restrictionsNone known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name
Address
Nu-Calgon
2008 Altom Court
St. Louis, MO 63146

**United States** 

**Telephone** 314-469-7000 / 800-554-5499

E-mail info@nucalgon.com

Emergency phone number 1-800-424-9300 (CHEMTREC)

#### 2. Hazards Identification

Physical hazards Flammable aerosols Category 1

Gases under pressure Liquefied gas

**Health hazards** Acute toxicity, oral Category 4

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2B
Sensitization, respiratory Category 1
Sensitization, skin Category 1
Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Flammable aerosol. Contains gas under pressure; may explode if heated. Harmful if swallowed.

Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause damage to organs

through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.

#24568 Page: 1 of 8 Issue date 23-September-2014

If swallowed: Call a poison center/doctor/physician if you feel unwell. Rinse mouth. Response

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If

experiencing respiratory symptoms: Call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Specific treatment (see information on this label).

Take off contaminated clothing and wash before reuse.

If on skin: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a Storage

well-ventilated place.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

52.02% of the mixture consists of component(s) of unknown acute oral toxicity.

# 3. Composition/Information on Ingredients

lixtures			
Chemical name	Common name and synonyms	CAS number	%
Petroleum gases, liquefied, sweetened		68476-86-8	52.02
Benzene, C14-30-alkyl derivitives		68855-24-3	32.87
Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-m ethylethyl)-		2162-74-5	15.11
Benzene, 2-isocyanato-1,3-bis(1-methylethyl)-		28178-42-9	0.23

#### 4. First Aid Measures

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Inhalation

Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a

POISON CENTER or doctor/physician.

Skin contact Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin

irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Eye contact

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Ingestion

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

**General information** 

cause an allergic skin reaction. Dermatitis. Rash. May cause allergic respiratory reaction. May cause redness and pain. Prolonged exposure may cause chronic effects. Provide general supportive measures and treat symptomatically. In case of shortness of breath,

Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May

give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

### 5. Fire Fighting Measures

Suitable extinguishing media Unsuitable extinguishing media

Dry chemical. Carbon dioxide. Alcohol foam.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

#24568 Page: 2 of 8 Issue date 23-September-2014 Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.

General fire hazards

Flammable aerosol.

#### 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid breathing gas. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Do not breathe gas.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and Storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Do not breathe gas. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wear personal protective equipment. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure Controls/Personal Protection

Occupational exposure limits Biological limit values No exposure limits noted for ingredient(s).

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Skin protection

Wear safety glasses with side shields (or goggles).

Hand protection

Wear appropriate chemical resistant gloves.
Wear appropriate chemical resistant clothing.

Respiratory protection

Wear positive pressure self-contained breathing apparatus (SCBA).

Thermal hazards
General hygiene

considerations

Other

Wear appropriate thermal protective clothing, when necessary.

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash hands after handling and before eating.

### 9. Physical and Chemical Properties

Appearance Clear Physical state Gas.

Form Aerosol. Spray

Colorless to Straw Color Odor mild aromatic Odor threshold Not available. рΗ Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Pour point Specific gravity Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. Flash point **Evaporation rate** Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Relative density Not available. Not available. Solubility(ies) Not av ailable. **Auto-ignition temperature** Not av ailable. **Decomposition temperature** Not available.

Other information

Viscosity

20 in Flame extension

2546.82 kJ/mol Heat of combustion

#### 10. Stability and Reactivity

Reactivity Do not mix with other chemicals.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Material is stable under normal conditions. Chemical stability

Conditions to avoid Contact with incompatible materials. Avoid heat, sparks, open flames and other ignition sources.

Strong oxidizing agents. Nitrates. Fluorine. Chlorine. Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen cyanide

(hydrocyanic acid).

# 11. Toxicological Information

#### Information on likely routes of exposure

Ingestion Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Prolonged inhalation may be harmful. May cause damage to organs by inhalation. May cause Inhalation

allergy or asthma symptoms or breathing difficulties if inhaled.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Exposed individuals may experience eye tearing, redness, and discomfort. May cause an allergic

skin reaction. Skin irritation. Dermatitis. Rash.

### Information on toxicological effects

Harmful if swallowed. May cause an allergic skin reaction. May cause allergy or asthma **Acute toxicity** 

symptoms or breathing difficulties if inhaled.

**Test Results** Components **Species** Benzenamine, N,N'-methanetetraylbis[2,6-bis(1-methylethyl)- (CAS 2162-74-5) Acute Inhalation LC50 Not available Oral 300 - 2000 mg/kg LD50 Rat Benzene, 2-isocyanato-1,3-bis(1-methylethyl)- (CAS 28178-42-9) Acute Inhalation LC50 Rat 47 mg/m3, 4 hours Oral LD50 Mouse 3000 mg/kg Rat 1414 mg/kg Benzene, C14-30-alkyl derivitives (CAS 68855-24-3) Acute Dermal LD50 Rabbit > 7940 mg/kg Inhalation LC50 Not available Oral LD50 Rat > 15800 mg/kg Petroleum gases, liquefied, sweetened (CAS 68476-86-8) Inhalation LC50 Not available Oral LD50 Not available Skin corrosion/irritation Causes skin irritation. **Exposure minutes** Not available. Not available. Erythema value Oedema value Not available. Serious eye damage/eye Causes eye irritation. irritation Corneal opacity value Not available. Not available. Iris lesion value Conjunctival reddening Not available. value Not available. Conjunctival oedema value Not available. Recover days Respiratory or skin sensitization Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. No data available. Reproductive toxicity Specific target organ toxicity -Not applicable. single exposure May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity repeated exposure Not likely, due to the form of the product. **Aspiration hazard Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

**Further information** Not available.

# 12. Ecological Information

**Ecotoxicity** 

Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Not available.

Mobility in general Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal Considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

# 14. Transport Information

#### **U.S. Department of Transportation (DOT)**

**Basic shipping requirements:** 

UN1950 **UN number** 

Aerosols, flammable, (each not exceeding 1 L capacity) Proper shipping name

**Hazard class** Limited Quantity - US Transportation of Dangerous Goods (TDG - Canada)

**Basic shipping requirements:** 

**UN** number UN1950

Proper shipping name AEROSOLS, flammable Hazard class Limited Quantity - Canada

IATA/ICAO (Air)

**Basic shipping requirements:** 

UN1950 **UN number** 

Proper shipping name Aerosols, flammable

**Hazard class** 


**IMDG (Marine Transport)** 

**Basic shipping requirements:** 

**UN** number UN1950 **AEROSOLS** Proper shipping name

**Hazard class** 

DOT; TDG





### 15. Regulatory Information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

hazardous substance

SARA 311/312 Hazardous

No

No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**Food and Drug** 

Not regulated.

Administration (FDA)

See below **US** state regulations

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

**US. Massachusetts RTK - Substance List** 

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

**US. Rhode Island RTK** 

Not regulated.


Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

#### 16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0



HEALTH 3 \* 4 **FLAMMABILITY** 0 PHYSICAL HAZARD PERSONAL PROTECTION



**Disclaimer** 

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

23-September-2014

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Nu-Calgon Technical Service Phone: (314) 469-7000

Issue date

**Further information** 

Prepared by