MSDS 0264

\_\_\_\_\_\_ Section 1 -- PRODUCT AND COMPANY IDENTIFICATION HMIS CODES PRODUCT NAME Health Steamaster Tablets Flammability Reactivity 1 PRODUCT CODES PPI 68732 CHEMICAL FAMILY Organic/Inorganic USE Boiler Water Treatment MANUFACTURER'S NAME EMERGENCY TELEPHONE NO. The RectorSeal Corporation Chemtrec 24 Hours 2601 Spenwick Drive (800)424-9300 USA Houston, Texas 77055 USA 001-527-3887 International DATE OF VALIDATION TECHNICAL SERVICE TELEPHONE NO. October 8, 2012 (800)231-3345 or (713)263-8001 DATE OF PREPARATION October 8, 2012 \_\_\_\_\_\_ Section 2 -- HAZARDS IDENTIFICATION Emergency Overview OSHA Hazards Oxidizer, Carcinogen, Target Organ Effect, Toxic by ingestion, Irritant Target Organs Blood, Cardiovascular system., Smooth muscle. GHS CLASSIFICATION Oxidizing solids (Category 3) Acute toxicity, Oral (Category 3) Eye irritation (Category 2A) Acute aquatic toxicity (Category 1) PHYSICAL HAZARDS: Oxidizer Potential Health Effects Inhalation - May be harmful if inhaled. Causes respiratory tract irritation. Skin - May be harmful if absorbed through skin. Causes skin irritation. Eyes - Causes eye irritation. Ingestion - Toxic if swallowed. GHS Label elements, including precautionary statements Pictogram: Oxidizer, Toxic, Environmental Hazard Signal Word: Danger Hazard statement(s) H272 - May intensify fire; oxidiser. H301 - Toxic if swallowed. H319 - Causes serious eye irritation. H400 - Very toxic to aquatic life. Precautionary statement(s) P220 - Keep/Store away from clothing/ combustible materials. P273 - Avoid release to the environment.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

\_\_\_\_\_\_

#### SUMMARY OF ACUTE HAZARDS

Harmful if swallowed, inhaled or absorbed through skin. Causes irritation to skin, eyes and respiratory tract.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION

May cause irritation, redness and pain.

SKIN CONTACT

Toxic. Can irritate the mouth, esophagus, stomach, etc. Excessive amounts affect the blood and blood vessels. Signs and symptoms of nitrite poisoning include intense cyanosis, nausea, dizziness, vomiting, collapse, spasms of abdominal pain, rapid heart beat, irregular breathing, coma, convulsions, and death due to circulatory collapse. Estimated lethal dose 1 to 2 grams. SUMMARY OF CHRONIC HAZARDS

Repeated exposure through any route may cause symptoms similar to acute toxicity.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Individuals with pre-existing or chronic diseases of the eyes, skin and respiratory system may have increased susceptibility to excessive exposure.

\_\_\_\_\_\_

Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS

------

INGREDIENT: Sodium Nitrite PERCENTAGE BY WEIGHT: 44.04

CAS#: 7632-00-0 EC#: 231-555-9

\_\_\_\_\_

INGREDIENT: Sodium Triphosphate PERCENTAGE BY WEIGHT: 23.52

CAS#: 7758-29-4 EC#: 231-838-7

-----

INGREDIENT: Sodium Metasilicate PERCENTAGE BY WEIGHT: 1.34

CAS#: 6834-92-0 EC#: 229-912-9

\_\_\_\_\_\_

INGREDIENT: Citric Acid PERCENTAGE BY WEIGHT: 3.36

CAS#: 77-92-9 EC#: 201-069-1

\_\_\_\_\_\_

Section 4 -- FIRST AID MEASURES

\_\_\_\_\_\_

If INHALED: If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as

needed. Obtain emergency medical attention. Prompt

action is essential.

If on SKIN: Immediately wash with soap and water. Remove and wash

any contaminated clothing.

If in EYES: Immediately flush eyes with plenty of water for at

least 15

minutes, lifting upper and lower eyelids occasionally. Get

medical attention if irritation persists.

If SWALLOWED: If swallowed, call a physician or poison control

immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious

person.

\_\_\_\_\_\_

#### Section 5 -- FIRE FIGHTING MEASURES

\_\_\_\_\_\_

Note: Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Increases the flammability of any combustible material.

EXTINGUSING MEDIA

Non-combustible. Use agents appropriate for surrounding fires. SPECIAL FIRE FIGHTING PROCEDURES: In the event of a fire, wear full protective

clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Decomposition of sodium nitrite may leave a caustic residue.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Contact with oxidizable substances may cause extremely violent combustion. May explode when heated to 537 C (1000 F) or on severe impact or on contact with cyanides, ammonium salts, cellulose, lithium, potassium plus ammonia, and sodium thiosulfate.

\_\_\_\_\_\_

## Section 6 -- ACCIDENTAL RELEASE MEASURES

CHERC HO DE HAVEN IN CASE MAREDIAL IS DELEASED OF STILLED. SWOOD UP OF COLUMN

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Sweep up excess material to prevent footing hazard. Discard in trash.

\_\_\_\_\_\_

# Section 7 -- HANDLING AND STORAGE

\_\_\_\_\_\_

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage and moisture. Isolate from any source of heat or ignition. Avoid storage on wood floors. Separate from incompatibles, combustibles, organic or other readily oxidizable materials. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product. OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing.

\_\_\_\_\_

### Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

-----

INGREDIENT UNITS

Sodium Nitrite

ACGIH TLV N/D OSHA PEL N/D

\_\_\_\_\_\_

Sodium Triphosphate

ACGIH TLV N/D OSHA PEL N/D

```
-----
```

Sodium Metasilicate

ACGIH TLV N/D OSHA PEL N/D

\_\_\_\_\_\_

Citric Acid

ACGIH TLV N/D OSHA PEL N/D

\_\_\_\_\_

RESPIRATORY PROTECTION (SPECIFY TYPE): Normally none required. Use

NIOSH/MSHA

approved particulate respirator for nuisance dust.

VENTILATION - LOCAL EXHAUST: Acceptable

SPECIAL: N/A

MECHANICAL (GENERAL): Acceptable

OTHER: N/A

PROTECTIVE GLOVES: Wear rubber gloves.

EYE PROTECTION: Safety glasses (ANSI Z-87.1 or equivalent) OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area.

Launder contaminated clothing before reuse.

\_\_\_\_\_

### Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

-----

BOILING POINT: N/A
SPECIFIC GRAVITY (H20 = 1): Soild
VAPOR PRESSURE (mm Hg): N/A
MELTING POINT: N/D
VAPOR DENSITY (AIR = 1): N/A
EVAPORATION RATE (ETHYL ACETATE = 1): N/A

APPEARANCE/ODOR: Tablets / No distinct odor

SOLUBILITY IN WATER: Soluble FLASH POINT None LOWER EXPLOSION LIMIT N/D UPPER EXPLOSION LIMIT N/D

VOLATILE ORGANIC COMPOUNDS (VOC) Content

(Theoretical Percentage By Weight): 0% or (0 g/L)

\_\_\_\_\_\_

#### Section 10 -- STABILITY AND REACTIVITY

\_\_\_\_\_\_

STABILITY: This material is stable in closed containers at room temperature. Material slowly oxidizes to sodium nitrate when exposed to air. Very hygroscopic.

CONDITIONS TO AVOID: Heat, flame, ignition sources, shock, friction, incompatibles.

INCOMPATIBILITY (MATERIALS TO AVOID): Reacts vigorously with reducing materials and is incompatible with many substances including ammonium salts, cellulose, cyanides, lithium, potassium plus ammonia, sodium thiosulfate, aminoguanide salts, butadiene, phthalic acid, phthalic anhydride, reducants, sodium amide, sodium disulphite, sodium thiocyanate, urea, wood and organic matter.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of nitrogen.

HAZARDOUS POLYMERIZATION: Will not occur.

\_\_\_\_\_\_

Section 11 -- TOXICOLOGY INFORMATION

\_\_\_\_\_\_

```
CHRONIC HEALTH HAZARDS
  No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.
TOXICOLOGY DATA
Ingredient Name
______
  Sodium Nitrite
              Oral-Rat LD50:85 mg/kg
              Inhalation-Rat LC50:5500 mg/m3
  Sodium Triphosphate
              Oral-Rat LD50:6500 mg/kg
              Inhalation-Rat LCLo:N/D
  Sodium Metasilicate
              Oral-Rat LD50:2000-3000 mg/kg
              Inhalation-Rat LCLo:N/D
  Citric Acid
              Oral-Rat LD50:3 g/kg
             Inhalation-Rat LCLo:N/D
______
        Section 12 -- Ecological Information
ECOLOGICAL DATA
Ingredient Name
  Sodium Nitrite
              Food Chain Concentration Potential
                                             None
              WATERFOWL TOXICITY
                                              N/A
              BOD
                                              None
                                        17.1 ppm/24 hr/minnow
              AQUATIC TOXICITY
  Sodium Triphosphate
                                              N/D
              Food Chain Concentration Potential
              WATERFOWL TOXICITY
                                              N/D
              BOD
                                              N/D
              AQUATIC TOXICITY
                                              N/D
  Sodium Metasilicate
              Food Chain Concentration Potential
                                              None
              WATERFOWL TOXICITY
                                              N/A
                                              None
              AQUATIC TOXICITY
                                  2320 ppm/96 hr/mosquito fish/TLm
  Citric Acid
              Food Chain Concentration Potential
              WATERFOWL TOXICITY
                                              N/A
              BOD
                                               40%
              AQUATIC TOXICITY 894 ppm/4 hr/goldfish
_____
        Section 13 -- DISPOSAL CONSIDERATIONS
______
Waste Classification: Non-regulated solid waste
Disposal Method: Whatever cannot be saved for recovery or recycling
should be handled as hazardous waste and sent to a RCRA approved waste
facility. Processing, use or contamination of this product may change the
waste management options. State and local disposal regulations may differ
from federal disposal regulations. Dispose of container and unused contents
in accordance with federal, state and local requirements.
______
        Section 14 -- TRANSPORTATION INFORMATION
```

```
DOT: UN1479, Oxidizing substances, solid, n.o.s., (Sodium Nitrite), Class 5.1,
     PGIII, LTD QTY, ERG#140
OCEAN (IMDG): UN1479, Oxidizing substances, solid, n.o.s., (Sodium
Nitrite), Class 5.1,
             PGIII, LTD QTY, EMS-No: F-A, S-Q
AIR (IATA): UN1479, Oxidizing substances, solid, n.o.s., (Sodium Nitrite),
Class 5.1,
           PGIII, LTD QTY, ERG#140
______
        Section 15 -- REGULATORY INFORMATION
REGULATORY DATA
Ingredient Name
______
    Sodium Nitrite
              SARA 313
                           Yes
              TSCA Inventory Yes
              CERCLA RQ
                            100 lb.
              RCRA Code
                           N/A
    Sodium Triphosphate
                            No
              SARA 313
              TSCA Inventory Yes
                           N/A
              CERCLA RQ
              RCRA Code
                           N/A
    Sodium Metasilicate
              SARA 313
                            No
              TSCA Inventory Yes
              CERCLA RQ
                           N/A
              RCRA Code
                           N/A
    Citric Acid
              SARA 313
                            No
              TSCA Inventory
                            Yes
              CERCLA RQ
                           N/A
              RCRA Code
                           N/A
```

\_\_\_\_\_\_

## Section 16 -- OTHER INFORMATION

\_\_\_\_\_\_

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further

information: (713) 263-8001