Printing date 07.11.2013 Revision: 07.11.2013

#### 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SUPCO 88

- · Article number: supco88
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Oil additive.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Highside Chemicals, Inc. 11114 Reichold Road Gulfport, MS 39503 USA Phone: (228) 896-9220

· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

H350 May cause cancer.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.

R10: Flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 1)

#### · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS02 GHS07 GHS08

#### · Signal word Danger

#### · Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated heavy naphthenic

Kerosine (petroleum), hydrodesulfurized

dibenzyl disulphide

#### · Hazard statements

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H350 May cause cancer.

H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P281 Use personal protective equipment as required.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction.

P331 Do NOT induce vomiting.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

Restricted to professional users.

- · Hazard description:
- · WHMIS-symbols:

B3 - Combustible liquid



#### · NFPA ratings (scale 0 - 4)



(Contd. on page 3)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



- \* Indicates a long term health hazard from repeated or prolonged exposures.
- · HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-81-0	Kerosine (petroleum), hydrodesulfurized	25-50%
EINECS: 265-184-9	Xn R65	
Index number: 649-423-00-8	<ul><li>♠ Flam. Liq. 3, H226</li><li>♠ Asp. Tox. 1, H304</li></ul>	
CAS: 150-60-7	dibenzyl disulphide	<10%
EINECS: 205-764-0	x Xn R20; x Xi R37	
	① Acute Tox. 4, H332; STOT SE 3, H335	

Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 4)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

· After swallowing:

(Contd. of page 3)

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

4.2 Most important symptoms and effects, both acute and delayed

Cramp

Acne

Nausea

Unconsciousness

Dizziness

Breathing difficulty

Coughing

· Hazards

Danger of pulmonary oedema.

Danger of impaired breathing.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

#### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water haze or fog

Foam

Fire-extinguishing powder

Carbon dioxide

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Water spray

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water fog or haze.

#### 6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 5)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 4)

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### · 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid the formation of oil haze.

Use only in well ventilated areas.

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Protect from heat.

When heated the product forms flammable fumes.

Flammable gas-air mixtures may form in empty receptacles.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 5)

#### · 8.1 Control parameters

	· Ingredients with limit values that require monitoring at the workplace:		
Ī	64742-81-0 Kerosine (petroleum), hydrodesulfurized		
	REL (USA)	Long-term value: 100 mg/m³ Kerosene only	
		Long-term value: 200 mg/m³ as total hydrocarbon vapor; Skin; P	
	EV (Canada)	Long-term value: 200(G) mg/m³ as total hydrocarbon vapour, Skin	

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used.

#### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

Neoprene gloves

#### Eye protection:



(Contd. on page 7)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 6)

- · Body protection: Oil resistant protective clothing
- Limitation and supervision of exposure into the environment No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

9.1 Information on basic physical and chemical properties General Information		
Appearance:		
Form:	Liquid	
Colour:	Light brown	
Odour:	Petroleum-like	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	304 °F / 151 °C	
Flash point:	130 °F / 54 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	410 °F / 210 °C	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive a vapour mixtures are possible.	
Explosion limits:		
Lower:	0,7 Vol %	
Upper:	5,0 Vol %	
Vapour pressure at 20 °C:	0,1 mmHg	
Density at 20 °C:	0,851 g/cm³	
Relative density	Not determined.	
Vapour density at 20 °C	>1 (AIR = 1)	
Evaporation rate at 20 °C	<1 (Butyl acetate = 1)	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 7)

· Viscosity:

**Dynamic at 40 °C:** 2,0 mPas **Kinematic:** Not determined.

**9.2 Other information** No further relevant information available.

#### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Flammable.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Toxic fumes may be released if heated above the decomposition point.

Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.

· 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Hydrocarbons

Carbon monoxide and carbon dioxide

#### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

<ul> <li>LD/LC50 values re</li> </ul>	levant for c	lassification:
---------------------------------------	--------------	----------------

#### 64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic

Oral	LD50	>5000 mg/kg (rat)
		>5000 mg/kg (rabbit)
Inhalative	LC50/4h	5 mg/l (rat)

- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

(Contd. on page 9)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 8)

Carcinogenic.

- · Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure .
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1B

#### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The material is harmful to the environment.
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Avoid transfer into the environment.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Product is recyclable as a waste oil. Deliver unused and/or contaminated product to waste oil collectors. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### **14 Transport information**

- · 14.1 UN-Number
- · DOT

N/A

Classified as combustible under US DOT regulations. Labeling required for single packages ≥119 US gal /

(Contd. on page 10)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

	(Contd. of page
· ADR, IMDG, IATA	450 L to include Combustible symbol and Prop Shipping Name. UN1268
	GIV1250
· 14.2 UN proper shipping name · DOT	N/A FLAMMABLE LIQUID, N.O.S. (Kerosine (petroleum hydrodesulfurized)
· ADR · IMDG, IATA	1268 PETROLEUM PRODUCTS, N.O.S. PETROLEUM PRODUCTS, N.O.S.
· 14.3 Transport hazard class(es)	
· DOT · Class	N/A
· ADR	
· Class	3 (F1) Flammable liquids.
· Label · IMDG, IATA	3 
· Class · Label	<ul><li>3 Flammable liquids.</li><li>3</li></ul>
· 14.4 Packing group	
· DOT · ADR, IMDG, IATA	N/A III
· 14.5 Environmental hazards:	
· 14.5 Environmental nazaros: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
· EMS Number:	F-E, <u>S-E</u>
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

	(Contd. of page 10)
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN1993, FLAMMABLE LIQUID, N.O.S. (Kerosine (petroleum), hydrodesulfurized), 3, III

#### 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

Listed under a chemical family; not directly listed by CAS: 64742-94-5.

64742-94-5 Solvent naphtha (petroleum), heavy arom.

91-20-3 naphthalene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

64742-81-0 Kerosine (petroleum), hydrodesulfurized

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 12)

Printing date 07.11.2013 Revision: 07.11.2013

Trade name: SUPCO 88

(Contd. of page 11)

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

150-60-7 dibenzyl disulphide

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

R20 Harmful by inhalation.

R37 Irritating to respiratory system.

R65 Harmful: may cause lung damage if swallowed.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

#### Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com