Printing date 01.03.2013 Revision: 01.03.2013

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Acid Neutralizer
- · Article number: 18001,18004, 18002, 18022, 18032
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation Preparation
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Highside Chemicals, Inc. 11114 Reichold Road Gulfport, MS 39503 Phone: (228) 896-9220

- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

Irritating to skin. Risk of serious damage to eyes. R38-41:

Flammable.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

· Classification system: (Contd. of page 1)

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

butan-1-ol

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eve damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves and eye protection.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician. P332+P313 If skin irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

- · Hazard description:
- · WHMIS-symbols:

B3 - Combustible liquid

D2B - Toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



(Contd. on page 3)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

· HMIS-ratings (scale 0 - 4)

(Contd. of page 2)



2 Health = 2 ² Fire = 2

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 68855-24-3 EINECS: 272-472-8	Alkyl (C12-30) Benzene Derivatives Xi R36/38 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	50-100%
CAS: 71-36-3 EINECS: 200-751-6 Index number: 603-004-00-6	butan-1-ol Xn R22; Xi R37/38-41 R10-67 Flam. Liq. 3, H226 Eye Dam. 1, H318 ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336	< 10%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

(Contd. on page 4)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 3)

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness

Coughing

Gastric or intestinal disorders

- · Hazards No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

Medical supervision for at least 48 hours.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Product forms slippery surface when combined with water.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 4)

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Protect from humidity and water.

Provide ventilation for receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

71-36-3 butan-1-ol

PEL (USA) 300 mg/m³, 100 ppm

REL (USA) | Short-term value: C 150 mg/m³, C 50 ppm

Skin

TLV (USA) 61 mg/m³, 20 ppm

EL (Canada) | Short-term value: C 30 ppm

Long-term value: 15 ppm

EV (Canada) 20 ppm

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.

(Contd. on page 6)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 5)

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Natural rubber, NR

Nitrile rubber, NBR

Neoprene gloves

Eye protection:

Contact lenses should not be worn.



Safety glasses

- Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

(Contd. on page 7)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 6)

9 Physical and chemical properties			
9.1 Information on basic physical and chemical properties General Information Appearance:			
Form: Colour: Odour: Odour threshold:	Liquid Light yellow Alcohol-like Not determined.		
· pH-value at 20 °C:	10,5		
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. >212 °F / >100 °C		
· Flash point:	129 °F / 54 °C		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	644 °F / 340 °C		
Decomposition temperature:	Not determined.		
· Self-igniting:	Product is not self-igniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.		
· Explosion limits: Lower: Upper:	1,5 Vol % 9,4 Vol %		
· Vapour pressure at 20 °C:	6,7 hPa		
Density at 20 °C: Relative density Vapour density Evaporation rate	0,87 g/cm³ Not determined. Not determined. Not determined.		
· Solubility in / Miscibility with water:	Fully miscible.		
Partition coefficient (n-octanol/water	· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity: Dynamic: Kinematic: · 9.2 Other information	Not determined. Not determined. No further relevant information available.		

(Contd. on page 8)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 7)

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents.

Flammable.

Reacts with catalysts, oxidizing agents and strong alkali.

Reacts with peroxides and other radical forming substances.

10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Hydrocarbons

Carbon monoxide and carbon dioxide

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

- Sensitisation Sensitization possible by inhalation and/or dermal contact.
- Repeated dose toxicity Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

This statement was deduced from products with a similar structure or composition.

(Contd. on page 9)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 8)

(Contd. on page 10)

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Avoid transfer into the environment.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Contact manufacturer for recycling information.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information	
14.1 UN-Number DOT, ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name	
DOT	May be reclassified as combustible under 49CFR173.150(f).
· ADR	FLAMMABLE LIQUID, N.O.S.
· IMDG, IATA	1993 FLAMMABLE LIQUID, N.O.S. (BUTANOLS) FLAMMABLE LIQUID, N.O.S. (BUTANOLS)
· 14.3 Transport hazard class(es)	
· DOT	
FLAMMALE JULI D	
· Class	3 Flammable liquids.

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

	(Contd. of page 9
· Label	3
· ADR	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids.
Label	3
· 14.4 Packing group · DOT, ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
EMS Number:	F-E, <u>S-E</u>
· 14.7 Transport in bulk according to Ann	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN1993, FLAMMABLE LIQUID, N.O.S. (BUTANOLS), 3, III

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- **United States (USA)**
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 11)

Printing date 01.03.2013 Revision: 01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 10) Section 313 (Specific toxic chemical listings): 71-36-3 butan-1-ol · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 (California): · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic Categories · EPA (Environmental Protection Agency) 71-36-3 butan-1-ol D · IARC (International Agency for Research on Cancer) None of the ingredients is listed. TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed. · Canada Canadian Domestic Substances List (DSL) All ingredients are listed. Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients is listed. · Canadian Ingredient Disclosure list (limit 1%) 71-36-3 butan-1-ol · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

(Contd. on page 12)

Printing date 01.03.2013 Revision:01.03.2013

Trade name: Acid Neutralizer

(Contd. of page 11)

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- R10 Flammable.
- R22 Harmful if swallowed.
- R36/38 Irritating to eyes and skin.
- R37/38 Irritating to respiratory system and skin.
- R41 Risk of serious damage to eyes.
- R67 Vapours may cause drowsiness and dizziness.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

