## MATERIAL SAFETY DATA SHEET

MSDS Name: KINGCO DUCT LINER ADHESIVE MSDS Number: 10-595 MSDS Last Updated: NOV-13-2002 Printed On: 11/20/02 Page Number: 1 of 4 -----SECTION I - PRODUCT AND COMPANY INFORMATION Product Name: KINGCO DUCT LINER ADHESIVE MIXTURE CAS Number: Health: 1 Fire: 0 Reactivity: 0 PPI: B Hazard Rating: Company Identification: ITW TACC AIR STATION INDUSTRIAL PARK ROCKLAND MA 02370 Telephone/Fax: (781) 878-7015 (781) 871-6727 Chemtrec (24 Hour): (800) 424-9300 Trade Name: KINGCO DUCT LINER ADHESIVE Product Code: 10-595 DOT Hazard Class UN Number: NON REG Shipping Name: Packing Group: SECTION II - HAZARDOUS INFORMATION Ingredient Name CAS Number Percent TSCA No hazardous ingredients known at this time. \_\_\_\_\_\_ SECTION III - PHYSICAL DATA Appearance/Color:WHITE - OFF-WHITEBoiling Range:212.ØFEvaporation Rate:Slower than n-Butyl Acetate% Volatile Weight:40.65%% Volatile Volume:Not AvailableSpecific Gravity:1.04648Weight/Volume Measure:8.71406EPA Method 24 VOC:0.6 g/L

## MATERIAL SAFETY DATA SHEET

MSDS Name: KINGCO DUCT LINER ADHESIVE MSDS Number: 10-595 MSDS Last Updated: NOV-13-2002 Printed On: 11/20/02 Page Number: 2 of 4 Photo Chem Reactive Only VOC: 0.4 SECTION IV - FIRE AND EXPLOSION HAZARD DANGER Flammability Class: IIIB Flash Range:Not ApplicableExplosive Range:Not Applicable EXTINGUISHING MEDIA: Water spray, carbon dioxide, dry chemical or foam. SPECIAL FIREFIGHTING PROCEDURES: After water evaporates, remaining material will burn. Breathing apparatus when fighting fires in enclosed areas. UNUSUAL FIRE & EXPLOSION HAZARDS: Decomposition products may cause a health hazard. SECTION V - HEALTH HAZARD DATA PERMISSIBLE EXPOSURE LEVEL: SEE SECTION VIII. EFFECTS OF OVEREXPOSURE: INHALATION: Materials are low in volatility and therefore not likely to pose a problem. EYES: May cause minor irritation. SKIN: Not likely to be absorbed in toxic amounts. Avoid skin contact as much as possible; upon repeated contact, slight skin irritation may occur. INGESTION: None reported, not likely route of entry. FIRST AID: INHALATION: Get fresh air. EYES: Flush with water for at least 15 minutes. SKIN: Wash with mild soap and water; apply a mild cream. INGESTION: Small amounts are not expected to produce adverse health effects. Larger amounts should be recovered by aspiration. Call a physician. SECTION VI - REACTIVITY DATA Stability: This product is stable Hazardous Polymerization: Hazardous polymerization will not occur \_\_\_\_\_

MSDS Name: KINGCO DUCT LINER ADHESIVE MSDS Number: 10-595 MSDS Last Updated: NOV-13-2002 Printed On: 11/20/02 Page Number: 3 of 4 INCOMPATIBILITY: Strong acids or alkaline materials. CONDITIONS TO AVOID: None known. HAZARDOUS DECOMPOSITION PRODUCTS: Fumes, smoke, carbon monoxide, carbon dioxide in the case of incomplete combustion. \_\_\_\_\_\_ SECTION VII - SPILL OR LEAK PROCEDURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Confine to small area. Use absorbent to clean up. Place in container for disposal. WASTE DISPOSAL METHOD: Dispose in accordance with federal, state and local regulations. \_\_\_\_\_\_ SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION \_\_\_\_\_\_ Occupational Exposure Limits: ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL RESPIRATORY PROTECTION: None required for normal use. VENTILATION: Natural ventilation should be adequate under normal conditions. PROTECTIVE GLOVES: Impervious gloves, if needed, to avoid repeated or prolonged skin contact. EYE PROTECTION: Safety glasses. Face shield as necessary if spraying. OTHER PROTECTIVE EQUIPMENT: Not likely to be needed. SECTION IX - SPECIAL PRECAUTIONS \_\_\_\_\_\_ PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Do not store above 125 degrees F or below freezing or damage may occur to product. OTHER PRECAUTIONS: For professional or industrial use only. Follow label instructions.

MSDS Name: KINGCO DUCT LINER ADHESIVE MSDS Number: 10-595 MSDS Last Updated: NOV-13-2002 Printed On: 11/20/02 Page Number: 4 of 4

Keep out of the reach of children. Not for consumpion. No smoking. Do not breathe fumes. Avoid contact with body. Turn off all pilot lights, flames, stoves, heaters, electric motors, welding equipment and other sources of ignition. Close all containers when not in use. Empty containers must not be washed and re-used for any purpose. Contact lens wearers take appropriate precautions. Wash hands throughly after handling.

For spray applications, use only with approved spray equipment.

For flammable products, vapors may cause flash fire or ignite explosively. To prevent buildup of vapors, use adequate ventilations (e.g. open all windows and doors to achieve cross-ventilation). Containers may be hazardous when empty. Never use welding or cutting torch on or near container.

SECTION X - ADDITIONAL REGULATORY INFORMATION

None. DISCLAIMER

\*\*\*\*\* NOTICE \*\*\*\*\*

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of ITW TACC. The data on this sheet relates only to the specific material designated herein. ITW TACC assumes no legal responsibility for use or reliance upon these data.