



**Revision Number: 006.0** Issue date: 01/11/2012

## 1. PRODUCT AND COMPANY IDENTIFICATION

Lock Nuts(TM) Removable Product name:

**Threadlocker** Anaerobic Sealant

Product type:

Company address: Henkel Corporation

Rocky Hill, Connecticut 06067

One Henkel Way

IDH number: 235414

81789 Item number: Region: **United States** 

**Contact information:** Telephone: 860.571.5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

HMIS:

HEALTH: \*2 Physical state: Liquid Color: Blue FLAMMABILITY: 1 Odor: Mild PHYSICAL HAZARD:

**Personal Protection:** See MSDS Section 8

WARNING: CAUSES EYE IRRITATION.

MAY CAUSE SKIN IRRITATION.

MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

Relevant routes of exposure: Skin, Inhalation, Eyes

**Potential Health Effects** 

Inhalation: May cause respiratory tract irritation.

Skin contact: May cause allergic skin reaction. May cause skin irritation.

Eye contact: Contact with eyes will cause irritation. Ingestion: Not expected to be harmful by ingestion.

Existing conditions aggravated by

exposure:

Eye, skin, and respiratory disorders.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200).

See Section 11 for additional toxicological information.

## **COMPOSITION / INFORMATION ON INGREDIENTS**

| Hazardous components                   | CAS NUMBER  | %        |
|--|-------------|----------|
| Polyglycol dimethacrylate              | 25852-47-5  | 60 - 100 |
| Oleic acid 5.5EO                       | 9004-96-0   | 10 - 30  |
| Saccharin                              | 81-07-2     | 1 - 5    |
| Silica, amorphous, fumed, crystal-free | 112945-52-5 | 1 - 5    |
| Cumene hydroperoxide                   | 80-15-9     | 1 - 5    |
| Propanediol-1,2                        | 57-55-6     | 1 - 5    |
| Titanium dioxide                       | 13463-67-7  | 0.1 - 1  |
| Cumene                                 | 98-82-8     | 0.1 - 1  |

IDH number: 235414 Product name: Lock Nuts(TM) Removable Threadlocker

# 4. FIRST AID MEASURES

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If breathing has

stopped, give artificial respiration. Keep warm and quiet. Get medical

attention.

Skin contact: Wash with soap and water. Remove contaminated clothing and footwear.

Wash clothing before reuse. If symptoms develop and persist, get medical

attention.

Eye contact: Flush with copious amounts of water, preferably, lukewarm water for at least

15 minutes, holding eyelids open all the time. Get medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Get medical attention.

## 5. FIRE FIGHTING MEASURES

Flash point: > 93.3 °C (> 199.94 °F) Tagliabue closed cup

Flame projection: Not applicable

Autoignition temperature: Not determined

Flammable/Explosive limits - lower: 2.6 % (propylene glycol)

Flammable/Explosive limits - upper: 12.5 % (propylene glycol)

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special firefighting procedures: None
Unusual fire or explosion hazards: None

Hazardous combustion products: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Irritating organic

apours.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Do not allow product to enter sewer or waterways.

Clean-up methods: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Store in a partly filled, closed container until

disposal.

# 7. HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist.

Wash thoroughly after handling.

Storage: For safe storage, store at or below 38 °C (100.4 °F)

Keep in a cool, well ventilated area away from heat, sparks and open flame.

Keep container tightly closed until ready for use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous components                   | ACGIH TLV  | OSHA PEL                            | AIHA WEEL                        | OTHER |
|--|--|-------------------------------------|----------------------------------|-------|
| Polyglycol dimethacrylate              | None   | None                                | None                             | None  |
| Oleic acid 5.5EO                       | None   | None                                | None None                        |       |
| Saccharin                              | None   | None                                | None                             | None  |
| Silica, amorphous, fumed, crystal-free | 10 mg/m3 TWA<br>Inhalable dust.<br>3 mg/m3 TWA<br>Respirable fraction. | 20 MPPCF TWA<br>0.8 mg/m3 TWA       | None None                        |       |
| Cumene hydroperoxide                   | None   | None                                | 1 ppm (6 mg/m3)<br>TWA<br>(SKIN) | None  |
| Propanediol-1,2                        | None   | None                                | 10 mg/m3 TWA<br>Aerosol.         | None  |
| Titanium dioxide                       | 10 mg/m3 TWA   | 15 mg/m3 TWA<br>Total dust.         | None                             | None  |
| Cumene                                 | 50 ppm TWA   | 50 ppm (245<br>mg/m3) TWA<br>(SKIN) | None                             | None  |

Engineering controls: No specific ventilation requirements noted, but forced ventilation may still be

required if concentrations exceed occupational exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

**Eye/face protection:** Safety goggles or safety glasses with side shields.

**Skin protection:** Use impermeable gloves and protective clothing as necessary to prevent skin

contact. Neoprene gloves. Butyl rubber gloves. Natural rubber gloves.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Color: Blue
Odor: Mild

Odor threshold: Not available. pH: Not applicable

Vapor pressure:< 5 mm hg (27 °C (80.6 °F))</td>Boiling point/range:> 149 °C (> 300.2 °F)Melting point/ range:Not available.

**Specific gravity:** 1.1 at 23.9 °C (75.02 °F)

Vapor density: Not available.

Flash point: > 93.3 °C (> 199.94 °F) Tagliabue closed cup

Flame projection: Not applicable

Flammable/Explosive limits - lower: 2.6 % (propylene glycol)
Flammable/Explosive limits - upper: 12.5 % (propylene glycol)

Autoignition temperature:

Evaporation rate:

Solubility in water:

Partition coefficient (n-octanol/water):

Not determined
Not available.

Slight
Not available.

IDH number: 235414

**VOC content:** 4.48 %; 49.3 g/l EPA Method 24

# 10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous reactions: Will not occur.

Hazardous decomposition products: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Irritating organic

vapours.

**Incompatible materials:** Strong oxidizing agents. Free radical initiators. Strong reducing agents.

Alkalis. Oxygen scavengers. Other polymerization initiators. Copper. Iron.

Zinc. Aluminum. Rust.

Conditions to avoid: See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

# 11. TOXICOLOGICAL INFORMATION

Acute oral product toxicity: LD50 (rat) > 10,000 mg/kg

Acute dermal product toxicity: LD50 (rabbit) > 5,000 mg/kg

| Hazardous components                   | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|--|----------------|-----------------|--|
| Polyglycol dimethacrylate              | No             | No              | No                                       |
| Oleic acid 5.5EO                       | No             | No              | No                                       |
| Saccharin                              | No             | No              | No                                       |
| Silica, amorphous, fumed, crystal-free | No             | No              | No                                       |
| Cumene hydroperoxide                   | No             | No              | No                                       |
| Propanediol-1,2                        | No             | No              | No                                       |
| Titanium dioxide                       | No             | Group 2B        | No                                       |
| Cumene                                 | No             | Group 2B        | No                                       |

| Hazardous components                   | Health Effects/Target Organs                                   |  |
|--|--|--|
| Polyglycol dimethacrylate              | Irritant, Allergen   |  |
| Oleic acid 5.5EO                       | Irritant   |  |
| Saccharin                              | No Target Organs   |  |
| Silica, amorphous, fumed, crystal-free | Nuisance dust  |  |
| Cumene hydroperoxide                   | Allergen, Central nervous system, Corrosive, Irritant, Mutagen |  |
| Propanediol-1,2                        | Irritant   |  |
| Titanium dioxide                       | Irritant, Respiratory, Some evidence of carcinogenicity        |  |
| Cumene                                 | Central nervous system, Irritant, Lung                         |  |

# 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

IDH number: 235414

# 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

**Hazardous waste number:**Not a RCRA hazardous waste.

### 14. TRANSPORT INFORMATION

The shipping classifications in this sections are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

#### International Air Transportation (ICAO/IATA)

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None
None

#### Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

## 15. REGULATORY INFORMATION

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12(b) Export Notification: None above reporting de minimus

CERCLA/SARA Section 302 EHS: None above reporting de minimus CERCLA/SARA Section 311/312: Immediate Health, Delayed Health

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Cumene hydroperoxide (CAS# 80-15-9).

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

### **Canada Regulatory Information**

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List. D.2.A. D.2.B

WHMIS hazard class: D.2.A, D.2.B

### 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 3, 8, 11

Prepared by: Kyra Kozak Woods, Manager, Regulatory Affairs

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 235414