

MOBIL OIL CORP -- MOBIL EAL ARCTIC 22A

MSDS Safety Information

FSC: 9150

MSDS Date: 01/27/1994

MSDS Num: BZVNY

LIIN: 00F049192

Product ID: MOBIL EAL ARCTIC 22A

MFN: 01

Responsible Party

Cage: 6A687

Name: MOBIL OIL CORP

Box: 1025

City: PRINCETON NJ 08540-5000

Info Phone Number: 800-662-4525/609-737-4411

Emergency Phone Number: 609-737-4411/800-662-4525

Review Ind: Y

Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 6A687

Name: MOBIL OIL CORP

Address: UNKNOWN

Box: 1025

City: PRINCETON NJ 08540

Contractor Summary

Cage: 6A687

Name: MOBIL OIL CORP

Address: UNKNOWN

Box: 1025

City: PRINCETON NJ 08540

Phone: 609-737-4411

Ingredients

Name: COMPRESSOR OIL

RTECS #: 9999999V0

Name: VOLATILE ORGANIC CONTENT: <3.00 WT.%; 0.248 LBS/GAL

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50(RATS): >2000

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES: IRRITATION. INHALATION: RESPIRATORY IRRITATION.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: IRRITATION, DIZZINESS, NAUSEA,
UNCONSCIOUSNESS.

First Aid: EYES: FLUSH THOROUGHLY W/WATER. SKIN: WASH AREAS W/SOAP & WATER.

INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, USE MOUTH TO MOUTH
RESUSCITATION. INGESTION: IMMEDIATELY GIVE 1-2 GLASSES OF WATER. DON'T
INDUCE VOMITING/GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. OBTAIN
MEDICAL ATTENTION IN ALL CASES.

Handling and Disposal

=====

Spill Release Procedures: ABSORB ON FIRE RETARDANT TREATED SAWDUST,
DIATOMACEOUS EARTH. SHOVEL UP & DISPOSE OF AT AN APPROPRIATE WASTE
DISPOSAL FACILITY. PREVENT RUNOFF FROM FIRE CONTROL/DILUTION FROM ENTERING
STREAMS, SEWERS/ DRINKING WATER SUPPLY.

Waste Disposal Methods: DISPOSE/RECYCLE IN AN APPROVED FACILITY IAW/FEDERAL,
STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: THIS MATERIAL ISN'T INTENDED FOR USE IN AIR
COMPRESSORS FOR BREATHING APPLICATIONS.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: PMCC

Flash Point Text: 446F

Extinguishing Media: CO2, FOAM, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures: WATER/FOAM MAY CAUSE FROTHING. USE WATER TO KEEP
EXPOSED CONTAINERS COOL. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM
EXPOSURE. USE SCBA IN ENCLOSED AREAS

Unusual Fire/Explosion Hazard: NONE

=====

Control Measures

=====

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF
USE & W/ADEQUATE VENTILATION.

Ventilation: USE IN WELL VENTILATED AREA.

Protective Gloves: NO SPECIAL EQUIPMENT REQUIRED

Eye Protection: NORMAL INDUSTRIAL PROTECTION

Work Hygienic Practices: GOOD PERSONAL HYGIENE PRACTICES SHOULD BE FOLLOWED.

=====

Physical/Chemical Properties

=====

B.P. Text: >600F

Vapor Pres: <0.1

Solubility in Water: NEGLIGIBLE

Appearance and Odor: STRAW LIQUID W/MILD ODOR

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT

Materials To Avoid: STRONG OXIDIZERS

Hazardous Decomposition Products: CO

Hazardous Polymerization Indicator: NO

=====

Toxicological Information

=====

Ecological Information

=====

MSDS Transport Information

=====

Regulatory Information

=====

Other Information

=====

HAZCOM Label

=====

Product ID: MOBIL EAL ARCTIC 22A

Cage: 6A687

Company Name: MOBIL OIL CORP

Street: UNKNOWN

PO Box: 1025
City: PRINCETON NJ
Zipcode: 08540
Health Emergency Phone: 609-737-4411/800-662-4525
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: EYES: IRRITATION. INHALATION: RESPIRATORY IRRITATION.

IRRITATION, DIZZINESS, NAUSEA, UNCONSCIOUSNESS.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.