



MATERIAL SAFETY DATA SHEET

PRODUCT IDENTIFICATION

PRODUCT NAME: KLEENFLUSH

PART #: 1NCKFS, 2NCKFS, NCKFSKIT, NCKFSPAK

CHEMICAL NAME: Hydrofluorocarbon

CHEMICAL FAMILY: N/A

HMIS RATINGS

HEALTH: 1

FIRE: 0

REACTIVITY: 1

PROTECTIVE EQUIPMENT: B (Gloves, Safety Glasses)

PRODUCT INFORMATION

(800) 262-0012

TRANSPORTATION EMERGENCY

CHEMTREC (800) 424-9300

MEDICAL EMERGENCY

(856) 455-4555

DISTRIBUTOR:

NATIONAL REFRIGERANTS, INC.

661 KENYON AVE. ROSENHAYN, NJ 08352

HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)

INGREDIENT NAME	CAS #	OSHA PEL	AGCIH TLV	VAPOR PRES @25 DEG. C.	LEL	UEL	FLASH POINT DEG. F.	% BY WEIGHT
Trans, Dichloroethylene	156-60-5	N/E	200ppm	400 mmHg	6.7	18	36 (CC)	30-50
Pentafluorobutane	406-58-6	N/A	N/A	43.3 kPa	N/A	N/A	N/A	30-50
Decafluoropentane (HFC 43-10)	138495-42-8	N/E	N/E	366 mmHg	N/A	N/A	0	<10
1,1,1,2-Tetrafluoroethane	811-97-2	N/A	N/A	96 psia	Nonflammable		None	10-20
Ethyl Alcohol	64-17-5	1000ppm	1000ppm	44 mmHg	3.3	19	54 (TCC)	<5
Carbon Dioxide	124-38-9	5000ppm	5000ppm	1 atm	None		None	<5

N/E is not established

N/A is not available or not applicable

HAZARDS IDENTIFICATIONS

THRESHOLD LIMIT VALUE: See Hazardous Ingredients Table

SIGNS AND SYMPTOMS OF EXPOSURE:

EYE CONTACT: Contact with liquid or mist may cause irritation. Vapors may irritate eyes.

SKIN CONTACT: Prolonged contact may cause irritation, defatting of skin.

INHALATION: Overexposure to vapor may cause dizziness, loss of concentration and irritation. With high exposure levels, effects can include central nervous system (CNS), depression (intoxication) and cardiac arrhythmia. Product vapors displace air and can cause suffocation especially in confined space. **INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS OF THE CAN MAY BE HARMFUL OR FATAL.**

INGESTION: Aspiration may cause rapid absorption through the lungs, which may result in systemic effects.

IMPORTANT NOTICE: REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS MAY LEAD TO PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. EYE WATERING, HEADACHES, NAUSEA, DIZZINESS AND LOSS OF COORDINATION ARE SIGNS THAT SOLVENT LEVELS ARE TOO HIGH. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.



MATERIAL SAFETY DATA SHEET

FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes. Get medical assistance if irritation persists.
SKIN: Wash off in flowing water or shower. Remove contaminated clothing and wash before reuse.
INHALATION: Remove to fresh air. If not breathing, give mouth-to-mouth. If breathing is difficult, give oxygen. Do not give epinephrine or similar drugs. Call a physician.
INGESTION: Do not induce vomiting. Call a physician immediately.

NOTE TO PHYSICIANS: BECAUSE OF POSSIBLE DISTURBANCES OF CARDIAC RHYTHM, CATECHOLAMINE DRUGS, SUCH AS EPINEPHRINE, SHOULD ONLY BE USED WITH SPECIAL CAUTION IN SITUATIONS OF EMERGENCY LIFE SUPPORT.

FIRE FIGHTING MEASURES

FLASH POINT: See Hazardous Ingredients Table
FLAMMABLE LIMITS IN AIR - % BY VOLUME: See Hazardous Ingredients Table
EXTINGUISHER MEDIA: Water fog, dry chemical, carbon dioxide
AUTO-IGNITION TEMPERATURE: Unknown
SPECIAL FIRE FIGHTING PROCEDURES: Water may be used to cool closed containers to prevent pressure build-up and possible bursting when exposed to high temperatures. Firemen should wear self-contained, positive pressure, respiratory equipment.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Contents under pressure. Self-pressurized aerosol containers. Keep temperature of containers below 120 deg. F. to prevent bursting. Hazardous decomposition products.

ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
SMALL SPILLS: Remove ignition sources. Mop up, wipe up, or soak up immediately. Use proper protective equipment.
LARGE SPILLS: Evacuate area. Remove ignition sources. Contain liquid; transfer to closed containers; keep out of water supplies.

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
Do not store above 110 Deg. F. Do not use or store near any open flames or ignition sources.
OTHER PRECAUTIONS: Contents under pressure. Do not puncture or incinerate. Exposure to temperatures above 120 Deg. F may cause can to burst with violence and cause injury. Vapors are heavier than air and will collect in low areas.

EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: NIOSH or Bureau of Mines approved organic vapor-type respirator is required in absence of proper environmental control.
VENTILATION: LOCAL EXHAUST: To keep below TLV
MECHANICAL (General): To keep below TLV
SPECIAL: None
OTHER: None
PROTECTIVE GLOVES: Solvent resistant gloves - impervious gloves
EYE PROTECTION: Safety glasses or goggles
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None reasonably foreseeable.



MATERIAL SAFETY DATA SHEET

PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (Deg. F): Concentrate: 104

SPECIFIC GRAVITY (Water = 1): Concentrate: 1.3

Propellant: 1.2

VAPOR PRESSURE (mmHg): See Hazardous Ingredients Table

VAPOR DENSITY (Air = 1): >1

EVAPORATION RATE (BA = 1): >1

SOLUBILITY IN WATER: Negligible

REACTIVITY IN WATER: None

APPEARANCE AND ODOR: CONCENTRATE: Clear liquid, irritating odor at high concentrations;

PROPELLANT: Colorless, odorless gas; FINISHED PACKAGE: Pressurized containers.

STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Avoid any excessive heat, ignition sources, open flames, or other high temperatures which induce thermal decomposition.

INCOMPATIBILITY (Materials to Avoid): Chemically Active Metals. Oxidizing agents. Sodium, Potassium, Calcium, etc. Alkali or alkaline earth metals. Powdered Aluminum, Zinc, Magnesium, Beryllium, etc.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrofluoric acid, hydrochloric acid, possibly carbonyl fluoride. See HAZARDS IDENTIFICATIONS: Signs and Symptoms of Exposure.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Not Applicable

TOXICOLOGICAL INFORMATION

See Hazardous Identifications

ECOLOGICAL INFORMATION

See Hazardous Ingredients Table

DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State, and Local regulations. Do not incinerate closed or empty containers.

TRANSPORTATION INFORMATION

TRANSPORTATION INFORMATION – DOMESTIC GROUND

This material qualifies for the Limited Quantity exception per 49CFR172.101 (Aerosol, Non-Flammable 2.2) and is packaged and shipped according to the Limited Quantity exception per 49 CFR 173.306.

TRANSPORTATION INFORMATION – DOMESTIC AIR

Shipping Name:	Aerosols, Non-Flammable
Hazard Class:	2.2
UN Number:	UN1950
Packing Group:	N/A
Hazard Label:	2.2
Carton Marking:	Limited Quantity-Air



MATERIAL SAFETY DATA SHEET

REGULATORY INFORMATION

SUBJECT TO SECTION 313 OF SARA TITLE III: NO

ALL CHEMICAL COMPONENTS ARE LISTED IN THE TSCA INVENTORY.

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN: NATIONAL TOXICOLOGY PROGRAM: No

I.A.R.C. MONOGRAPHS: No

OSHA: No

OSHA PERMISSIBLE EXPOSURE LIMIT: See Hazardous Ingredients Table

AGCIH THRESHOLD LIMIT VALUE: See Hazardous Ingredients Table

OTHER EXPOSURE LIMITED USED: None

National Refrigerants, Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other methods of use of the product and of the information referred to herein are beyond the control of National Refrigerants, Inc. National Refrigerants, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

DATE OF LATEST REVISION/REVIEW:

07/12

PERSON RESPONSIBLE FOR MSDS:

Matt Callahan