

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION **Company Name Phone Number CHEMTREC** (314) 469-7000 / (800) 554-5499 Nu-Calgon Wholesaler, Inc. (800) 424-9300 **Street Address** Citv **Postal Code** Last Update State 5/22/13 63146-4151 2008 Altom Court St. Louis MO **Product Use Product Name** Product Number **EPA Registration #** 4360-88 Powdered scale remover. N/A Season Start SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	<u>% By Wt.</u>	CAS Number	TLV	PEL
Sulfamic Acid	97	5329-14-6	N/A	N/A

SECTION 3 – HAZARD IDENTIFICATION

Emergency Overview: No Data.

Potential Health Effects

Eyes: Causes burns to both eyes and skin.

Skin: Causes burns to both eyes and skin.

Ingestion: Harmful if swallowed. Will burn mouth, throat and stomach.

Inhalation: Irritates nose, throat and skin.

Chronic Exposure: No available information was found.

Carcinogenicity: No Data.

Medical Conditions Aggravated be Exposure: No Data.

SECTION 4 – FIRST AID MEASURES

Eves: Flush eyes with plenty of water for at least 15 minutes. Call a physician.

Skin: Flush skin with plenty of water for at least 15 minutes. If irritation develops, call a physician.

Ingestion: DO NOT induce vomiting. Give large quantities of water. Give at least 1 ounce of milk of magnesia or aluminum hydroxide gel in equal amounts of water. If not available, the whites of 2 - 3 eggs may be used. Never give anything by mouth to an unconscious person. Call a physician. **Inhalation:** Remove to fresh air. Call a physician.

SECTION 5 – FIREFIGHTING MEASURES

Flash Point: N/A°C/N/A°F

Autoignition Temp: No Data.°C/No Data.°F

Hazardous Products of Combustion: No Data.

Flammable Limits in Air: No Data.

Extinguishing Media: Product is nonflammable. In the event of fire, use water, chemical foam, dry chemical, CO2.

<u>Fire and Explosion Hazards</u>: May release SO2, SO3 or NH3 gases if involved in a fire.

Special Firefighting Procedures: Water solutions of this compound result in strong acids.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill or Leak: Cautiously cover spill with bicarbonate of soda or soda ash - slaked lime mixture(50 - 50). Mix and flush to discharge using plenty of water in accordance with local, state and federal laws.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment: Do not get in eyes, on skin or clothing. Keep from contact with chlorine bleaches. Wash thoroughly after handling. Keep container dry. Read and observe all label precautions.

Storage Requirements: Do not get in eyes, on skin or clothing. Keep from contact with chlorine bleaches. Wash thoroughly after handling. Keep container dry. Read and observe all label precautions.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: NIOSH - approved filter respirator recommended in case of dust.

Eye Protection: Goggles or face shield

Protective Clothing: Rubber gloves. Wash protective clothing.

Exposure Guidelines: No Data.

Specific Engineering Controls (such as ventilation, enclosed process): Local and mechanical exhaust is recommended.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Purple flowing granules	Freezing Point: N/A°C/N/A°F	% Volatile by Weight: N/A%
Color: Purple flowing granules	Vapor Density [air =1]: N/A	Evaporation Rate: N/A
Odor: Pungent odor	Vapor Pressure: N/A	Specific Gravity: N/A
Boiling Point: N/A°C/N/A°F	Solubility in Water: Appreciable	pH (concentrate): 1.25

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable
Hazardous Polymerization: None known.
Incompatibilities: Alkali, chlorine sources (bleaches).
Reactive Conditions to avoid: If heated releases SO2, SO3 or NH3 gases.
Decomposition Products: Unknown.

SECTION 11 – TOXICOLOGICAL INFORMATION

Hazardous Ingredients	<u>CAS #</u>	EINECS #	LD 50 of Ingredient (Specify Species)	LC50 of Ingredient (Specify Species)
Sulfamic Acid	5329-14-6		ORAL LD50 - Rat 1600mg/kg	

SECTION 12 – ECOLOGICAL INFORMATION

Hazardous Ingredients	Aquatic Toxicity Data
No Data.	

SECTION 13 – DISPOSAL CONSIDERATIONS

<u>Waste Disposal</u>: Cautiously stir product waste in large volume of soda ash - slaked lime solution. Flush neutralized solution and discharge in accordance with local, state and federal regulations.

TD A NEDODT A TION INFORMATION TOTION

SECTION	N 14 – TRANSPORTATION	INFORM	IATION			
Special Shipping Information: No Data.						
Purview	Proper Shipping Name		<u>UN Number</u>	Packing Group	Hazard Class	
DOT (Land)	Sulfamic Acid		2967	III	Corrosive (8)	
IMO (Water)	No Data.					
ICAO (Air)	No Data.					
SECTION	N 15 – REGULATORY INFO	DRMATI	ON			
	Classification: (Workplace Class E - C s Material Information System)		E - Corrosive Material.			
SARA Title Reauthorizat	III: (Superfund Amendments & ion Act)	No Data.				
OSHA: (Occupational Safety & Health Administration) No Data.		No Data.	lo Data.			
TSCA: (To	xic Substance Control Act)	All ingredients are TSCA listed.				
VOC: (volat	ile Organic Compounds)	No Data.				
CPR: (Cana Regulations)	CPR: (Canadian Controlled Products Regulations)This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations.			the Controlled Products		
	European Inventory of Existing Chemical Substances)	No Data.				
	L: (Canadian Domestic Substance omestic Substance List)	No Data.				
	(Comprehensive Response on & Liability Act)	No Data.				
IDL: (Cana	dian Ingredient Disclosure List)	No Data.				
Identification		Fire Hazard: 0 Reactivity: 1 Specific Hazard: X				
SECTION 16 – OTHER INFORMATION						

No Data.

The information contained herein is based on the data available to us and is believed to be correct. However, Nu-Calgon Wholesaler Inc. makes no warranty, expressed, or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Nu-Calgon Wholesaler Inc. assumes no liability for injury from the use of the product described herin.