


(M)SDS Format : GHS South America ▼[PDF Copy](#)[Print](#)[E-mail](#)

INNOVATIONS FOR LIVING™

View (M)SDS  
Section :[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#)**SAFETY DATA SHEET**

|   |   |
|---|---|
| <p><b>Personal Protective Equipment</b></p>  <p>Protective Gloves   Safety Glasses</p> | <p><b>IATA Pictograms</b></p> <p><b>Not Regulated</b></p> |
|---|---|

**SECTION 1 : IDENTIFICATION**

|                          |   |                 |
|--------------------------|---|-----------------|
| Product Name:            | <b>Low Density Fiber Glass Insulation/Insulation Board - Unfaced Products</b>   | <b>NFPA</b>     |
| SDS Manufacturer Number: | 13614-SAM-EN  | <b>1</b>        |
| Synonyms:                | Acoustical Backing Board, Advanced ThermaCube Plus®, Batts in Bags, Blended Blowing Wool, Cathedral Batt Insulation, Cavity Wall, Cold Storage Wall, Curtain Wall 225, FDM ARP100, FDM ARP125, Flexible Marine, Flexible Type 75 AF-FDM, HV-24, HV-26, H2V-1000, H2V-2000, Insulation Batts, Manufactured Housing Insulation, Masonry Wall Insulation, Metal Building (all types), Metal Framing Batts, Metal Framing Insulation, Multi-purpose Insulation, Noise Stop Board, Pink® Insulation, Pink Pak, QuietZone® Acoustic Batt, RA Series, Shaft Wall, Sill Sealer, Sonobatts®, Sound Attenuation Batts, Standard Blend, Super Pink R Blowing Wool, ThermaGlas®, Marine Board, Unfaced Duct Wrap, Warm-N-Dri®, Aislhogar, Aislacoustic™, MBI, MBI Certified R, RW 4300 & RW 4600 Colchoneta Termoaislante | <b>2      0</b> |
| Product Use/Restriction: | Insulation.   |                 |
| Manufacturer Name:       | Owens Corning Insulating Systems, LLC   |                 |

Address: One Owens Corning Parkway  
Toledo, OH 43659

Customer Service  
Phone Number: 1-800-GET-PINK or 1-800-438-7465

Health Issues  
Information: 1-800-GET-PINK or 1-800-438-7465

Technical Product  
Information: 1-800-GET-PINK or 1-800-438-7465

Emergency Phone  
Number: 1-419-248-5330 (after 5pm ET and  
weekends)

CHEMTREC: 800-424-9300 (24 hours everyday)

Website: www.owenscorning.com

SDS Creation Date: December 16, 1997

SDS Revision Date: January 14, 2013

---

## SECTION 2 : HAZARD(S) IDENTIFICATION

---

### **Applies to Product**

Emergency Overview: Exposure to dust may be irritating to eyes, nose, and throat.

Route of Exposure: Eye contact  
Skin contact  
Inhalation

Potential Health Effects:

Eye: May cause slight irritation.

Skin: May cause slight skin irritation.

Inhalation: May cause irritation of respiratory tract.

Ingestion: Ingestion of this product is unlikely.

Chronic Health Effects: There is no known chronic health effect connected with long-term use or contact with this product.

Potential Environmental Effects: There is no known ecological information for this material.

Aggravation of Pre-Existing Conditions: Chronic respiratory or skin conditions may temporarily worsen from exposure to this product.

---

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

---

| Chemical Name            | CAS#   | Ingredient Percent |
|--------------------------|--|--------------------|
| Fiber Glass (Wool)       | 65997-17-3   | 85 - 100 by weight |
| Cured Binder             | N/A  | 0 - 15 by weight   |
| Non-Hazardous Statement: | The remaining components of this product are non-hazardous or are in a small enough quantity as to not meet regulatory thresholds for disclosure. These components |                    |

contain no substances or impurities which would influence the classification of this product.

---

#### SECTION 4 : FIRST AID MEASURES

---

|                     |  |
|---------------------|--|
| Eye Contact:        | Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers.<br>Do not rub or scratch eyes.<br>If eye irritation persists, consult a specialist.  |
| Skin Contact:       | Wash off immediately with soap and cold water.<br>DO NOT use warm water because this will open up the pores of the skin, which will cause further penetration of the fibers.<br>Use a wash cloth to help remove fibers.<br>DO NOT rub or scratch affected areas.<br>Remove contaminated clothing.<br>If irritation persists get medical attention.<br>Never use compressed air to remove fibers from the skin.<br>If fibers are seen penetrating from the skin, the fibers can be removed by applying and removing adhesive tape so that the fibers adhere to the tape and are pulled out of the skin. |
| Inhalation:         | Move to fresh air.<br>If symptoms persist, call a physician.   |
| Ingestion:          | Accidental ingestion of this material is unlikely.<br>If this does occur, watch person for several days to make sure intestinal blockage does not occur.<br>Rinse mouth with water and drink water to remove fibers from the throat.<br>If symptoms persist, call a physician.   |
| Note to Physicians: | Treat symptomatically.   |

---

#### SECTION 5 : FIRE FIGHTING MEASURES

---

|                                  |  |
|----------------------------------|--|
| Flammable Properties:            | Non Flammable.   |
| Flash Point:                     | None.  |
| Flash Point Method:              | Not applicable.  |
| Lower Flammable/Explosive Limit: | Not applicable.  |
| Upper Flammable/Explosive Limit: | Not applicable.  |
| Extinguishing Media:             | dry chemical<br>foam<br>carbon dioxide (CO2)<br>water fog                              |
| Protective Equipment:            | Wear self-contained breathing apparatus (SCBA) and full fire fighting protective gear. |
| Unusual Fire Hazards:            |  |

|                                       |  |
|---------------------------------------|--|
|                                       | Hydrogen chloride to be released from the PVC barrier and vinyl facings during a fire.                                 |
| Hazardous Combustion Byproducts:      | Carbon monoxide.<br>Carbon dioxide.<br>Ammonia.<br>Other undetermined compounds could be released in small quantities. |
| Universal Fire And Explosion Hazards: | Not available.   |

**NFPA Ratings:**

|                    |   |
|--------------------|---|
| NFPA Health:       | 2 |
| NFPA Flammability: | 1 |
| NFPA Reactivity:   | 0 |

---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

---

|                            |   |
|----------------------------|---|
| Personnel Precautions:     | Avoid contact with skin and eyes.   |
| Environmental Precautions: | Prevent further leakage or spillage if safe to do so.   |
| Methods for containment:   | This material will settle out of the air.<br>Prevent from spreading by covering, diking or other means.   |
| Methods for cleanup:       | Use an industrial vacuum cleaner with a high efficiency filter to clean up dust and fiber contamination.<br>Avoid dry sweeping.<br>Pick up and transfer to properly labeled containers. |
| Other Precautions:         | Does not apply.   |

---

**SECTION 7 : HANDLING and STORAGE**

---

|                    |  |
|--------------------|--|
| Handling:          | Avoid dust formation.<br>Do not breathe dust.<br>Wear personal protective equipment.   |
| Storage:           | Keep product in its packaging until use to minimize potential dust generation.<br>Product should be kept dry and undercover. |
| Hygiene Practices: | Wash hands before breaks and immediately after handling the product.<br>Remove and wash contaminated clothing before re-use. |

---

**SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES**

---

|                       |  |
|-----------------------|--|
| Engineering Controls: | Provide local exhaust and/or general ventilation to maintain exposure below regulatory and recommended |
|-----------------------|--|

limits.

Dust collection system must be used in transferring operations, cutting or machining or other dust generating processes, such as using power tools.

Vacuum or wet clean-up methods should be used.

Eye/Face Protection: Safety glasses with side-shields.

Skin Protection: Protective gloves.

Description: Long sleeved shirt and long pants.

Respiratory Protection: When workers are facing airborne particulate/dust concentrations above the exposure limit they must use appropriate certified respirators.  
A properly fitted NIOSH approved disposable N 95 type dust respirator or better is recommended.

Other Protective: When the temperature of the surface being insulated exceeds 250°F (121°C), including initial startup, the binder in these products may undergo various degrees of decomposition depending on the temperature in the application.  
The need for respiratory protection will vary according to the airborne concentration of the decomposition products released and accumulated in the area.  
Wear the appropriate respiratory protection according to the conditions and exposure levels in the area.

#### EXPOSURE GUIDELINES

| Ingredient            | Guideline<br>OSHA | Guideline<br>ACGIH                 | Ontario<br>Canada   | Mexico             |  |
|-----------------------|-------------------|------------------------------------|---|--------------------|--|
| Fiber Glass<br>(Wool) | None              | TLV-TWA: 1<br>f/cc<br>(Respirable) | TWAEV-TWA:<br>0.05 mg/m3<br>or 1 f/cc<br>STEL: 0.6<br>mg/m3 | TWA: 0.15<br>mg/m3 |  |

#### SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

|                   |                     |
|-------------------|---------------------|
| Physical State    | Fibrous.            |
| Appearance:       |                     |
| Odor:             | organic             |
| Boiling Point:    | No Data             |
| Melting Point:    | No Data             |
| Specific Gravity: | No Data             |
| Solubility:       | Insoluble in water. |
| Vapor Density:    | No Data             |
| Vapor Pressure:   | No Data             |
| Evaporation Rate: | No Data             |
| pH:               | No Data             |
| Viscosity:        | Not applicable.     |
| Flash Point:      | None.               |

Flash Point Method: Not applicable.

---

## SECTION 10 : STABILITY and REACTIVITY

---

Chemical Stability: Stable under normal conditions.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: None expected

Incompatible Materials: No materials to be especially mentioned.

Special Decomposition Products: See Section 5 of MSDS for hazardous decomposition products during a fire.

---

## SECTION 11 : TOXICOLOGICAL INFORMATION

---

### **Applies to Product :**

Acute Toxicity: Dusts may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing. High exposures may cause difficulty breathing, congestion, and chest tightness.

| <b>Carcinogens:</b>       |                      |  |  |   |  |               |                      |
|---------------------------|----------------------|--|--|---|--|---------------|----------------------|
|                           | <b>ACGIH</b>         |  |  | <b>IARC</b>   |  | <b>Canada</b> | <b>MEXICO</b>        |
| <b>Fiber Glass (Wool)</b> | A3 Animal Carcinogen |  |  | Group 3 - Not Classifiable as to its Carcinogenicity to Humans. |  |               | A3 Animal Carcinogen |
| <b>Cured Binder</b>       | No Data              |  |  | No Data   |  |               | No Data              |

### **Applies to Product :**

Sensitization: No information available.

Mutagenicity: No information available.

Reproductive Toxicity: No information available.

Teratogenicity: No information available.

Neurological Effects: No information available.

### **Fiber Glass (Wool) :**

Chronic Effects: In June 2011, The National Toxicology Program (NTP) removed biosoluble glass wool fibers from its list of possible carcinogens used for home and building insulation.

In October 2001, the International Agency for Research on Cancer (IARC) classified fiber glass wool as Group 3, "not classifiable as to its carcinogenicity to humans". The 2001 decision was based on human studies and animal research

that have not shown an association between inhalation exposure to dust from fiber glass wool and the development of respiratory disease.

---

## SECTION 12 : ECOLOGICAL INFORMATION

---

### **Applies to Product :**

Ecotoxicity: This material is not expected to cause harm to animals, plants or fish.

Bioaccumulation: Not available.

Biodegradation: Not available.

Mobility In Environmental Media: Not available.

---

## SECTION 13 : DISPOSAL CONSIDERATIONS

---

### **Applies to Product :**

Waste Disposal: Dispose of in accordance with Local, State, Federal and Provincial regulations.

---

## SECTION 14 : TRANSPORT INFORMATION

---

IATA Shipping Name: Not Regulated.

MEX Shipping Name : Not Regulated.

---

## SECTION 15 : REGULATORY INFORMATION

---

### **Inventory Status**

|                    | <b>Japan<br/>ENCS</b> | <b>Philippines<br/>PICCS</b> | <b>China</b> | <b>South<br/>Korea<br/>KECL</b> | <b>Australia<br/>AICS</b> |
|--------------------|-----------------------|------------------------------|--------------|---------------------------------|---------------------------|
| Fiber Glass (Wool) | Not listed            | Listed                       | Listed       | KE-17630                        | Listed                    |
| Cured Binder       | Not listed            |                              | Listed       | KE-35185                        | Listed                    |

|                    | <b>TSCA<br/>Inventory<br/>Status</b> |  |  |  |  |
|--------------------|--------------------------------------|--|--|--|--|
| Fiber Glass (Wool) | Listed                               |  |  |  |  |
| Cured Binder       | Listed                               |  |  |  |  |

---

**SECTION 16 : ADDITIONAL INFORMATION**

---

SDS Creation Date: December 16, 1997

SDS Revision Date: January 14, 2013

MSDS Revision Notes: Section 11 Updated with 2011 NTP Evaluation

Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

Copyright© 1996-2011 Actio Corporation. All Rights Reserved.