MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT INFORMATION

Product Identifier:

Superior® Classic Smoke

Chemical Name:

Screening Smoke

Product Use:

Superior® Smoke for Air Flow Studies (Professional Use Only)

Manufacturer's information:

SUPERIOR SIGNAL COMPANY LLC PO Box 96, Spotswood, NJ 08884 USA

Emergency Phone # (732) 251-0800

Fax # (732) 251-9442

E-Mail: info@superiorsignal.com

SECTION 2: PRODUCT INGREDIENTS (SMOKE)

Neither TLV nor PEL applicable because product is intended for use in short term tests.

TLV

PEL

8-hour time weighted average

Hydrated Zinc Chloride:

1 mg/m³

1 mg/m³

Water Condensate:

55 mg/m³

Carbon Monoxide:

55 mg/m³

All other ingredients are present in negligible amounts and/or are non-hazardous.

Concentrations of the various smoke components depend entirely on the size of solid(s) burned, volume of the space and ventilation of the space. They are not independently predictable or knowable.

Superior® Classic Smoke products are available in various sizes that provide sufficient materials to create easily visible smoke for different sized areas at a concentration of 10 mg/m3.

Superior® #1A

4,000 ft3 / 113 m3

Superior® #2B

8,000 ft3 / 227 m3

Superior® #3C Superior® #W3C

40,000 ft3 / 1133 m3 40.000 ft³ / 1133 m³

SECTION 3: PHYSICAL DATA (SMOKE)

Boiling Point:

Not Applicable

Vapor Pressure:

Not Applicable

Vapor Density:

Not Applicable

Solubility in Water:

Soluble (Zinc Chloride)

pH:

No Data

Appearance and Odor:

Gray to white, with an odor of burning paper

SECTION 4: FIRE & EXPLOSION HAZARD DATA

(SMOKE):

Flash Point (method used):

Auto Ignition:

Not Applicable

Flammable limits in air:

Not Applicable

(SOLID PRODUCT): Extinguishing Media: Use media suitable for surrounding fire.

(SMOKE / SOLID PRODUCT): Normal fire fighting protective equipment; self-contained breathing

apparatus and full protective clothing.

(SMOKE / SOLID PRODUCT): Unusual fire and explosion hazards: None Known

SECTION 5: REACTIVITY DATA (SOLID PRODUCT)

Stability: Stable under normal conditions

Hazardous decomposition products: See Section 2

Hazardous polymerization: None Known

SECTION 6: HEALTH HAZARD ASSESSMENT (SMOKE)

- General: Superior® Classic Smoke can be used without hazard if applied as directed. The main effects of the smoke are some irritation of the throat, an awareness of an odd odor, and the appearance of smoke. These effects act as a warning and are desirable to prevent voluntary overexposure. Individuals should be urged not to accept exposures that cause minor irritation, but to leave the area and ventilate well to dissipate the smoke.
- **Ingestion:** Not a significant route of exposure.
- **Eye Contact:** Acute exposure is not likely to induce eye irritation.
- **Skin Absorption:** Not a significant route of exposure.
- Inhalation: Acute exposure can cause irritation of the respiratory tract and mucous membranes. In itself irritation is not usually regarded as a toxic effect unless it is sufficient to cause inflammation and then inflammation, not irritation, is the toxic effect.
- Effects of Overexposure: Irritation of the respiratory passages; cough; nausea. Gross overexposure to dense smoke concentrations for periods of ten minutes or more could result in throat irritation and mucous membrane congestion requiring medical treatment. Coughs chills, fever and pulmonary edema can result from overwhelming exposure. Increasingly severe overexposure is likely to result in increasingly severe irritation and inflammation to all mucous membranes contacted by the smoke with most severe effects usually appearing in the respiratory tract.

SECTION 7: EMERGENCY AND FIRST AID PROCEDURES

Remove victim to fresh air. If breathing is difficult, get medical attention.

SECTION 8: TOXICOLOGICAL PROPERTIES (SMOKE)

Carcinogen listed by: IARC (No) NTP (No) OSHA (No) OTHER (No)

SECTION 9: DISPOSAL METHOD

(SMOKE): Ventilate area. Use local exhaust to keep exposure to a minimum. The duration of smoke would be short and the length of exposure could be reduced further by opening doors and windows for a few minutes, if and when the smoke appears.

(SOLID PRODUCT): Disposal Method: Dispose in chemical disposal area in a manner that complies with local, state and federal regulations.

Phone # (732) 251-0800FAX # (732) 251-9442

SECTION 10: PREPARATION OF THE MSDS

The information herein is given in good faith, but no warranty, express or implied, is made.

January 18, 2011 Date of Preparation:

Date of Last Revision: N/A

Review Date:

Prepared by:

January 2, 2013

James A. Kovacs, President