

EMKARATE RL 46S
Material Safety Data Sheet

SECTION I - COMPANY IDENTIFICATION

PRODUCT: EMKARATE RL 46S
PACKED & DISTRIBUTED BY:
Virginia KMP Corporation
4100 Platinum Way
Dallas, Texas 75237

CAT. NO.: LE46S1, LE46S5, LE46S55
TELEPHONE NUMBERS:
Office: 1-(214) 330-7731
Emergency Only: 1-(800) 424-9300

SECTION II - HAZARDOUS INGREDIENTS

OSHA Hazardous Components (29 CFR 1910.1200)

EXPOSURE LIMITS: 8 HR. TWA

Polyol ester with antioxidant*

OSHA PEL

ACGIH TLV

NE

NE

* Ingredients not precisely identified are proprietary or nonhazardous.

SECTION III - HAZARDS IDENTIFICATIONS

EMERGENCY OVERVIEW: WARNING! Harmful if swallowed. Skin and eye irritant.

POTENTIAL HEALTH EFFECTS:

INHALATION: No toxic effects are expected. High concentrations of mist may be irritating to upper respiratory tract.

EYE CONTACT: May cause irritation following contact.

SKIN CONTACT: Repeated or prolonged contact may cause mild irritation. May aggravate pre-existing skin disorders.

INGESTION: This material is slightly toxic. Irritation of gastrointestinal tract may develop following ingestion.

CHRONIC Effects: None known

NOTE:

CARCINOGENICITY: LISTED IN NTP? No

IARC? No

OSHA Regulated? No

SECTION IV - FIRST AID MEASURES

INHALATION: Remove victim to fresh air. If a cough or other respiratory symptoms develop, consult a physician.

EYE CONTACT: Immediately flush with plenty of water for 15 minutes. If redness, itching, or a burning sensation develops, get medical attention.

SKIN CONTACT: Wash material off of skin with plenty of soap and water. If redness, itching, or burning sensation develops get medical attention.
Wash clothes before reuse.

INGESTION: DO NOT INDUCE VOMITING. Give 1 or 2 glasses of water to drink. If gastrointestinal symptoms develop, consult a physician.

SECTION V - FIRE FIGHTING MEASURES

FLASHPOINT (TEST METHOD): 383 F, 195 C (PMCC)

FLAMMABLE LIMITS: LOWER: NAP

UPPER: NAP

AUTOIGNITION TEMPERATURE: ND

GENERAL HAZARD:

FIRE FIGHTING INSTRUCTIONS: Approach fire from upwind side. Avoid breathing smoke, fumes, mist or vapors on downwind side. Firefighters wear protective clothing and self contained breathing apparatus.

EXTINGUISHING MEDIA: Water fog, foam, carbon dioxide, dry chemical, halogenated agents.

HAZARDOUS COMBUSTION PRODUCTS: Smoke and fumes, carbon monoxide, carbon dioxide.

SECTION VI - ACCIDENTAL RELEASE MEASURES

LAND SPILL: Wear skin and respiratory (if mist or vapors are present) protection during cleanup. Contain spill. Keep out of sewers and drains.
Soak up material with absorbent and shovel into a chemical waste container.

WATER SPILL: Notify proper authorities.

Clean up leaks/spills immediately to prevent soil or water contamination.

SECTION VII - HANDLING AND STORAGE

HANDLING: Product is highly hygroscopic. Keep container closed tightly.

EMKARATE RL 46S

STORAGE: Follow normal storage practices. No special storage requirements necessary.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust ventilation is recommended.

PERSONAL PROTECTION: Use chemical impervious gloves and apron, chemical goggles or full face shield. Respiratory protection is not normally needed under proper conditions of use and storage. Use MSHA - NIOSH approved respirator for organic vapors, dust and mists whose TLV is greater than 0.05 mg/m³.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

VAPOR PRESSURE @ 20 C: <1 mmHg

VAPOR DENSITY (Air=1): NA

SPECIFIC GRAVITY (H₂O=1): 0.9731

EVAPORATION RATE (H₂O=1): NAP

SOLUBILITY IN WATER: Nil

VOC (LB/GAL): NAP

pH: NAP

FREEZING POINT: NA

BOILING POINT: No data

APPEARANCE & ODOR: Liquid with mild odor.

SECTION X - STABILITY AND REACTIVITY

STABILITY: Stable.

CONDITIONS TO AVOID: None known.

MATERIALS TO AVOID: Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: From combustion: smoke, carbon monoxide, carbon dioxide.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

From preparation similar to polyol ester with antioxidant LD50: >2000 mg/kg (oral - rat)

SECTION XII - ECOLOGICAL INFORMATION

No data

SECTION XIII - DISPOSAL CONSIDERATIONS

Discarded product is not a hazardous waste under RCRA, 40 CFR 261.

SECTION XIV - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Not regulated material, liquid

HAZARD CLASS: NA

IDENTIFICATION NUMBER: NA

DOT Emergency Guide #: NA

Reportable Quantity (RQ): NA

International: NA

SECTION XV - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act): Components of this product are listed on the TSCA Inventory.

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act): Not listed.

SARA TITLE III (Superfund Amendments and Reauthorization Act): Not listed.

CALIFORNIA PROPOSITION 65: Not listed.

SECTION XVI - OTHER INFORMATION

State Right-to-Know Programs: Not listed.

NFPA Ratings

Health: 1

Flammability: 1

Prepared by: Virginia KMP Corporation

Printed 8/19/03

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Virginia KMP. The data on this sheet related only to specific material designated herein. Virginia KMP assumes no legal responsibility for use or reliance upon these data.

EMKARATE RL 46S

Reactivity: 0

HMIS Protective Equipment: X See your supervisor

Revised: 10/2001